



VAPONA 2 SOLUTION

Only for Sale to, Use and Storage by Pest Control Operators or other Servicepersons.

ACTIVE INGREDIENTS	BY WEIGHT
2,2-Dichlorovinyl Dimethyl Phosphate	22.0%*
Related Compounds	1.7%
Petroleum Hydrocarbons	76.3%
TOTAL	100.0%

*Equivalent to 23.7%W or 2 lbs. per gallon Vapona Insecticide

Reg. T M Shell Chemical Co

KEEP OUT OF REACH OF CHILDREN.



DANGER POISON



NET CONTENTS:

SEE OTHER PRECAUTIONS AND ANTIDOTE STATEMENTS ON SIDE PANEL

E.P.A. Registration Number 6720-25

E.P.A. Est. No. 6720-FL-1

MANUFACTURED BY

Southern Mill Creek PRODUCTS COMPANY, INC.

TAMPA, FLORIDA 33601

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Call a physician or Poison Control Center immediately if possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED — Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN — Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES — Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN — Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.


PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Poisonous if swallowed, inhaled or absorbed through the skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin. Wear natural rubber gloves, water proof protective clothing and goggles when handling. Wear a pesticide respirator (jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provision of 29 CFR Part II).

NOTE TO PHYSICIAN — WARNING SYMPTOMS
Symptoms include weakness, headache, tightness in chest, blurred vision, nonreactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation Atropine Sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete atropinization has occurred. Morphine is contraindicated. 2-PAM is also antidotal and may be administered in conjunction with Atropine. Clear chest by postural drainage. Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by a blood test.


ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes and ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.



BEST DOCUMENT AVAILABLE

83 3380 5



GENERAL DIRECTIONS

VAPONA 2 can be used in conventional hydraulic sprayers, low volume ground applicators, and airplane sprayers. VAPONA 2 kills flies, mosquitoes, wasps, ants, fleas, roaches, waterbugs, spiders, silverfish, gnats and flying moths. VAPONA 2 is an insecticidal concentrate containing DDVP and can be used as a baited spray against houseflies and also for the control of many other insect pests.

READ ENTIRE LABEL, USE STRICTLY IN ACCORDANCE WITH LABEL CAUTIONS, WARNINGS AND DIRECTIONS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling.

INDOOR PEST CONTROL

(A) HOUSEHOLDS, THEATERS, WAREHOUSES AND THE NON FOOD AREAS OF FOOD PROCESSING PLANTS AND RESTAURANTS.

INSECTS — Flies, mosquitoes, wasps, gnats, flying moths, and other small flying insects, Cockroaches, ants, spiders, silverfish.

MIXING RATE Use a 0.5% Spray Solution by mixing 1 pint of this product with 6 gallons of deodorized kerosene.

HOW TO APPLY Apply 0.5% spray with a low pressure sprayer to localized areas insects may infest. Treat areas around baseboards, cracks, walls, door and window frames, and localized areas of floors. Do not apply to areas until surfaces are dry. Do not contaminate food, water, feed containers, or cooking utensils. Do not treat animals. Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

(B) FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, THEATERS, WAREHOUSES. (Specs Spray Only)

INSECTS — Flies, Ants, Roaches and Silverfish.

MIXING RATE Use a 1.0% Fogging or Misting Solution by mixing 1 quart of this product with 6 gallons of water or 1 quart with 7 gallons of deodorized kerosene.

HOW TO APPLY Apply with fogging or misting equipment at the rate of 1 gallon of 1% fogging solution per 84,000 cubic feet for control of flies. When fogging for control of roaches, ants, and silverfish, the fog should be directed into cracks and crevices and hiding places. Apply when plants are not in operation. Occupants should vacate before indoor treatments and should not reoccupy the premises until they have been ventilated. After application open several windows and doors to create air currents to insure reduction of the insecticide vapors. Food should be removed and food handling equipment covered with wrapping paper during application or washed after the application is completed.

PRECAUTIONS WHEN FOGGING OR SPRAY MISTING

Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

OUTDOOR PEST CONTROL

INSECTS — Flies, Mosquitoes, Gnats, and other Small Flying Insects.

DOSAGE ACTUAL VAPONA INSECTICIDE — 1 to 3% Fog Solution. 2 qt. of VAPONA 2 Solution with 12 1/2 gal. diesel (1.0%) Apply as a fog or fine mist. Apply with fogging apparatus or mist blowers. Dilute VAPONA INSECTICIDE Concentrate with oil to the recommended concentration and apply at a rate of 0.05 to 0.1 lbs. VAPONA Insecticide per acre. For example using a 1% fog mist solution apply 5 pints per acre for the 0.05 lbs. acre dosage or 1 1/2 gallons per acre for the 0.1 lbs. dosage.

DO NOT treat areas where food or feed crops are growing.

For airplane application use approximately 3 to 10 gallons of water per acre for sufficient coverage.

ANIMAL BUILDINGS, (HORSE BARN, DAIRY BARN, SHELTER SHEDS, MILK SHEDS, AND OUTDOOR AREAS:

To control flies, gnats, mosquitoes, roaches, fleas, ants, waterbugs and brown dog ticks.

Use 0.5% Solution VAPONA 2 Solution (2 lbs. gal.) 2 pints with 12 1/2 gallons diesel oil (0.5%).

Apply VAPONA Insecticide as a coarse wet spray at the rate of 1 qt. 0.5% solution per 1,000 sq. ft. For milk sheds, stables, livestock, barns, loafing sheds, pig pens and outdoor areas treat around doorways, feed storage rooms, alleyways and window sills. DO NOT contaminate milk or milking utensils.

In poultry houses, apply to manure, window sills, outside of penned enclosures and on floor or feed storage rooms.

Continued on side panel

Treat outdoor living areas, picnic grounds, backyard areas, patios, loading docks, outdoor atriums, parking areas, refuse areas, around service stations, open air driveways, ice cream stands, garbage collection and disposal areas. In treating dog kennels apply to outside dog runways, window sills and ledges. For control of fleas and brown dog ticks increase dosage to 1.0 qt. 0.5% solution per 1,000 sq. ft. Do not use in areas where animals have received direct application of DDVP within 8 hours.

Before applying in enclosed areas, remove animals from enclosure and reduce air movement as much as possible by closing doors, windows and other openings. DO NOT treat animals or humans. DO NOT contaminate water, feed or foodstuffs. Ventilate before allowing animals to reoccupy treated premises. Repeat as necessary.

NOTICE

Seller's guaranty shall be limited to the terms of the label and subject thereto. Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given on this label.

PRECAUTION IN USING

VAPONA insecticide concentrate and the diluted emulsion are poisonous. Therefore, precautions must be observed when handling them. (See antidote and warnings.)

Store the concentrate in a safe place. Children or animals must not be able to reach or handle the concentrate or diluted emulsion. It is recommended that only the amount of diluted emulsion be prepared from the concentrate that will be used immediately.

Mix the concentrate into water outdoors or in a well ventilated room. Wash off the outside of the bottle of concentrate in running water before storing away.

Contamination of water with this chemical may kill fish.

DO NOT contaminate feed, water or food stuffs.

STORAGE AND DISPOSAL

STORAGE Avoid contamination with water, acids or alkalis. Do not store near heat or open flame. Keep container closed. Store in original containers only. Separate pesticides to avoid cross contamination of other pesticides, fertilizer, food and feed. Keep container in locked storage areas. If spilled, absorb with dry material such as sand and see just and sweep up for disposal.

PESTICIDE DISPOSAL Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL Triple rinse (or equivalent). Then offer for recycling, or reconditioning, or puncture and dispose of in a sanitary landfill, incinerate or, if allowed by State and Local authorities, burn. If burned, stay out of smoke.

