VAPONA[®] **INSECTICIDE** 90% Concentrated Solution POISON


ACTIVE INGREDIENTS: 2,2-dichlorovinyl phosphate Related Compounds Petroleum Hydrocarbons

TOTAL *Equivalent to 90%w of VAPONA Insecticide.

KEEP OUT OF REACH OF CHILDREN. DANGER: SEE SIDE PANEL FOR ADDITIONAL WARNING AND ANTIDOTE STATEMENTS.

U.S.D.A. Registration Number 6720-27 7. MANUFACTURED BY (MD) outhern MILL CREEK PRODUCTS COMPANY, Inc. TAMPA FLORIDA





GENERAL DIRECTIONS

VAPONA Insecticide 90% Concentrated Solution is a specially prepared concentrate for use in fogging devices and conventional application equipment.

SUGGESTED PROCEDURES FOR SAFE DISPOSAL OF EMPTY CONTAINERS

USE AND DIRECTIONS FOR APPLICATION

| Crop or Use | Insect | Dosage Actual Vapona Insecticide | Application | Directions for Application | away Glass 18 in Fiber Exerc |
|------------------|---|---|-----------------------------|---|--|
| Outdoor Areas | Flies, Mosqui- toes, Gnats and other small fly- ing insects | Fog or Mist Solu- tion: 1 pt. 90% CS with 16 gals. diesel oil (1.0%) | a fog or a fine mist. | TO BE APPLIED BY, OR UNDER THE DIRECTIONS OF TRAINED PERSON- NEL. Apply with fogging ap- paratus or mist blowers. Dilute VAPONA Insecti- cide Concentrate with oil to the recom- mended concentrations and apply at a rate of 0.05-0.1 lb. VAPONA In- secticide per acre. For example using a 1% fog mist solution apply 5 pints per acre for the 0.05 lb/acre dosage or 11/4 gals. per acre for the 0.1 lbs. dosage. DO NOT treat areas where food or feed crops are growing. | Meta O ad fu so wi Pu bu Fin fo 5 2 30 ly Rota Bury awa DO wate (Cau NOT the Punot taine IF T the be o that DO |

NOTICE OF WARRANTY

The Southern Mill Creek Products Company, Inc. warrants (its liability being limited to the purchase price of the product named on this label) that this product consists of the ingredients specified, but make no other warranty or representation of any kind, expressed or implied, including any warranty or representation regarding the effect or result of this product's use whether or not the product is used in accordance with directions, and shall have no responsibility whatscever for injury to persons, or loss or damage to property resulting from the handling, storage or use of this product. The user or buyer shall be deemed to have accepted these conditions, which may be varied only by agreement in writing, signed by duly authorized representatives of Southern Mill Creek Products Company, Inc.

PRECAUTIONS IN USING

VAPONA Insecticide concentrate and the diluted emulsion are poisonous Therefore, precautions must be observed when handling them. (See antidote and warnings below.)

Store the concentrate in a safe place. Children or animals must not be

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

DO NOT re-use the container. Completely empty the contents and y the unused chemical at least 18 inches deep in an isolated location ay from water supplies.

ss Containers — Break the container and bury the pieces at least inches deep in an isolated location away from water supplies.

er and Paper Containers — Burn the empty container completely. rcise extreme caution and stay well away from the smoke.

al Containers —

One-Gallon Cans — Pour one pint of water into the empty can and dd one tablespoonful of household Jetergent. Rotate the can careully to wet all inner surfaces with the solution. Bury the rinse olution at least 18 inches deep in an isolated location away from vater supplies.

unch holes in the top and bottom of the can, crush the can and oury deeply in an isolated location.

ive-Gallon, Thirty-Gallon, and Fifty-Five-Gallon Drums - Pour the ollowing mixture into the empty container.

-gallon drums — 2 gts. water, 1/2 cup caustic soda (household lye), tablespoonfuls detergent.

0-gallon drums — 3 gallons water, 1 pound caustic soda (household ye), $\frac{1}{2}$ cup detergent.

5-gallon drums - 5 gallons water, 2 pounds caustic soda (household ye), 1 cup detergent.

ate container carefully until all inner surfaces are thoroughly wet. ry the rinse solution at least 18 inches deep in an isolated area ay from water supplies.

NOT use container in any connection with feed, food, or drinking


ution: Handle caustic soda (household lye) with extreme care. DO T get on skin, in eyes, or on clothing. Read and carefully follow precautions on the package.)

ch holes in the top and bottorn of the container, crush the coner and bury deeply in an isolated area.

THE ABOVE RINSE METHOD CANNOT BE USED - Punch holes in TOP of the container and burn in a hot fire until all the paint has en completely burned off the container. Extreme caution should exercised to insure that the containers are completely empty and persons stay well away from the smoke and fumes.

NOT attempt to burn more than five containers at one time.

ACCEPTED WITH COMMENTS



NOTICE OF WARRANTY

The Southern Mill Creek Products Company, Inc. warrants (its liability being limited to the purchase price of the product named on this label) that this product consists of the ingredients specified, but make no other warranty or representation of any kind, expressed or implied, including any warranty or representation regarding the effect or result of this product's use whether or not the product is used in accordance with directions, and shall have no responsibility whatsoever for injury to persons, or loss or damage to property resulting from the handling, storage or use of this product. The user or buyer shall be deemed to have accepted these conditions, which may be varied only by agreement in writing, signed by duly authorized representatives of Southern Mill Creek Products Company, Inc.

PRECAUTIONS IN USING

VAPONA Insecticide concentrate and the diluted emulsion are poisonous. Therefore, precautions must be observed when handling them. (See antidote and warnings below.)

Store the concentrate in a safe place. Children or animals must not be able to reach or handle the concentrate or diluted emulsion. It is recommended that only the amount of diluted emulsion be prepared from the concentrate that will be used immediately.

Mix the concentrate into water outdoors or in a well ventilated room. Wash off the outside of the bottle of concentrate in running water before storing away.

DO NOT contaminate feed, water or food stuffs.

This product is toxic to fish.

Keep out of lakes, streams, and ponds.

DO NOT apply when weather conditions favor drift of spray from areas treated.

WARNING

VAPONA Insecticide concentrate is poisonous if swallowed, inhaled or absorbed through skin or eyes. DO NOT get on skin or eyes. DO NOT breathe fumes. Avoid prolonged exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for DDVP (VAPONA Insecticide) protection. Keep all unprotected persons out of operational area. In case of contact, wash immediately with soap and water. Wash hands arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE is the emergency antidote for VAPONA Insecticide poisoning. Consult your physician about obtaining an adequate supply of 1/100grain atropine tablets for emergency use. Call a PHYSICIAN IMME-DIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least ten minutes.

Keep patient prone and quiet.

Start artificial respiration immediately if patient is not breathing.

Transport the patient immediately to the physician.

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

has occured.

Morphine is contraindicated.

Clear chest by postural drainage.

Observe patient continuously for 48 hours.

inhibitor.

IF THE ABUVE KINDE METHOD CANNUT BE USED - Punch holes in the TOP of the container and burn in a hot fire until all the paint has been completely burned off the container. Extreme caution should be exercised to insure that the containers are completely empty and that persons stay well away from the smoke and fumes. DO NOT attempt to burn more than five containers at one time.

IF WARNING SYMPTOMS APPEAR: Administer two 1/100-grain atropine tablets immeditely. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARNING SYMPTOMS below.)

NOTE TO PHYSICIAN

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinzation

Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase

Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

> ACCEPTED WITH COMMENTS