



NET
CONTENTS

WITH COMMENT

ACCEPTED

3-26-68

PIVACIN CONCENTRATE

UNDER THE FEDERAL INSECTICIDE
ACT AND REGULATIONS
FOR EXEMPT PESTICIDES
REGISTERED UNDER NO.

4720-54

RODENTICIDE
KILLS RATS and MICE
Anti-coagulant for Rodent Control

ACTIVE INGREDIENTS:		
2 Pivalyl - 1, 3 Indandione		99.5
INERT INGREDIENT	Starch	
TOTAL		100.0%

DIRECTIONS

Thoroughly mix **one part** (by weight) of rodenticide with **nineteen parts** of dry rodent bait. Place bait in locations where rats and mice feed, water or travel. Bait placements along walls, in corners, and in concealed locations where rats and mice feed are desirable.

Place baits in locations not accessible to children, **pets**, and domestic animals, or in tamper-proof bait boxes.

FOR RAT CONTROL:

Place at least **four ounces** of bait at each bait location. Maintain an uninterrupted supply of bait in the stations for at least 5 days.

FOR MOUSE CONTROL:

Place **tablespoon** amounts of bait at 12-foot intervals. Maintain an uninterrupted supply of bait for at least 5 days.

NOTE: If bait molds, decomposes, or becomes sour, replace with fresh materials.

CAUTION

Keep away from humans, domestic animals, and pets. If swallowed by humans, domestic animals, or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, the intravenous and oral administration of Vitamin K (combined with blood transfusions, as indicated) as in the case of hemorrhage induced by overdoses of 1,5-dihydroxy Coumatel.

NOTICE: Seller's guaranty shall be limited to the terms of the label and subject thereto. The buyer assumes any risk to persons or property arising out of use or handling of baits, baits, traps, or other conditions.

CAUTION: KEEP OUT OF REACH OF CHILDREN