



# DURSBAN\* 2E INSECTICIDE

Controls Pests of Households (Cockroaches, Ants, Brown Dog Ticks, Spiderfish Spiders), Turf (Chinch Bugs, Sod Webworms, Ants, Brown Dog Ticks, Cutworms, Earwigs, Crickets, Grasshoppers, Hyperodes Weevil) and Ornamental Plants (Bagworms, Grasshoppers, Leafhoppers, Spittlebugs, Mealybugs, Whiteflies, Exposed Thrips, Mites, Cutworms). Also recommended for Mosquito Control and Area Control of Ticks.

To Be Applied Only By or Under the Supervision of Pest Control Operators, Public Health Organization, Mosquito Abatement Districts and Other Trained Personnel Responsible for Insect Control Programs.


### ACTIVE INGREDIENTS

Chlorpyrifos (O, O-dimethyl O-(3-pyridinyl) phosphorothioate)	75.0
Aromatic parathion derivative solvent	15.0
Ethanol	10.0

### INERT INGREDIENTS

TOTAL

**WARNING: KEEP OUT OF REACH OF CHILDREN**



### USE DIRECTIONS

#### SPRAY DILUTION CHART

#### Application In Non-Food Areas

Apply Dursban 2E to areas where pests are present or likely to occur. Apply to cracks and crevices, baseboards, and other harborage areas.

Apply Dursban 2E to lawns, gardens, and other areas where pests are present or likely to occur. Apply to the soil surface and to the base of plants.

Note: Avoid contact with children and pets.

#### Brown Dog Ticks

Apply Dursban 2E to areas where ticks are present or likely to occur. Apply to cracks and crevices, baseboards, and other harborage areas.

#### Warning (Pests Indoors) For Spot Application Only

Apply Dursban 2E to areas where pests are present or likely to occur. Apply to cracks and crevices, baseboards, and other harborage areas.

#### PESTS OUT OF DOORS: General Information

Apply Dursban 2E to areas where pests are present or likely to occur. Apply to lawns, gardens, and other areas.

#### Pests: Lawns and Other Ornamental and Recreational Turf Grass Areas

Apply Dursban 2E to lawns and other ornamental and recreational turf grass areas.

Pests of Ornamental Plants (Bagworms, Grasshoppers, Leafhoppers, Spittlebugs, Mealybugs, Whiteflies, Exposed Thrips, Mites, Cutworms). Also recommended for Mosquito Control and Area Control of Ticks.

Net Weight: 1.0 lb (454 g)

Area Control: For use in areas where pests are present or likely to occur.

Warning: Keep out of reach of children.



# DURSBAN\* 2E INSECTICIDE

Controls Pests of Households (Cockroaches, Ants, Brown Dog Ticks, Silverfish, Spiders), Turf (Chinch Bugs, Sod Webworms, Ants, Brown Dog Ticks, Cutworms, Earwigs, Crickets, Grasshoppers, Hyperodes Weevil) and Ornamental Plants (Bagworms, Grasshoppers, Leafhoppers, Spittlebugs, Mealybugs, Whiteflies, Exposed Thrips, Mites, Cutworms). Also recommended for Mosquito Control and Area Control of Ticks.

To Be Applied Only By or Under the Supervision of Pest Control Operators, Public Health Organization, Mosquito Abatement Districts and Other Trained Personnel Responsible for Insect Control Programs

ACTIVE INGREDIENTS	
Chlorpyrifos (O, O-dimethyl O-(3,5-dimethyl-2-pyridyl) phosphorothioate)	23.5%
Aromatic petroleum derivative solvent	14.9%
Xylene	54.9%
INERT INGREDIENTS 6.7%	
<b>TOTAL</b>	<b>100.0%</b>

**WARNING: KEEP OUT OF REACH OF CHILDREN**

ACCEPTED  
11/18/74  
NET CONTENTS  
UNDER THE FEDERAL INSECTICIDE ACT

**Pests of Ornamentals:** Bagworms, Cutworms, Grasshoppers, Leafhoppers, Mealybugs, Mites, Spittlebugs, Thrips, Exposed Thrips, and Whiteflies. **Flowers, Fruit, Vine, Shade and Flowering Trees and Evergreens:** Must be tested with these pests. Dilute DURSBAN 2E with water according to directions given in the following table and apply using suitable hand or power spray equipment in a manner to provide complete and uniform coverage of infested plant. Avoid over-spraying to the point of excessive runoff. Treat when pests appear and repeat at 7 to 10 day intervals if needed. Note: Do not use in areas where a particular plant or bush is variegated by the use of pesticides. Do not use on plants.

### DOSE and DILUTIONS for USE on ORNAMENTAL PLANTS

Plant Type	Application Rate
Flowers, Fruit, Vine, Shade and Flowering Trees and Evergreens	1/2 to 1 quart per 100 sq ft
Grasshoppers, Leafhoppers, Mealybugs, Mites, Spittlebugs, Thrips, Exposed Thrips, and Whiteflies	1/2 to 1 quart per 100 sq ft
Bagworms, Cutworms, Grasshoppers, Leafhoppers, Mealybugs, Mites, Spittlebugs, Thrips, Exposed Thrips, and Whiteflies	1/2 to 1 quart per 100 sq ft

Note: Mosquito control is not recommended for use on ornamental plants.

**Warning (Lawn and Ornamental Plant Pests):** Do not use on lawns or ornamental plants where the insecticide may be applied to the soil. Do not use on lawns or ornamental plants where the insecticide may be applied to the soil.

**Area Control of Ticks:** Do not use on lawns or ornamental plants where the insecticide may be applied to the soil. Do not use on lawns or ornamental plants where the insecticide may be applied to the soil.

**Warning (Area Control of Ticks):** Do not use on lawns or ornamental plants where the insecticide may be applied to the soil. Do not use on lawns or ornamental plants where the insecticide may be applied to the soil.

**Mosquitoes:** Do not use on lawns or ornamental plants where the insecticide may be applied to the soil. Do not use on lawns or ornamental plants where the insecticide may be applied to the soil.

### CONDITIONS and RATES to USE for MOSQUITO CONTROL

Area	Application Rate
Lawns	1/2 to 1 quart per 100 sq ft
Ornamental Plants	1/2 to 1 quart per 100 sq ft
Grasshoppers, Leafhoppers, Mealybugs, Mites, Spittlebugs, Thrips, Exposed Thrips, and Whiteflies	1/2 to 1 quart per 100 sq ft

**Warning (Mosquito Control):** Do not use on lawns or ornamental plants where the insecticide may be applied to the soil. Do not use on lawns or ornamental plants where the insecticide may be applied to the soil.

### WARNING

KEEP OUT OF REACH OF CHILDREN  
MAY BE FATAL IF SWALLOWED. MAY BE ABSORBED THROUGH SKIN. MAY BE NEUROLOGICALLY TOXIC BY SKIN CONTACT.

### GENERAL USE PRECAUTIONS

**PROTECT WILDLIFE:** Do not use on lawns or ornamental plants where the insecticide may be applied to the soil. Do not use on lawns or ornamental plants where the insecticide may be applied to the soil.