

Solution of Malathion and DDVP. It is specifically for use in fogging operations and used at full strength will afford effective mosquito control.

DIRECTIONS

Do not exceed 1 gallon per acre. Fog should be held 10 feet or more from plants to be treated.

Will kill mosquitoes, flies and certain other flying insects when used in fogging operations. Foggers are so constructed that they will produce a heavy smoke-like fog. Small particles of insecticide produced by fogging remain suspended in air longer than particles produced by ordinary hand sprayer. The fogging method is especially effective for insect control outdoors.

Use in back yards when a heavy fog is produced. The fog will be carried away by wind, affording opportunity to be effective against mosquitoes and other small flying insects. The best time to fog is around dusk when the temperature has gone down and the temperature at the ground is somewhat lower than that of the air above. The fog treated area will linger for a longer period of time.

The lasting effects of fog depend on weather conditions and if a wet or dry fog is produced. Wet fog contains larger particles of insecticide that have not been completely vaporized. Wet fog has more lasting effect than dry fog, however, heavier residue left by wet fog can be harmful to flowers, plants and other vegetation, therefore, dry fog is desirable. It is not advisable or necessary to hold it close to any plants or shrubbery to obtain satisfactory results.

It is also recommended for use in ordinary spraying equipment to kill flies, mosquitoes and other small flying insects around dairies and stables.

DO NOT spray on garden plants, house plants and other vegetation.

Repeat applications as necessary.



M/V FOG SOLUTION

TO BE USED BY PROFESSIONAL PEST CONTROL

| | |
|---------------------|--|
| ACTIVE INGREDIENTS: | |
| | 2,2-Dichlorovinyl Dimethyl Phosphat Related Compounds |
| | Malathion (0,0-Dimethyl dithiophospho- diethyl mercaptosuccinate) |
| | Xylene |
| INERT INGREDIENTS | |
| | TOTAL |

*Equivalent to 1.0 DDVP Insecticide

WARNING: KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANELS FOR OTHER CAUTIONS
U.S.D.A. Registration Number 100-100000

MANUFACTURED BY
Southern MILL CREEK PRODUCTS
TAMPA, FLORIDA

ACCEPTED
3/3/71
6720-17
REQUIREMENTS



G SOLUTION

PROFESSIONAL PEST CONTROL OPERATORS ONLY

| | |
|--|--------|
| Disulfoton Phosphate* | 92.08 |
| Disulfoton dithiophosphate of sodium (sulfinate) | 1.50 |
| | 4.00 |
| | 93.50 |
| | 100.00 |

Insecticide

OUT OF REACH OF CHILDREN

OTHER CAUTIONS AND INFORMATION

Registration Number 6720-73

MANUFACTURED BY

CREEK PRODUCTS COMPANY, Inc.

TAMPA, FLORIDA

CAUTION

MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN. DO NOT breathe spray mist. DO NOT get in eyes or on skin. Wash hands, arms and face with soap and water after handling and before eating or smoking. Keep out of reach of children as oil base insecticides are harmful if swallowed. Babies and small children should not be exposed to vapor produced by oil base insecticides.

If swallowed, induce vomiting immediately and get medical attention.

ANTIDOTE: Atropine is antidote. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

DO NOT spray or fog near fire or open flame. DO NOT contaminate feed or foodstuffs. Keep all unprotected persons out of the operating area or vicinity where there may be danger of drift.

DO NOT use on garden or house plants.

This product is toxic to fish and wildlife. Keep out of any body of water. Apply this product only as specified on this label.

DO NOT re-use empty container.

NOTICE: Seller's guaranty shall be limited to the terms of the label and subject thereto. The buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.