



**EMULSIFIABLE**  
**10-1 PYRENONE CONCENTRATE**

**ACTIVE INGREDIENTS:**

*Technical Piperonyl Butoxide	11.84%
Pyrethrins	1.18%
Petroleum Distillates	71.98%
INERT INGREDIENTS	15.00%
TOTAL	100.00%

\*Equivalent to 9.47% (butylcarbityl) (6-propylyperonyl) ether and 2.37% related componuds.

**CAUTION: KEEP OUT OF REACH OF CHILDREN.**

SEE SIDE PANEL FOR OTHER CAUTIONS

U.S.D.A. Registration Number 6720-85



**Southern MILL CREEK PRODUCTS COMPANY, Inc.**  
TAMPA, FLORIDA

MANUFACTURED BY

KEEI  
BAS  
LOW  
be e  
secti  
illne  
spray  
DO I  
flame  
ment

6720-85

3/27/1970

Page 1 of 4

### CAUTION

KEEP OUT OF REACH OF CHILDREN AS OIL BASE INSECTICIDES ARE HARMFUL IF SWALLOWED. Babies and small children should not be exposed to vapor produced by oil base insecticides. If insecticide is swallowed or if illness results from exposure to heavy fog or spraying CALL PHYSICIAN AT ONCE.

DO NOT store, spray or fog near fire or open flame. Avoid contaminating milk, milk equipment. DO NOT use on garden or house plants.

**NOTICE:** Seller's guaranty shall be limited to the terms of the label and subject thereto. The buyer assumes any risk to persons or property arising out of use or handling, and accepts the product on these conditions.

462

**SMCP EMULSIFIABLE PYRENONE CONCENTRATE is**  
an emulsifiable concentrated insecticide containing  
Pyrethrins in combination with Piperonyl Butoxide  
especially recommended, as a water based spray  
where the remotest possibility of fire hazard exists,  
in areas such as flour mills, ships, planes, etc.

SMCP EMULSIFIABLE PYRENONE CONCENTRATE  
should be diluted with water in accordance with  
recommended dilutions before using.

For severe infestations on surface locations and in  
crevices:

Dilute one part SMCP 10-1 with four part of water  
and use as a direct contact spray. Thoroughly spray  
the infested areas making sure the mixture gets  
into cracks and hiding places of roaches, silverfish  
and similar crawling insects.

For normal insect control in the same area: Dilute  
one part of SMCP 10-1 with nine parts of water and  
use in the same manner as stated above.

SMCP EMULSIFIABLE CONCENTRATE can be used  
around food, food products, and utensils and food  
handling equipment when used as directed. This  
diluted concentrate must not be applied directly to  
uncovered food or food products.

423

ACCEPTED  
MAR 27 1970  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. 6720-85 SUBJECT  
TO ATTACHED COMMENTS.

6720-12