

X-CEL CITRUS & ORNAMENTAL SPRAY is specially formulated for the control of certain scale insects, Aphids, White Fly and Spider Mites on Azaleas, Camellias, Citrus, Gardenias, Holly, Ixora, Magnolia, and Rubber Plants.

DIRECTIONS

Thorough coverage of branches and upper lower leaf surfaces is necessary for good control.

DOSAGE		DILUTION	
1 1/2 Tbsps.	in	1 gal. water	
2 1/4 oz.	in	3 gal. water	
2-3 qts.	in	100 gal. water	

CITRUS: To control Black Scale, Chaff Scale, Florida Red Scale, Glover Scale, Purple Scale, Snow Scale, and Yellow Scale. No waiting period required on Oranges, Grapefruits, Tangerines, and Tangelos. Do not repeat within 90 days on any of these fruits. Do not apply more than twice per season on Tangerines, or more than once per season on lemons and limes. Waiting period on lemons and limes is 21 days.

PEACHES: To control San Jose Scale and Soft Scales. Apply 2 sprayings (14 days apart) during late December and early January.

ORNAMENTALS: To control Camellia Scale, Euonymus Scale and Florida Wax Scale. Do not apply during periods of very hot (above 85°F) or cold (below 40°F) weather. Make repeat application in 3-4 weeks.



CITRUS & ORNAMENTAL SPRAY

INSECTICIDE

CONTAINS: ETHION & OIL

ACTIVE INGREDIENTS:	
Ethion (0,0,0',0',-Tetraethyl S,S'-	9.00%
Methylene Bisphosphorodithioate	
Petroleum Oil (Superior Type	82.51%
70 Second Oil)	
INERT INGREDIENTS:	8.49%
TOTAL	100.00%

Contains 0.67 lbs. Ethion per gal.

CAUTION: KEEP OUT OF REACH OF CHILDREN

SEE OTHER PRECAUTIONS ON THE SIDE PANELS

U.S.P.A. REG. NO. 6720-172



MANUFACTURED BY
Southern MILL CREEK PRODUCTS COMPANY, Inc.
TAMPA, FLORIDA

6720-172

10-17-1969

1/3

CAUTIONS

Do not use within 30 days before or after sulphur applications. Do not apply on food crops later than 7 days before harvest. For best results, apply with an X-Cel Shrub Sprayer.

Do not use when plants are in wilted or weakened condition.

CAUTION: May be fatal if swallowed. Do not get in eyes, on skin or clothing. Do not breath spray mist. May be absorbed through skin. Wash thoroughly after using. In case of contact, wash immediately with soap and water; for eyes, flush with water for 15 minutes.

Do not contaminate food and foodstuffs.

Toxic to fish and wildlife. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not contaminate any body of water or apply to any area not specified on the label.


Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Co-operative Agricultural Extension Service. Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

CAUTION: STORE OUT OF REACH OF CHILDREN

CAUTION: Upon repeated, prolonged and careless use, may cause cholinesterase inhibition. Atropine is antidotal. Commercial operators should keep supply of atropine 1/100 grain tablets.

NOTICE: Seller's guaranty shall be limited to the terms of the label and subject thereto. The buyer assumes any risk to per-



RECEIVED
OCT 17 1969

ACCEPTED
OCT 17 1969
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROBERTSON ACT
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 720-128

6720-28