177 - 1 11. 1 of the Coy OCT 2 1992 Southern Mill Creek Products Company, Inc. c/o Mr. H.R. McLane H.R. McLane, Incorporated 7210 Red Road, Suite 206 Miami, Florida 33143-5321) Subject: Revised Labeling and Confidential Statement of Formula SMCP Residual Roach Spray EPA Registration Number 6720-158 Your Application Dated September 10, 1992 Dear Mr. McLane: The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable provided that you make the labeling changes indicated below before you release the product for shipment bearing the amended labeling: 1. Add a footnote to the statement of ingredients: Contains petroleum distillates. 1 The directions for use section must begin with the restriction, "To be used in non-food areas only." (This should immediately follow "It is a violation of federal law...") In the section, "Meat Packing and Food Processing Plants," in the second paragraph, after the sentence, "Repeat application, if necessary, when plant is not in operation," add the sentence, "Do not use in food areas." Submit five (5) copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

The revised Confidential Statement of Formula, dated September 10, 1992 is acceptable and has been included in our file for t e product.

Although this product apparently was accepted for use in meat packing plants, we have no authorization by the US Department of Agriculture in our files. Please submit the appropriate authorization issued by USDA. We would like to have your reply within 75 days. Note that you may have to submit a copy of your current label for review by USDA and that they may require modifications in the part of the label that applies to use in federally inspected packing plants.

Sincerely yours,

DHE

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

}

)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swellowed, inheled or absorbed through the slon. Do not get in eyes, on skin or clothing, in case of contact weah immediately with soop and water Wash hands, arms and face thoroughly with soap and water before enting or amolong Wash all contaminated clothing with scap and water before rause. Do not allow children to contact treated surfaces until completely dry.

ENVIRONMENTAL HAZARDS

This product is tolec to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment weshwaters.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal. <u>STORAGE</u>: Avoid storage at Noh temperatures. Protect from mouture, Avoid contamination with water acids, or alitalies. Keep container closed. Store in original container only, Separate pesticides to avoid dross contamination of other pesticides, fertilizer, food and feed, Keep container in locked storage area. If spilled absorb with dry material such as sand and sawoust and seep up for disposal. PESTICIDE PISPOSAL: Pesticide wester are toxic. Improper disposal of excess pesticide, apray mixture, or rineste is a violation of Federal law. If these westes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. CONTAINER DISPOSAL: Plastic - Triple time (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary lendfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned stay out

DIRECTIONS FOR USE

It is a violet un of lederal law to use this product in marrier ero Apply with a low pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive run-off, Apply to cockroach breeding sites and herborages. Also, treat adjacent exposed surfaces where cocidosches may crawl when they come out of hiding. Pepeat treatment as necessary,

Cockrosones are normally found in derk corners of rooms and closets, at bese of walls, in cracks in the walt, behind baseboards, behind and baneath sinks, refingerators, solves, and cabinets, around dysin pipes, in any proving water containers, floor drains, and switch penets Disheu and good handling utensits should be thoroughly washed in soop and water if they become contaminated by the application of this product, Repeat *roatment as needed



RESIDUAL ROACH SPRAY

Contains Duraban ®

RESIDUAL SPRAY FOR INDUSTRIAL AND INSTITUTIONAL USE KILLS RESISTANT ROACHES

A highly effective ready-to-use formulation for the control of Cockroaches, including those resistant to certain chlorinated hydrocarbons.

This product drives insects from their hiding places, gives rapid kill and long residual activity.

ACTIVE INGREDIENTS. Chiorpyrios (0,0-disthyl,0-(3,5,6 trichloro-2-pyridyl)(phosphorothioste)												0.25%
Pyrethins Technical Piperonyl Butoide*											-	0.05% 0.25%
INERT INGREDIENTS.	•	•	•	•	•	-	-		Tota		•	99,45% 100,00%

Dursban® is a Reg. TM of DowElanco *Equiv. to 0.20% (butylcarbityl)(6-propylpiperonyl) ether & 0.05% related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vorning

Vomiting may cause aspiration pneumonia. DO NOT induce vomiting or give anything by mouth to an unconscious or convulsing person. IF IN EYES: Flush eyes with plently of water. Get medical attention if imitation persists. IF ON SKIN: In case of contact, remove contaminated colling and wash affected area with soap and water. IF INHALED: Remove inclinit to fresh air. Get medical attention. NOTE TO PHYSICIAN. Chlorpyrilos is a cholinesterase inhibitor. Treat symptomatically, Atropine, only by injection is the preferable anticide. Solvent presentst aspiration hazard. Gastno lavage is indicated if material was have metable.

Laken exemply.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Fet No. 6720 EPA, Reg. No. 6720-158 EPA. Est. No. 6720-FL-1 **NET CONTENTS 1 GALLON**

SOUTHERN MILL CREEK PRODUCTS CO., INC. 5414 North 56 th Street - TAMPA , FLORIDA 33601

BEST AVAILABLE COPY

NOTE: A period of 4 to 7 days after tree on cockreaches

Meat Packing and Use only in medible products areas of r federally inspected. Any exposed food must be removed or covered before sp reusing operation.

Treat food processing plants early in t begins. Repeat application, if necess unloading docks and outside areas w reinfestation, Good sanitation practice in effective insect control

> REST FOR SPOT A

Donot use as a space spray, Provide a breathing of spray. Do not allow childre thoroughly dry. Do not store hear food food, food processing equipment, ar animals. Remove pets and cover fish

NOTICE: SMCP warrants that this pri the tabel and is reasonably fit for the : For Use, subject to the inherent risk express or implied warranty of fitnes implied warranty. In no case shall S indirect damages resulting from the i (08-01-92)

> ACCE L EPA L

