PRECAUTIONARY STATEME: ITS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or clothing. In case of contact wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before reuse. Do not allow children to contact treated surfaces until completely dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near hea. : open flame STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal. <u>STORAGE</u>: Avoid storage at high temperatures. Protech from moisture. Avoid contamination with water, acids, or alkalies. Keep container closed. Store in original container only. Separate pesticides to avoid cross contamination of other pesticides, fertilizer, food and feed. Keep container in locked storage area. If spilled absorb with dry material such as sand and sawdust and seep up for disposal. <u>PESTICIDE DISPOSAL</u> Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. <u>CONTAINER DISPOSAL</u>: Plastic - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned stay out of smoke.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in manner inconsistent with its labeling. To be used in non-food areas only.

Apply with a low pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive run-off. Apply to cockroach breeding sites and harborages. Also, treat adjacent exposed surfaces where cockroaches may crawl when they come out of hiding. Repeat treatment as necessary.

Cockroaches are normally found in dark corners of rooms and closets, at base of walls, in cracks in the walf, behind baseboards, behind and beneath sinks, refingerators, stoves, and cabinets, around drain pipes, in and around water containers, floor drains and switch panels. Dishes and food handling utensits should be thoroughly washed in soap and water if they become contaminated by the application of this product Repeat treatment as needed.



RESIDUAL ROACH SPRAY

Contains Dursban®

RESIDUAL SPRAY FOR INDUSTRIAL AND INSTITUTIONAL USE KILLS RESISTANT ROACHES

A highly effective ready-to-use formulation for the control of Cockroaches, including those resistant to certain chlorinated hydrocarbons.

This product drives insects from their hiding places, gives rapid kill and long residual activity.

ACTIVE INGREDIENTS:												
Chlorpyrifos (0,0-diethyl,0-(3,5,	6 tı	nch	loro	-2-0	yrid	VI)(r	hos	pho	roth	oate	2)-	0.25%
Pyrethrins										_	´-	0.05%
Technical Piperonyl Butoxide* -	-	-	-	-	-		-	-			-	0.25%
NERT INGREDIENTS*:												99 45%
*Contains Petroleum Distillate Total									100.00%			

Dursban® is a Reg. TM of DowElanco

*Equiv. to 0.20% (butylcarbityl)(6-propylpiperonyl) ether & 0.05% related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting.

Von. ting may cause aspiration pneumonia. DO NOT induce vomiting or give anything by mouth to an unconscious or convulsing person. IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists. IF ON SKIN: In case of contact, remove contaminated clothing and wash affected area with soap and water. IF INHALED: Remove victim to fresh air. Get medical attention. NOTE TO PHYSICIAN: Chloripyrifos is a cholinesterase inhibitor. Treat symptomatically, Atropine, only by injection is the preferable antitiote. Solvent present aspiration hazard. Gastric lavage is indicated if material was taken internally.

SEE SIDE PANEL FOR ADDITIONAL PERCAUTIONALY STATEMENTS
EPA. Reg. No. 6720-158
EPA. Reg. No. 6720-158

SOUTHERN MILL CREEK PRODUCTS CO., INC.

5414 North 56 th Street - TAMPA , FLORIDA 33601 U.S.A.



NOTE: A period of 4 to 7 days after treatment is normally recon cockroaches

Meat Packing and Food Process

Use only in inedible products areas of meat packing plants, federally inspected. Any exposed food products, equipmen must be removed or covered before spraying. Rinse all equipments of the products of the p

Treat food processing plants early in the season before cal begins. Repeat application, if necessary, when plants is no in food areas. Spraying unloading docks and outside areas will aid in preventing reinfestation. Good sanitation practic wastes are essential in effective insect control

RESTRICTIONS FOR SPOT APPLICATION (

Do not use as a space spray. Provide adequate ventilation of breathing of spray. Do not allow children to contact treated thoroughly dry. Do not store near food or food product. Aw food, food processing equipment, and a food handling a animals. Remove pets and cover fish bowts before sprayii

NOTICE: SMCP warrants that this product conforms to the label and is reasonably fit for the specific purposes refor Use, subject to the inherent risks referred to above express or implied warranty of fitness or merchantability implied warranty. In no case shall SMCP be liable for condirect damages resulting from the use or handling of the /6720-158 pm4 / EPA critid copy accepted 10-02-92; this

ACC

JAN

Under the Fe Fungicide, a as amended registered w EPA Reg. No.