Best copy available

NET CONTENTS:

CCEPTED

AUC 19 1974

DER TON FEDERAL AGEOTICIDE RICIDE AND ROBON REGISTERUNDER NO. SUBJECT ATTACHED COMMENTS.

5% MANATHIOL

PCO DUST

FOR USE BY PEST CONTROL OPERATORS GALY

## ACTIVE INGREDIENT :

Malathion (0,0-dimethy) diffuophosphate of dicthyl mercaptosuccinate)
INERT\_INGREDIENTS:

TOTAL

ი ... ყინი ჩნნნი

## DERECTIONS FOR USE

TOOD HANDLING ESTABLISHMENTS - Places other than private realing in which food is held, processed, prepared and/or nerved.

For control of Resistant and Non-Resistant Cockroaches (Water Day of Ants, Spiders, Scorpions, Silverfish, Pantry Pests-Sexposed Diagrams (Suwtooth, Grain Beetle, Flower Beetle, Rice Weevil, Cigarcare Beetle, Indian Meal Moth).

Food Areas - Includes receiving, serving, storage (Gry, color, frozen, raw), packaging (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible washes storage, enclosed processing systems (mills, dairies, edible oils, syrups).

Apply Malathion dust in small amounts to crack and crevices where insects hide or through which they may enter the building. Thousand expansion joints, spaces between equipment and floors, and open leading to voids and hollow spaces in walls, equipment legs and conduits, motor housings, junction or switch boxes.

Non Food Areas - Includes garbage rooms, lavatories, floor Grand (to sewers), entries and vestibules, offices, locker rooms, macroms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

Apply Malathion dust thoroughly to all areas where insects hide of through which they may enter the building, including around water pipes, wall voids, under and behind lockers, cabinets, electricand boxes, conduits, motor housings, junction or switch boxes.

Note:5% Malathion PCO Dust / is: useful where sprays might be difficult to apply as in wall voids or hazardous as in switch that and electrical motors. Avoid the use of dust where there is where there is whose ping, traffic or other activity that would cause the case to be transferred or become air-borne. Any dust left in the openation after application, must be brushed into cracks or otherwise transferred.

FOR THE CONTROL OF FLEAS AND BROWN DOG TICKS, thoroughly areas, cracks and crevices, sleeping quarters of animals, and areas frequented by these pests.

## CAUTIONS

Avoid contact with skin. Wash thoroughly after handling. Keep out of reach of children  $Av=\log$  dust. Avoid contamination of food and foodstuffs.

Note to Physician: Malathion may cause cholinesterase inhibition. Atropine is unadocal 2400 ... also be used in conjunction with Atropine

This product is toxic to fish. Keep out of lakes, streams or ponds. DO NOT contambinate viscionaling of equipment, or disposal of waters. Apply this product only as specified on this reserves.

DO NOT reuse coordiner. Destroy when enquy

## CAUTION: KEEP OUT OF REACH OF CHILDREN

E.P.A. Registration Number 6720-163 E.P.A. Est. 6720-FL-1

tenenghoriefelingtstän ich

Opensyssing that massy through any many