

6720-163

11/11/1974

11



NET CONTENTS:

5% MALATHION PCO DUST

FOR USE BY PEST CONTROL OPERATORS ONLY

ACTIVE INGREDIENT:

Malathion (0,0-dimethyl dithiophosphate of diethyl
mercaptosuccinate)

INERT INGREDIENTS:

TOTAL

ACCEPTED

5% NOV 11 1974

95%

100%

FOR USE

ED USE

TO ATTACH

6720-163

DIRECTIONS FOR USE

FOOD HANDLING ESTABLISHMENTS - Places other than private residences, in which food is held, processed, prepared and/or served.

For control of Resistant and Non-Resistant Cockroaches (Waterbugs), Ants, Spiders, Silverfish, Aids in the control of Pantry Pests - exposed stages (Sawtooth, Grain Beetle, Flower Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian Meal Moth).

Food Areas Application Limited To Crack And Crevice Treatment Only - Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation also would be considered a food area).

Apply Malathion dust in small amounts into crack and crevices where insects hide or through which they may enter the building, using bulbous duster or other suitable equipment capable of applying insecticide directly into cracks and crevices. Includes expansion joints, spaces between equipment and floors, and openings leading to voids and hollow spaces in walls, equipment legs and bases.

Non Food Areas - Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

Apply Malathion dust thoroughly to all areas where insects hide or through which they may enter the building, including around water pipes, wall voids, under and behind lockers, and cabinets.

Note: 5% Malathion PCO Dust is useful where sprays might be difficult to apply as in wall voids. Avoid the use of dust where there is wind, sweeping, traffic or other activity that would cause the dust to be transferred or become air-borne. Any dust left in the open, after application, must be brushed into cracks or otherwise removed.

FOR THE CONTROL OF FLEAS AND BROWN DOG TICKS, thoroughly treat floor areas, cracks and crevices, sleeping quarters of animals, and other areas frequented by these pests.

CAUTIONS

Avoid contact with skin. Wash thoroughly after handling. Keep out of reach of children. Avoid breathing dust. Avoid contamination of food and foodstuffs.

Note to Physician: Malathion may cause cholinesterase inhibition. Atropine is antidotal.

This product is toxic to fish. Keep out of lakes, streams or ponds. DO NOT contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

DO NOT reuse container. Destroy when empty.

CAUTION: KEEP OUT OF REACH OF CHILDREN

E.P.A. Registration Number 6720-163

E.P.A. Est. 6720-FL-1

9-25-74



MANUFACTURED BY

Southern MILL CREEK PRODUCTS COMPANY, Inc.

TAMPA, FLORIDA