

T

SMCP

DO-IT-YOURSELF TERMITE CONTROL
CHLORDANE 4E

An Emulsifiable Concentrate Containing
4 lbs. of Chlordane per Gallon

ACTIVE INGREDIENTS:

Technical Chlordane.....	45.0%
Petroleum Distillate.....	45.0%
INERT INGREDIENTS.....	10.0%
TOTAL.....	100.0%

*Equivalent to 27% Octachloro-4, 7-methanotetrahydroindane and 18% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panels for Additional Precautionary Statements

E.P.A. Reg. No. 6720-176

E.P.A. Est. No. 6720-PL-1

MANUFACTURED BY

SOUTHERN MILL CREEK PRODUCTS COMPANY, INC.

Tampa, Florida 33601

ACCEPTED
with COMMENTS
by EPA Letter Dated

OCT 14 1982

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

6720-176

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs.

Environmental Hazards

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, and ponds. Do not apply where runoff is likely to occur. Do not apply when weather favors drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Physical or Chemical Hazards

Do not use, pour, spill, or store near heat or open flame.

STATE OF PRACTICAL TREATMENT

If swallowed - Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled - Remove victim to fresh air and apply respiration if indicated.

If on skin - Wash promptly with soap and water. Rinse thoroughly.

If in eyes - Rinse eyes for at least 15 minutes with water and call a physician immediately.

SUBTERRANEAN TERMITES
DIRECTIONS FOR HOMEOWNER USE

"It is a violation of Federal law to use this product in a manner inconsistent with its labeling."

Consult the table below to determine the required amount of **SMCP DO-IT-YOURSELF TERMITES CONTROL CHLORDANE 4E** to be added to water for a 1% emulsion.

Amount of finished
spray needed

Amount of SMCP DO-IT YOURSELF
TERMITE CONTROL CHLORDANE 4E
necessary

1 gallon	2½ ounces
5 gallons	13 ounces
10 gallons	25-¾ ounces
48 gallons	1 gallon
96 gallons	2 gallons

Add water to spray tank, then add the required amount of SMCP DO-IT YOURSELF
TERMITE CONTROL CHLORDANE 4E. Agitate and spray as directed below.

TERMITE CONTROL IN EXISTING STRUCTURES
Buildings with Basements or Crawl-Spaces

First remove all wood debris and wood forms. Around piers, pipes, chimney bases and along foundations of poured concrete dig a trench 6 inches wide and 4 inches deep. For brick and block foundations dig the trench about 12 inches deep. If footing is more than 12 inches deep, make holes with a crowbar, pipe or a rod about one foot apart that extend from the trench bottom to top of the footing. Make holes closer in hard-packed clay soils. NEVER DIG BELOW THE TOP OF THE FOOTING. Apply the emulsion in the trench at a rate of 4 gallons per 10 linear feet of depth. Apply half of this to the back-fill. Likewise, treat along the inside of foundations of crawl-space buildings. Cover treated soil with a thin layer of untreated soil.

For raised porches, terraces, and entrance slabs, drill holes at one foot intervals, 6 inches from the foundation, and pour one-half gallon of emulsion into each hole. Refill holes. Slabs with heat ducts or radiating heat pipes should be treated by commercial pest control operator.

The object is to establish a treated soil barrier which will prevent termite entry. Other critical areas may also require treatment, particularly if there are inaccessible areas, basements or slab-type construction. It is suggested that you contact the Agricultural Cooperative Extension Service for advice or consult a Commercial Pest Control Service.

Avoid contamination of public and private water supplies by following these precautions. Do not allow a hose or any type of faucet extension to reach into the termite chemical solution while filling or mixing this material with water. Use anti-back-flow or anti-siphonage equipment on all filling equipment. These devices can be purchased at hardware or plumbing supply stores. Use of anti-back-flow equipment will help to insure that the user of this toxic chemical will not contaminate domestic water supplies. Refer to Federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells, cisterns, or ponds should not be treated if it is water saturated, subject to excessive saturation due to an accumulation of water or if the soil to be treated around the perimeter of the structure is of a grade lower than surrounding yard or property area. If this is the situation treatment follows: DO NOT APPLY UNDER PRESSURE. Soil should be removed to an area safe from well or domestic water contamination, treated, allowed to stand undisturbed for two to four hours then returned to the trench which has been lined with 4 mil. plastic sheeting. Be careful not to puncture the plastic sheeting when returning soil to the trench. Do not treat structures that contain cisterns or wells.

STORAGE AND DISPOSAL

Do not reuse empty container. Wrap container and put in trash collection.

NOTICE: Seller's guaranty shall be limited to the terms of the label and subject thereto. The buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

465/63454
17/3

TJP

OCT 14 1992

Southern Mill Creek Products Company, Inc.
5414 North 56th Street
Tampa, FL 33610

Attention: Karen Roberts

Gentlemen:

Subject: Termiticide L.I.P.
Do-It-Yourself Termite Control Chlordane 4E
EPA Registration No. 6720-17b
Your Application of March 4, 1992

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

At the next label printing, incorporate the following revisions:

1. In the Precautionary Statements, under the subheading Environmental Hazards, delete the following sentences which may appear:

- o Birds feeding on treated areas may be killed.
- o Birds and other wildlife in treated areas may be killed.
- o Do not apply where runoff is likely to occur.
- o Do not apply when weather favors drift from treated areas.

2. Revise the Statement of Practical Treatment to read:

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING: vomiting may cause aspiration pneumonia.

If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Get medical attention immediately.

3. The Misuse Statement, "It is a violation of Federal law to use this product in a manner inconsistent with its labeling," must follow the heading, Directions For Use. This Statement also is not in quotation marks.

Sincerely yours,

George T. Lakocsa
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (FS-767)

Enclosure