Pea 17 6720-186

SBP-1382 INSECTICIDE SPRAY 0.05%

FOR: Bakeries, Food Plants, Restaurants, Schode, Hotels, Motels, Office Buildings, Hospitals and Food Handling Plants.

ACTIVE INGREDIENTS: *+(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylac 0.050% Related compounds 0.007% Aromatic petroleum hydrocarbons 0.066%
Petroleum distillate 99.875% INERT INGREDIENTS: 040% TOTA100.000%

*Cis/trans isomers ratio: 30% (小) cis and min 70% (十) trans.

NOV 15 1980

+ U.S. Patent No. 3,465,007

CAUTION: KEEP OUT OF REICH OF CHILDREN

E. P. A. Registration Nurber 6726-186

NOTIFICATION TO PRINTER Please Reference the Front Penel of This EPA Labeling. Please Finterence the Front Penel of This EPA Labeling.

EPA no longer classifies the Solvent in this product as an Arman Increasing the Solvent in this product as an Arman Increasing the Solvent Increase an Arman Increase the Solvent Increase and Increase Increase the Solvent Increase Incr ETA NO longer classifies the Solvers in the product as an Active ingredient therefore entirely remove the Solvent Name from the ingredient Statement. Adjust the figures to add the term the ingredient Statement. Adjust the colvent. TO the percentage which is now shown for the colvent. from the Ingredient Statement. Adjust the figures to add the percentage which is now shown for the cohent To ... the percentage of the INERT INGREDIENT. Proof ASAP, total percentage of the INERT INGREDIENT.

For Flies. Minstruttues, and Chars: Clor total percentage of the first little percentage of the form toward ceilling in all directions until room. Here doors closed and at least 15 minutes. Ventilate the room when

فغا completed.

mist, then leave the

Wasps: Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

CAUTION KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Cover or remove fishbox:ls. Do not store near heat of open flame.

Avoid contamination of feed and foodstuffs. Use in food processing plants only when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

Do not reuse empty container. Destroy it by perforating or grushing. Bury. or discard in a safe place away from water supplies.

(Drum disposal instructions for 30 & 55 gallon drums)

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

DO NOT USE, POUR, SPILL OR STORE NEAR, HEAT OR OPEN FLAME.....

MANUFACTURED FOR: PROPERTY AND THE PROPERTY OF T THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY.