[6720-187]

DIRECTIONS FOR USE

For most effective results use in a good sprayer adjusted to deliver a fine mist.

Mosquitoes, Flies, Gnats: Close all doors and windows. Direct the spray to all parts of the room. Fill the room with mist, then leave the treated area. Keep room closed for at least 15-30 minutes.

Ventilate the room when treatment is completed.

Wasps: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

For crawling insects: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insect where possible.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

NET CONTENT

ACCEPTED 6720-187 SEP 101973 IN R THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDES BP-1382 INSECTICIDE ED UNIO RE DI CONTROLLO RECIDE BP-1382 INSECTICIDE TO ATTACHED COMMENTS.



FOR INDOOR USE ONLY

FOR: Bakeries, Food Piants, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals and Food Handling Plants.

ACTIVE INGREDIENTS:

*+(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate Related Compounds Aromatic petroleum hydrocarbons Petroleum distillate INERT INGREDIENTS:

TOTAL 100.000%

0.250%

0.034%

0.331%

99.375%

0.010%

*Cis/trans isomers ratio: 30% (+) cis and min. 70% (+) trans.

-- U.S. Patent No. 3,465,007

CAUTION: KEEP OUT OF REACH OF CHILDREN

E. P. A. Registration Number 6720-187



ACCEPTED

SEP 101973

MGICIDE AND RODENTICIDE POISON REGISTER DE LE UNDER NO

ATTACHED COMMENTS.

P-1382 INSECTICIDE SPRAY 0.25%

FOR INDOOR USE ONLY

FOR: Bakeries, Food Plants, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals and Food Handling Plants.

ACTIVE INGREDIENTS:

*+(5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate Related Compounds Aromatic petroleum hydrocarbons

Aromatic petroleum hydrocarbons
Petroleum distillate
INERT INGREDIENTS:

TOTAL

99.375% 0.010%

0.250% 0.034%

0.331%

0.010%

*Cis/trans isomers ratio: 30% (+) cis and min. 70% (+) trans.

+ U.S. Patent No. 3,465,007
CAUTION: KEEP OUT OF REACH OF CHILDREN

E. P. A. Registration Number 6720-187

MANGEA TORES PY

MILL CREEK PRODUCTS COMPANY In

CAUTION KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Cover or remove fishhowls. Do not store near heat of open flame.

Avoid contamination of feed and foodstuffs. Use in food processing plants only when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

(Drum disposal instructions for 30 & 55 gallon drums)

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.