SMCP

ALDRIN EM-4

An Emulsififble Concentrate Containing 4 lb. of Aldrin per Gallen

ACTIVE INGREDIENTS Aldrin	BY WEIGHT43.45 *
Heavy Aromatic Naphtha	
INERT INGREDIENTS	

*Equivalent to 41.2% Hexachlorohexahydro-endo, exo-dimethanonaphthalene and 2.2%w Related Compounds.

NARNING

KEEP OUT OF REACH OF CHILDREN

HAZARDOUS IF SWALLOWED, IMMALED, OR ABSORBED THROUGH SKIN!

SEE SIDE PANELS FOR ADDITIONAL WARNING AND DIRECTIONS FOR USE

E.P.A. Reg. No. 6720 - 188

MANUFACTURED BY

SOUTHERN MILL CREEK PRODUCTS COMPANY, INC.

Tampa, Florida 33601

WA COMMENTS

OCT 1 4 1982

Under the Federal Invecticide, Functione, and Rodenticide Act as amended, for the pesticide togestered under EPA Reg Nn.

Read the Directions and Precautions Carefully and Follow Them at all Times

WARNING

Keep out of the reach of children and domestic animals!

PRECAUTIONS IN USING

HAZARDOUS IF SWALLOWED, INHALED, OR ASTORBED THROUGH SKIN

Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing. During commercial or prolonged exposure in spray-mixing and loading operations, wear clean synthetic rubber gloves and a mask or respirator of a type passed by the U.S. Bureau of Mines for aldrin protection.

In case of spillage on person or clothing, remove clothing immediately and flush skin or eyes with plenty of water; for eyes get medical attention. If swallowed induce vomiting immediately and get medical attention.

no not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not contaminate feed and foodstuffs.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply in any manner not specified on the label.

Apply this product only as specified on this label. Flash Point: 820F. DO NOT USE, POUR, SPILE, OR STORE NEAR HEAT OR OPEN FLAME.

STORAGE AND DISPOSAL

Do not store where water, food, or feed can become contaminated.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state" procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if: allowed by state and local official.

NOTICE: Seller's guaranty shall be limited to the terms of the label and subject therto. The buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

.

**;

SUSTERRANEAN TERMITE CONTROL DIRECTIONS FOR USE ONLY FOR RETAIL SALE TO AND USE AND STORAGE BY COMMERCIAL PEST CONTROL OPERATORS

"It is a violation of federal law to use this product in a manner inconsistent with its labeling."

Chemicals for soil treatment are used to establish a barrier which is repellent to termites. The chemical emulsion must be adequately dispersed in the soil to provide a barrier between the wood in the structure and the termite colonies in the soil.

It is necessary for the effective use of this product that the service technician be familiar with current control practices including trenching, rodding, subslab injection, and low pressure spray applications. These techniques must be correctly employed to prevent or control infestations by subterranean termite species of Reticulitermes, Zootermopsis, ideterotermes, and Coptotermes. Choice of appropriate procedures includes consideration of such variable factors as the design of the structure, water table, soil type, soil compaction, grade conditions, and the location and type of domestic water supplies. The biology and behavior of the involved termite species are important factors to be known as as suspected location of the colony and severity of the infestation within the structure to be protected. For advice concerning current control practices for specific local conditions, consult resources in structural pest control.

Contamination of public and private water supplies must be avoided by following these precautions: Use antiback-flow equipment or procedures to prevent siphonage of pesticide back into water supplies. Do not treat structures that contain cisterns or wells. Do not treat soil that is water saturated or frozen. Consult state and local specifications for recommended distances of treatment areas from wells, and refer to Federal Housing Administrations Specifications for further guidance.

All nonessential wood and cellulose containing materials, including scrap wood and form boards, should be removed from around foundations walls, crawl spaces, and porches. This does not include existing structural soil contact wood that either has been or needs to be treated.

PERMIT TREATMENT

Effective preconstruction subterranean termite control requires the establishment of an unbroken vertical and/or horizontal chemical barrier between wood in the structure and the termite colonies in the soil. To meet F.H.A. termite proofing requirements, follow the latest edition of the Housing and Urban Development (H.U.D.) Minimum Property Standards.

Use a 0.51 water emulsion for subterranean termites. Add 1 gallon of Aldrin EM-4 in 95 gallons of water to produce a 0.51 water emulsion.

After grading is completed and prior to the pouring of the slab, slab supported/constructed porches or entrance platforms, make the following treatments. Applications shall be made by a low pressure spray for horizontal barriers over areas intended for covering floors, porches and other critical areas.

Establish a vertical barrier in areas such as around the base of foundations, plumbing, back-filled soil against foundation walls and other critical areas.

- 1. Where it is necessary to produce a horizontal barrier, apply the emulsion at the rate of 1 gallon per 10 square feet to fill dirt. If fill is washed gravel or other coarse material, apply at 1½ gallons per 10 square feet. It is important that the emulsion reaches the soil substrate.
 - a. If concrete slabs cannot be poured over the soil the same day it has been treated, a water-proof cover, such as polyethylene sheeting, should be placed over the soil. This is not necessary if foundation walls have been installed around the treated soil.
- To produce a vertical barrier, apply the emulsion at the rate of 4 gallons per 10 linear feet per foot of depth.
 - a. Rodding and/or trenching applications should not be made below the top of the footing.
 - b. Trench need not be wider than 6 inches.
 - c. Rod holes should extend from the base of the trench to the top of the footing, and should be spaced (about a foot) to provide a continuous barrier.
- d. Emulsion should be mixed with the soil as it is being replaced in the trench. Cover treated soil with a layer of untreated soil, or other suitable barrier such as polyethylene sheeting.
- 3. Hollow block foundations or voids of masonry should be treated to make a continuous chemical barrier in voids. Apply at the rate of 2 gallons of emulsion per 10 linear feet so it will reach the footing.
- 4. For crawl spaces apply at the rate of 4 gallons of emulsion per 10 linear feet and foot of depth from grade to bottom of foundations. Application may be made by rodding and/or trenching (utilizing low pressure spray). Treat both sides of foundation and around all piers and pipes.
 - a. Rod holes should be spaced (about 1 foot) to provide a continuous chemical barrier.
 - b. Trench need not be wider than 6 inches nor below the foundation. The emulsion should be mixed with the soil as it is being replaced in the trench. Cover the treated soil with a layer of untreated soil or other suitable barrier such as polyethylene sheeting.

POSTCONSTRUCTION TREATMENTS

Use a 0.5% water emulsion for subterranean termites. Add I gallon of Aldrin EM-4 in 95 gallons of water to produce a 0.5% water emulsion.

postconstruction applications shall be made by injection, rodding, and/or trenching (using low pressure spray).

Do not apply emulsion until location of heat or air conditioning ducts, vents, water and sewer lines and electrical conduits are known and identified. Extreme caution must be taken; to avoid contamination of these structural elements and airways.

feet. Applications may be made by sub-slab injection and/or trenching. Injectors should not extend beyond the tops of the footings. Treat along the outside of the foundation and where necessary just beneath the slab on the inside of footiation walls. Treatment any also be required just beneath the slab along one side of interior partitions and along all cracks and expansion joints.

- Drill holes in the slab to provide a continuous chemical barrier.
- b. Where necessary, drill through the foundation walls from the outside and force the emulsion just beneath the slab either along the inside of the foundation or along all the cracks and expansion joints and other critical areas.
- c. For shallow foundations, i foot or less, dig a narrow trench approximately six inches wide along the outside of the foundation walls. Do not dig below the bottom of the foundation. The emulsion should be applied to the trench and the soil at 4 gallons per 10 linear feet as the soil is replaced in the trench. Cover the treated soil with a layer of untreated soil.
- d. For foundations deeper than 1 foot follow rates for basements.
- 2. Hollow block foundations or voids of masonry should be treated to make a continuous chemical barrier in voids. Apply at the rate of 2 gallons of eaulsion per 10 linear feet.
- 3. For basements apply at the rate of 4 gallons of emulsion per 10 linear feet. Where footings are greater than 1 foot of depth from the grade to the bottom of the toundation application may be made by trenching and/or rodding at the rate of 4 grides of emulsion per 10 linear feet per foot of depth. Treat outside of toundation walls, and in necessary beneath the basement floor along inside of foundation walls, along praces in basement floors, along interior load bearing walls, round sewer pipes, consist, and piers.
- 4. In crawl spaces apply at the rate of 4 gallons of emulsion per 10 linear feet per fint of depth from grade to bottom of foundation. Application may be made by routing and/or trenching (utilizing low pressure spray). Treat both sides of foundation and around all piers and pipes.
 - a. Rod holes should be spaced (about 1 foot) to provide a continuous chemical barrier.
 - b. Trench need not be wider than 6 inches nor below the foundation. The emulsion should be mixed with the soil as it is replaced in the trench. Cover the treated soil with a layer of untreated soil or other suitable barrier such as polyethylene sheeting.
- c. For inaccessible crawl spaces, treat soil by an alternate method such as drilling and rodding through foundation walls from the outside.

All treatment holes drilled in construction elements of living areas of homos should be securely plugged.

()

Southern Mill Creek Products Company, Inc. 5414 North 56th Street Tampa, FI. 33610

Attention: Karen Moberts

Gentlement

Bubject: Texmiticide Lalaba Aldrin Ma-4 MPA Registration No. 6720-188 Your Application of March 4, 1982

The labeling referred to above, substitted in cornection with registration under the literal Insecticide, Fungicide and Rodenticide Act, as assended, is mocaptable. A stamped copy is anchosed for your records.

At the next label printing, incorporate the following revisions:

- i. On the front panel, dixectly below the name of the product, there should be a reference to use only by professional applicators which should read: "Only For Sale To And Use And Storage By Commercial Pest Control Applicators." The rubheading to the use directions should also read as noted above.
- 2.: On the side panel, directly above the signal word, WARNING, should be the heading, Precautionary Statements. Delete the Child Basard Warning Statement and the other two lines following it.
- 中国。 The first paragraph in the Precautionary Statements should follow the subheading: Hazards To Immans and Domestic Animals. Revise the paragraph by deleting: "Buring commercial aldrin protection" and substituting with: "Wear a posticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Faxt 11." Also add: "Do not conteminate feed and foodstuffs."
 - 4. Delete the second and third paragraphs in the Precentionary Statements.
 - 5. The fourth paragraph, "This product on the label," should follow the next subheading in the Precautionary Statements: Environmental Harry Cr.

- 6. The last paragraph, "Apply this Open Flame," should follow the last subheading in the Precautionary Statements: Physical Or Chemical Hazards:
- 7. There should be a Statement Of Practical Frostment which should read:

SPATEMENT OF PRACTICAL TREATMENT

- If swaliowed Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is cleer. Do not induce vomiting or give anything by mouth to an unconscious parson.
- If inhaled Remove victim to fresh mir. Apply artificial respiration if indicated.
- If on skin -- Remove contaminated clothin; and wash affected areas with soap and water-
- If in eyes Fluxh eyes with planty of water. Call a physician
 if irritation permists.
- W. In the specific use directions, there should be a section on retrestment which should be placed at the end of the use directions. Refer to the statements given in the LIP enclosure provided in the Movember 9, 1981, uniling.

The National Post Control Association (NPCA) has recommended the attached revisions he made to the commercial applicator use directions of all termiticide products for soil treatment. You should include these revisions in your final printed label where applicable.

Sincerely yours,

George f. LaRocca Product Hanager (15) Insecticide-Rodenticide Branch Registration Division (TS-767)

Maclosure

TS-767: CROCCA: DCR-389H3: WANG-0525Cink: Raven: 479-2013: 10/5/82