

ACCEPTED

APR 19 1974

UNDER FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 6720-200 SUBJECT
TO ATTACHED COMMENTS.



XTRABAN Roach Concentrate

For Use by Pest Control Operators Only To Control Cockroaches (including strains resistant to certain other insecticides), Ants, Crickets, Firebrats, Silverfish, Spiders and Brown Dog Ticks. Contains 1.3 lb. Chlorpyrifos and 0.6 lb. Dichlorvos (DDVP) Insecticides per gallon.

ACTIVE INGREDIENTS:

Chlorpyrifos (O,O-Diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate	16.00%
2,2-Dichlorovinyl dimethyl phosphate	7.45%
Related Compounds	0.56%
Aromatic Petroleum Derivative Solvent	66.95%
INERT INGREDIENTS	9.04%

TOTAL 100.00%



POISON

DANGER: KEEP OUT OF REACH OF CHILDREN

See antidote statement and other precautions on the back/side panel

E.P.A. Registration Number 6720-200



GENERAL USE PRECAUTIONS

Apply this product only as specified on this label.

This product is toxic to fish, wildlife and birds. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning equipment or disposal of wastes. Promptly crush empty containers and bury them and wastes in locations away from domestic water supplies.

**DANGER KEEP OUT OF REACH OF CHILDREN
POISONOUS IF SWALLOWED, INHALED OR ABSORBED
THROUGH SKIN OR EYES.**

MAY BE INJURIOUS TO THE EYES AND SKIN

Do not wear contaminated clothing. Do not breathe vapor or spray mist. Handle concentrate in ventilated area. Keep away from food, feedstuffs and water supplies. Do not get on skin or in eyes. Wear natural rubber gloves, waterproof clothing and goggles. Wear mask or respirator of a type found by the U. S. Bureau of Mines to give adequate protection against this material. Keep all unprotected persons out of the operational area. In case of contact wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Do not apply to areas which will be contacted by children. Call a physician in all cases of suspected poisoning.

NOTE TO PHYSICIAN: SMCP Xtraban is a cholinesterase inhibitor. Treat symptomatically. Atropine is the emergency antidote. 2-PAM is also antidotal and may be administered in conjunction with atropine. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning

cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test. Only if warning symptoms appear administer two 1/100 grain atropine tablets; Keep patient prone and quiet. Start artificial respiration immediately if patient is not breathing. Transport patient immediately to nearest physician.

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in the chest, blurred vision, non reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, abdominal pains.

ANTIDOTE: Internal - If the material has been swallowed induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). Never give anything by mouth to an unconscious person. **External** - If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticides, remove all contaminated clothing, and wash skin with soap and running water. If material gets into the eyes wash immediately with running water for at least ten minutes.

Combustible - DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Not for storage in or around home.

Do not reuse empty container. Decontaminate by repeated rinsing with water and detergent. Crush or perforate and bury in a safe place.

NOTICE: Seller's guaranty shall be limited to the terms of the label and subject thereto. The buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.



MANUFACTURED BY

Southern MILL CREEK PRODUCTS COMPANY, Inc.

TAMPA, FLORIDA

6720-200

04/19/1974

1/2

DIRECTION FOR USE

GENERAL INFORMATION - Pests Indoors: Use Xtraban Insecticide as a spot treatment to control cockroaches, ants, crickets, firebrats, silverfish, spiders and brown dog ticks in and around residential, institutional and commercial buildings, including homes, apartment buildings, hospitals, stores and warehouses. SMCP Xtraban mixes readily with water or oil. Dilute the required amount in water or in a base oil such as deodorized kerosene. Apply according to directions given for pests listed. Repeat the treatment as needed.

SPRAY DILUTION RATES

LOW RATE

For Insecticide Spray containing 0.25% Chlorpyrifos and 0.125% DDVP mix 2 oz. SMCP Xtraban per gallon of water or base oil. For control of Cockroaches (including strains resistant to certain other insecticides), Ants, Crickets, Firebrats, Silverfish, Spiders apply as a coarse spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. For ants apply to ant trails, also around doors and windows and wherever else these pests may find entrance.
Note: A period of 4-7 days is normally required for maximum effect on cockroaches.

HIGH RATE

For Insecticide Spray containing 0.5% Chlorpyrifos and 0.25% DDVP mix 4 oz. SMCP Xtraban per gallon of water or base oil. Use this higher concentrate to quickly reduce heavy infestations of Cockroaches, Ants, Crickets, Firebrats Silverfish and Spiders. Apply to same areas as listed under "LOW RATE".

Brown Dog Ticks: Thoroughly apply spray as a spot treatment to infested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding should be removed and replaced with clean, fresh bedding after treatment. Do not treat pets with this product.

WARNING (Pests Indoors): For spot application only. Do not use in poultry houses, other animal buildings or in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. Do not allow spray to contact food, feedstuffs and water supplies. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove or cover fish bowls (tanks) before spraying.

APPLICATION WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Limited to Crack and Crevice Treatment Only - Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where Ants, Cockroaches, Silverfish, and Spiders hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

Applications of this product in the food areas of food handling establishments, other than as a crack and crevice treatment, are not permitted.