

### DIRECTIONS FOR USE

**GENERAL INFORMATION - Pests Indoors:** Use Xtraban Insecticide as a spot treatment to control cockroaches, ants, crickets, firebrats, silverfish, spiders and brown dog ticks in and around residential, institutional and commercial buildings, including homes, apartment buildings, hospitals, stores and warehouses. SMCP Xtraban mixes readily with water or oil. Dilute the required amount in water or in a base oil such as deodorized kerosene. Apply according to directions given for pests listed. Repeat the treatment as needed.

### SPRAY DILUTION RATES

#### LOW RATE

For Insecticide Spray containing 0.25% Chlorpyrifos and 0.125% DDVP mix 2 oz. SMCP Xtraban per gallon of water or base oil. For control of Cockroaches (including strains resistant to certain other insecticides), Ants, Crickets, Firebrats, Silverfish, Spiders apply as a coarse spray or with a paint brush to localized areas where these pests are found or normally occur, including dark corners of rooms and closets, cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. For ants apply to ant trails, also around doors and windows and wherever else these pests may find entrance.

Note: A period of 4-7 days is normally required for maximum effect on cockroaches.

#### HIGH RATE

For Insecticide Spray containing 0.5% Chlorpyrifos and 0.25% DDVP mix 4 oz. SMCP Xtraban per gallon of water or base oil. Use this higher concentrate to quickly reduce heavy infestations of Cockroaches, Ants, Crickets, Firebrats, Silverfish and Spiders. Apply to same areas as listed under "LOW RATE".

**Brown Dog Ticks:** Thoroughly apply spray as a spot treatment to infested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding should be removed and replaced with clean, fresh bedding after treatment. Do not treat pets with this product.

### DIRECTIONS FOR APPLICATION WITHIN FOOD AREAS AND NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

**FOOD HANDLING ESTABLISHMENTS -** Places other than private residences in which exposed food is stored, processed, prepared or served.

**FOOD AREAS APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY -** Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation also would be considered a food area).

Use **HIGH RATE** and apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide directly into cracks and crevices, in points between different elements of construction, between equipment legs and bases where cockroaches hide. **DO NOT** use this product in conduits, motor housings, and electrical switch boxes.

Precautions should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

**APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.**

**APPLICATION IN NON-FOOD AREAS -** Includes garbage rooms, lavatories, floor drains (to sewers entries), vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Use as a spot treatment by applying as a coarse spray or with a paint brush to areas where cockroaches are normally found. Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, counters, tables, pallets and similar areas where insects hide or through which they may enter. Apply in a manner to avoid spray or mist contacting food, feedstuff and water supplies. Dishes and food handling

NET (



For Use by Pest Control Operators Only (not for use with other insecticides), Ants, Crickets, Firebrats, Silverfish, Spiders, Chlorpyrifos and 0.6 lb. Dichlorvos (DDVP)

#### ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-Diethyl 0-(3,5,6-trichloro-2,2-Dichlorovinyl dimethyl phosphorothioate) Related Compounds .....  
Aromatic Petroleum Derivative Solvent .....  
INERT INGREDIENTS .....

**DANGER: KEEP OUT OF REACH OF CHILDREN**

See antidote statement

E.P.A. Registration Number 6720-200

M

NET CONTENTS: 2 GAL.

**X** **TRABAN**

**ROACH CONCENTRATE**

For Use by Pest Control Operators Only To Control Cockroaches (including strains resistant to certain other insecticides), Ants, Crickets, Firebrats, Silverfish, Spiders and Brown Dog Ticks. Contains 1.3 lb.

**DANGER KEEP OUT OF REACH OF CHILDREN**  
**POISONOUS IF SWALLOWED, INHALED OR ABSORBED**  
**MAY BE INJURIOUS TO THE EYES AND SKIN**

Do not wear contaminated clothing. Do not breathe vapor or spray in confined area. Keep away from food, feedstuffs and water supplies. Do not get on face. Wear rubber gloves, waterproof clothing and goggles. Wear mask or respirator of Mines to give adequate protection against this material. Keep away from operational area. In case of contact wash immediately with soap and water. Wash thoroughly with soap and water after handling and before eating or drinking. Do not allow material to be contacted by children. Call a physician in all cases of suspected poisoning.

**NOTE TO PHYSICIAN:** SMCP Xtraban is a cholinesterase inhibitor. The antidote is atropine. Atropine is the emergency antidote. 2-PAM is also antidotal and may be administered if atropine is contraindicated. Clear chest by postural drainage. Observe patient. Repeated exposure to cholinesterase inhibitors may, without warning, cause poisoning by very small doses of any cholinesterase inhibitor. Allow no further exposure until regeneration has been allowed as determined by blood test. Only if warranted give two 1/100 grain atropine tablets; Keep patient prone and quiet. Start artificial respiration if patient is not breathing. Transport patient immediately to nearest hospital.

**WARNING SYMPTOMS:** Symptoms include weakness, headache, tiredness, blurred vision, non reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and difficulty breathing.

**ANTIDOTE:** Internal - If the material has been swallowed induce vomiting (by introducing a finger into the throat or by giving warm salt water or 1% sodium bicarbonate solution). Never give anything by mouth to an unconscious person.

External - If the material has been spilled on the skin, immediately remove contaminated clothing and wash with soap and water.

to certain  
ns 1.3 lb.

00%  
45%  
56%  
95%  
04%  
00%