# INSECTICIDE


To be applied by Commercial Lawn Spraymen and Pest Control Operators. For the control of Chinch Bugs, Sod Webworms, Ants, Brown Dog Ticks, Cutworms, Earwigs, Crickets and Grasshoppers on turf.

ACTIVE INGREDIENTS

\*Chlorpyrend (0.0-delebyl 0-(3.5.6) tradice 2-byredyle 12.2 phosphorothioate) 12.2 Dicklorovinyl dimethyl phosphilter 30 0.2 Related Compounds Aromatic Petroleum D. Fvative Solvent 71 775 WERT INGREDIENTS TOTAL 100.0 Concerns 1 by total of the anticenter of the tribute DDVPs per gallor

WARNING: KEEP OUT OF REACH OF CHILDREN

MANUFACTURED BY





ACCEPTEL WITH COMMENTS

# **GENERAL USE PRECAUTIONS**

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service. DURS-BAN Plus also is toxic to fish, wildlife and birds. Do not contaminate water by cleaning of equipment or disposal of wastes. Promptly crush empty containers and bury them and wastes in locations way from domestic water supplies.

Use this product only as specified on this label.

## Fish and Wildlife Precautions:

This product is toxic to fish, birds, and other wild-Lie. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

WARNING: KEEP OUT OF REACH OF CHILDREN MAY BE FATAL IF SWALLOWED . MAY BE ABSORBED TUROUGH SKIN . MAY BE INJURIOUS TO EYES AND SKIN · COMBUSTIBLE

### HOW DURSBAN\* PLUS WORKS

**DOSAGE** and **DILUTIONS** for USE on TURF


**DURSBAN Plus contains chlorpyrifos and dich**forvos (DDVP) insecticides and a wetting agent specially formulated for the control of Chinch Bugs, and Sod Webworms in deep thatch or dry

Area Tr

Do not take internally . Do not get in eyes or on skin • Wash thoroughly after handling • Wash contaminated clothing before re-use . Flush contaminated eyes with plenty of water and get prompt medical attention • Avoid breathing vapors and spray mist . Avoid spraying food crops Keep away from food, feedstuffs and domestic. water supplies • Keep container closed • DO NOT USE, POUR, SPILL OR STORE NEAR HEAT **OR OPEN FLAME** • Handle concentrate in a ven tilated area.

Note to Physician: Chlorpyrifos and DDVP are cholinesterase inhibitors. Treat symptomatically Atropine is an antidote

Notice: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FIT-**NESS FOR A PARTICULAR PURPOSE**, express or emplied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the use of any such use.



ea to be	Amount of	Dilute with
reated	DURSBAN* Plus Required	Water to Give

30 gallons 1000 to ft 3 fl oz

### HOW DURSBAN\* PLUS WORKS


DURSBAN Plus contains chlorpyrifos and dichlorvos (DDVP) insecticides and a wetting agent specially formulated for the control of Chinch Bugs, and Sod Webworms in deep thatch or dry conditions. This product combines the excellent kill qualities of chlorpyrifos with a wetting agent to insure deep penetration. The vapor action of DDVP acts as an irritant causing increased insect activity. DURSBAN Plus reaches down deep into the thatch and drives the Chinch Bugs out.

#### DIRECTIONS FOR USE

Pests of Lawns and other Ornamental and Recreational Turf Grass Areas: Use DURSBAN Plus insecticide to control ants, brown dog ticks, chinch bugs, crickets, cutworms, earwigs, grasshoppers and sod webworms (lawn moths). Mix DURSBAN Plus with water according to directions given in the following table and apply as a coarse, low pressure spray using suitable application equipment. For best results, the lawn should be moist at time of treatment, and care should be taken to obtain complete and uniform coverage of pest infested areas. Spray when pests first appear, retreat when needed.

#### E.P.A. Registration Number 6720-203

Warning: Keep children and pets off treated areas until spray has dried. Keep out of lawn and garden fishpools and other bodies of water. Fish may be killed if their waters are contaminated with this product. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.



# DOSAGE and DILUTIONS for USE on TURF

Area to be Treated	Amount of DURSBAN* Plus Required	Dilute with Water to Give
1,0 <b>00 s</b> q. ft.	3 fl oz.	30 gallons
5,000 sq. ft.	15 fl. oz	150 gallons
10, <b>700 sq.</b> ft.	2 pints	325 gallons
One Acre	) gal.	1300 gallons

Note: To help prevent infestation of buildings by ants, crickets, earwigs, and sowbugs (pillbugs) treat a band of soil 6 to 10 feet wide around and adjacent to the building, also the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Use the same dosage and dilution recommended for control of these pests on turf as shown in the above table App'y as a coarse spray to thoroughly and unit formily wet the band area.