

# DUR P TURF

### GENERAL USE PRECAUTIONS

This product is highly toxic to bees exposed to direct treatment or to bees on plants that have been treated. Additional information may be obtained from your Cooperative Agricultural Extension Service. DURSBAN Plus is also toxic to fish, wildlife and birds. Do not contaminate water by cleaning of equipment or disposal of wastes. Promptly crush empty containers and bury them and wastes in locations away from domestic water supplies.

Use this product only as specified on this label.

#### Fish and Wildlife Precautions:

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

**WARNING: KEEP OUT OF REACH OF CHILDREN  
MAY BE FATAL IF SWALLOWED • MAY BE ABSORBED THROUGH SKIN • MAY  
BE INJURIOUS TO EYES AND SKIN • COMBUSTIBLE**

Do not take internally • Do not get in eyes or on skin • Wash thoroughly after handling • Wash contaminated clothing before re-use • Flush contaminated eyes with plenty of water and get prompt medical attention • Avoid breathing vapors and spray mist • Avoid spraying food crops • Keep away from food, feedstuffs and domestic water supplies • Keep container closed • DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME • Handle concentrate in a ventilated area.

**Note to Physician:** Chlorpyrifos and DDVP are cholinesterase inhibitors. Treat symptomatically. Atropine is an antidote.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

To be applied by Commercial Applicators  
For the Control of Ant  
Clobbermites, Crickets,  
worms on turf.



KEEP

See Antidote

E.P.A. Reg. No. 6720-203-4

NET CONTENTS:  
FIVE  
GALLONS



# DURSBAN PLUS

## TURF INSECTICIDE

To be applied by Commercial Lawn Spraymen and Pest Control Operators.  
 For the Control of Ants, Armyworms, Brown Dog Ticks, Chiggers, Chinch Bugs,  
 Clovermites, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, and Sod Web-  
 worms on turf.



### WARNING:

**KEEP OUT OF REACH OF CHILDREN**

See Antidote Statement and Other Precautions on the Side Panels.

E.P.A. Reg. No. 6720-203-AA

MANUFACTURED BY

E.P.A. Est. No. 6720-FL-1

CONTENTS:  
 FIVE  
 GALLONS



**Southern Mill Creek  
 Products Company, Inc.**  
 TAMPA, FLORIDA 33601

NOTE

**HOW DI**  
 DURSBAN Plus contains chlorpyrifos and  
 formulated for the control of Chinch Bugs.  
 product combines the excellent kill qual  
 penetration. The vapor action of DDVP ac  
 Plus reaches down deep into the thatch a

**DIR**  
**Pests of Lawns and other Ornamental**  
 sectionicide to control ants, armyworms,  
 crickets, cutworms, earwigs, fleas, grass  
 Plus with water according to directions  
 pressure spray using suitable applicator  
 time of treatment, and care should be ta  
 fested areas. Spray when pests first app

### DOSAGE and

Area to be Treated
1,000 sq. ft.
5,000 sq. ft.
10,700 sq. ft.
One Acre

**Note:** To help prevent infestation of built-up areas (pillbugs), treat a band of soil 6 to 10 ft from building foundation to a height of 2 to 3 ft with 1 fluid ounce per 100 gallons of water and 1/2 oz of the band.

**Warning:** Keep children and pets off treated areas, fishpools and other bodies of water. Fish will die if they ingest the product. Do not apply where runoff is likely to occur from areas treated.

\*Trademark of the Dow Chemical Company  
 U. S. Patent No. 3,244,586

### HOW DURSBAN\* PLUS WORKS

DURSBAN Plus contains chlorpyrifos and dichlorvos (DDVP) insecticides and a wetting agent specially formulated for the control of Chinch Bugs and Sod Webworms in deep thatch or dry conditions. This product combines the excellent kill qualities of chlorpyrifos with a wetting agent to insure deep penetration. The vapor action of DDVP acts as an irritant causing increased insect activity. DURSBAN Plus reaches down deep into the thatch and drives the Chinch Bugs out.

### DIRECTIONS FOR USE

**Pests of Lawns and other Ornamental Recreational Turf Grass Areas:** Use DURSBAN Plus insecticide to control ants, armyworms, brown dog ticks, chiggers, chinch bugs, clovermites, crickets, cutworms, earwigs, fleas, grasshoppers and sod webworms (lawn moths). Mix DURSBAN Plus with water according to directions given in the following table and apply as a coarse, low pressure spray using suitable application equipment. For best results, the lawn should be moist at time of treatment, and care should be taken to obtain complete and uniform coverage of pest infested areas. Spray when pests first appear, retreat when needed.

### DOSE and DILUTIONS for USE on TURF

Area to be Treated	Amount of DURSBAN* Plus Required	Dilute with Water to Give
1,000 sq. ft.	3 fl. oz.	30 gallons
5,000 sq. ft.	15 fl. oz.	150 gallons
10,700 sq. ft.	2 pints	325 gallons
One Acre	1 gallon	1300 gallons

**Note:** To help prevent infestation of buildings by ants, crickets, earwigs, millipedes and sowbugs (pillbugs), treat a band of soil 6 to 10 feet wide around and adjacent to the building, also the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Use 10 fluid ounces per 100 gallons of water and apply as a coarse spray to thoroughly and uniformly wet the band.

**Warning:** Keep children and pets off treated areas until spray has dried. Keep out of lawn and garden fishpools and other bodies of water. Fish may be killed if their waters are contaminated with this product. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated.

\*Trademark of the Dow Chemical Company  
U. S. Patent No. 3,244,586

8-16-78

78-441

PTE 5

ANTS: Spray ant trails, window frames, doorsills and other places where ants may enter. Spray directly on ant hills or on swarming ants outdoors only.

FLIES, MOSQUITOES, GNATS, WASPS: Apply to screens, walls, doors and window frames, light fixtures and other outdoor surfaces where insects congregate.

CLOVER MITES, SOWBUGS, AND EARWIGS: Spray window and door sills and other points of entry-outside only. Apply also to outside foundation and porches to ground level.

SILVERFISH AND FIREBRATS: Apply to cracks, baseboards, behind shelving, bookcases and other storage areas.

PAPER NEST WASPS AND MUD DAUBERS: Apply a wet spray to the nests after dark when all pests have returned to their nests.

SCORPIONS AND SPIDERS: Spray directly on pests when possible. Treat surfaces of out buildings and garages where pests hide or congregate. Spray points of entry such as windowsills and along crevices.


BROWN DOG TICK: Remove all bedding. Thoroughly spray cracks, crevices and areas where pets normally lie down. Do not spray on pets. Allow the sprayed areas to dry thoroughly. Replace bedding before permitting use by animals. For dog kennels, apply to outside runway, windowsills and ledges.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place and out of the reach of children, preferably in a locked storage area.

Disposal: Securely wrap original container in several layers of newspaper and discard in trash. Replace cap before discarding. Do not incinerate or puncture.



# DURSBAN

# PLUS

# TURF INSECTICIDE

To be applied by Commercial Lawn Sprayers and Pest Control Operators.  
For the Control of Ants, Armyworms, Brown Dog Ticks, Chiggers, Chinch Bugs,  
Clovermites, Crickets, Cutworms, Earwigs, Fleas, Grasshoppers, and Sod Web-  
worms on turf.

#### ACTIVE INGREDIENTS

*Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-1-pyridyl) phosphorothioate)	12.2%
**2,2-Dichlorovinyl dimethyl phosphate	3.0%
Related Compounds	0.2%
Aromatic Petroleum Derivative Solvent	7.1%
INERT INGREDIENTS	77.5%
TOTAL	100.0%

Contains 1 lb. \*chlorpyrifos per gallon & 1/4 lb. \*\*Dichlorvos (DDVP) per gallon

## WARNING:

### KEEP OUT OF REACH OF CHILDREN

See Antidote Statement and Other Precautions on the Side Panels.

E.P.A. Reg. No. 6720-203-AA

MANUFACTURED BY

E.P.A. Est. No. 6720-FL-1

NET CONTENTS:  
FIVE  
GALLONS



## Southern Mill Creek Products Company, Inc.

TAMPA, FLORIDA 33601

3

4

#### HOW DURSBAN<sup>®</sup> PLUS WORKS

DURSBAN Plus contains chlorpyrifos and dichlorvos (DDVP) insecticides and a wetting agent specially formulated for the control of Chinch Bugs, and Sod Webworms in deep thatch or dry conditions. This product combines the excellent kill qualities of chlorpyrifos with a wetting agent to insure deep penetration. The vapor action of DDVP acts as an irritant causing increased insect activity. DURSBAN Plus reaches down deep into the thatch and drives the Chinch Bugs out.

#### DIRECTIONS FOR USE

**Pests of Lawns and other Ornamental Recreational Turf Grass Areas:** Use DURSBAN Plus Insecticide to control ants, armyworms, brown dog ticks, chiggers, chinch bugs, clovermites, crickets, cutworms, earwigs, fleas, grasshoppers and sod webworms (lawn moths). Mix DURSBAN Plus with water according to directions given in the following table and apply as a coarse, low pressure spray using suitable application equipment. For best results, the lawn should be moist at time of treatment, and care should be taken to obtain complete and uniform coverage of pest infested areas. Spray when pests first appear, retreat when needed.