To control Ants, Brown Des Ticks, Chinch Bugs, Crickets, Cutworms, Earwigs, Grasshoppers, and Sod Webworms (Lawn Moths). Mix LAWN & ORNAMENTAL SPRAY according to directions given in the following table and apply as a coarse low pressure spray. For best results the lawn should be moist at the time of treatment, and came should be taken to obtain complete and uniform coverage of pest injested areas. Spray when pests first appear; retreat when needed. Control for Chinch Bugs will last up to 8 weeks. To prevent damage from Chinch Bugs apply as soon as daily temperatures reach 80°F and repeat every 2 months.

DOSAGE AND DILUTION FOR USE ON TURF

Area to be Treated	Amount of SMCP Lawn & Ornamental Spray Used	Dilution with water to make	
500 Sq. 4Ft.	7'/2 fluid ounces	15 gallons	
1,000 Sq. Ft.	15 fluid ounces	30 gallons	
5,000 Sq. Ft.	75 fl. oz. (4½ pints)	150 gallons	
10,000 Sq. Ft.	5 quarts	325 gallons	

To Control Turigrass (Harrodes) Weevils use twice the amount of SMCP LAWN & ORNAMENTAL SPRAY shown in the above Turf Table. Spray suspected problem areas in mid-April and again in mid-May. Consult your local Agricultural Extension Service specialist for proper time to treat in your area.

Note: To help prevent infestation of buildings by Ants. Crickets, Earwigs and Sowbugs (Pittbugs), treat a band of soil 6 to 10 feet will around and adjacent to the building, also the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Use the same dosage and dilution recommended for control of these pests on turf as shown in the above table. Apply as a coarse spray to thoroughly and uniformly wet the band area.

For standard 15 gallon hose-end applicators add 71/2 Fl. Oz. to quart bottle full of water. This will treat 500 Sa. Ft.

PESTS OF ORNAMENTALS:

Use SMCP LAWN & ORMANENTAL SPRAY to control Aphids, Bagworms, Cutworms, Grasshoppers, Leafhoppers, Mealybugs, Mites, Spittlebugs, Thrips (exposed) and Whiteflies on flowers, shrubs, vines, shade and flowering trees and evergreens found to be infested with these pests. Dilute SMCP LAWN & ORNAMENTAL SPRAY with water according to directions given in the following table and apply using suitable hand or power spray equipment in a manner to provide complete and uniform coverage of intested plants. Avoid overspraying to the point of excessive run off. Treat when pests appear and repeat at 7 to 10 day intervals, if needed.

Note: Do Not use on Azaless, Camellias, Poinsettias, Rose Bushes or Variegated by because of possible injury to these plants.

DOSAGE & DILUTION FOR USE ON ORNAMENTAL PLANTS

Pests Controlled	Amount of Lawn & Ornamental Spray in Water to Make		
	1 Gal.	3 Gal.	10 Gal
Aphids, Bagworms, Grasshoppers	1²/3 fl.	5 fl.	1 pint
Mites, Spittlebugs, Whiteflies	ounces	ounces	
Cutworms, Mealybugs, Leafhoppers,	31/2 fl	10 ff.	2 pints
Thrips (exposed)	ounces	ounces	

CAUTION: Keep children and pets off treated areas until spray has dried, Keep out of lawn and garden fish ponds and other bodies of water. Fish may be killed if their waters are contaminated with this product.



SPRAY

containing 2.35% Chlorpyrifos

Controls Chinch Bugs, Sod Webworms (Lawn Moths), Ants, Brown Dog Ticks, Cutworms, Earwigs, Crickets, Grasshoppers and Hyperodes Weevil infesting home lawns and other ornamental turf areas. Also controls Aphids, Bagworms, Grasshoppers, Leafhoppers, Spittlebugs, Mealybugs, Whiteflies, exposed Thrips, Mites and Cutworms infesting ornamental plants.

ACTIVE INGREDIENTS:	
Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-2-	
pyridyl) Phosphorothioate)	2.35%
Aromatic petroleum derivative solvent	93.44%
WERT INGREDIENTS:	4.21%
TOTAL	

CAUTION: KEEP OUT OF REACH OF CHILDREN See side panel for other information and warnings

NET CONTENTS:

E.P.A. Reg. No. 6720-237

MANUFACTURED BY

E.P.A. Est. No. 6720-FL-1

Southern Mill Creek PRODUCTS COMPANY, INC.

TAMPA, FLORIDA

CAUTION

KEEP OUT OF REACH OF CHILDREN. MAY BE HARMFUL IF SWALLOWED.

COMBUSTIBLE, Avoid eye contact. Do not take internally. Wash thoroughly after handling. Wash contaminated clothing before re-use. Flush contaminated eyes with plenty of water and get prompt medical attention. Avoid breathing vapors and spray mist. Avoid spraying food crops. Keep away from food, feed-stuffs and domestic water supplies. Keep container closed. Handle concentrate in a ventilated area. Do not use, pour, spill, or store near heat or open flame.

NOTE TO PHYSICIAN

Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically; atropine is an antidote.

GENERAL USE PRECAUTIONS

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agricultural Extension Service.

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning equipment or disposal of wastes. Apply, this product only as specified on this jabel.

Promptly crush containers and bury them and wastes in locations away from domestic water supplies.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

2/2