


DIRECTIONS FOR USE

How to Mix and Apply: For lawns, measure the area to be sprayed. For all other applications, apply as a thorough cover spray. Make applications when insects first appear. Repeat application as needed or as noted and surface applications. Thorough coverage is important. Use clean sprayer. Flush sprayer after each use. See RATE CHART below for complete Insect List — Use dosage shown unless otherwise indicated. (Note: Do not use on certain ferns, poinsettia, hibiscus, papaya, pilea, gardenia and orchids since injury may occur.) Use contents within 6 months of opening. Keep tightly capped.

Problem Area	Pests	Rate & Area Covered	Notes
Lawns: Bent, Bermuda, Bluegrass, including mer- rion, Fescue, Dichondra, St. Augustine	Ants, Armyworms, Bermuda Mites, Chiggers, Chinch Bugs, Clover Mites, Crickets, Cutworms, Ear- wigs, Fleas, Lawn Billbugs, Leafhoppers, Sod Web- worms, (Lawn Moths), Ticks	2 tbsp. (1 fl. oz.) in 3 gals. water covers 125 sq. ft. (8 fl. oz. in 24 gals. water covers 1000 sq. ft.)	Thoroughly wet down grass a few hours before applying. For Lawn Billbugs water lawn treatment. *In the North, if Chinch Bugs are the only problem, a lower rate of application can be used, 2 tbsp. (1 fl. oz.) in 3 gals. water covers 250 sq. ft.
Roses and Flowers: Azaleas, Camellias, Chrysanthemums, Car- nations, Gladioli, Lilac, Rhododendrons	Aphids, Flea Beetles, Leaf Miners, (Dipterous), Leafhoppers, Mites, Thrips, Whiteflies	2 tbsp. (1 fl. oz.) in in 3 gal. water. Apply as a thorough foliar spray.	Wet the plants to the dripping point. Try to to hit underside of leaves and penetrate dense foliage.
Trees and Shrubs: Azaleas, Birch, Boxwood, Camellias, Hawthorne, Holly, Locust, Maple, Pine, Spruce, Willow	Aphids, Bagworms, Holly Bud Moth, Leaf Miners, (Dipterous), Leafhoppers, Mites, Scale Crawlers, Whiteflies	2 tbsp. (1 fl. oz.) in 3 gals. water. Apply as a thorough foliar spray.	Wet leaves and branches to the dripping point. Try to penetrate dense foliage.
Nuisance Pest: In outside areas	Ants**, Box Elder Bugs, Chiggers, Clover Mites**, Cockroaches, Earwigs**, Fleas**, Flies, Millipedes**, Sowbugs (Pillbugs), Spiders, Brown Dog Ticks	8 fl. oz. in 3 gals. water.** Spray a 5 ft. band of soil around the house next to the foundation of the house to a height of 2-3 ft.	Thoroughly spray windows and door screen sill, foun- dations, porch and patio wall & ceilings, entrance- ways, walks, garbage cans, tree trunks and into cracks & other places where in- sects can hide. Do not treat plants or animals.



Gammeter

Applications: apply
as needed
sprayer. Flush
shown unless
pilea, gardenia,
tightly capped.


Notes

Wet down grass
before applying.
Billbugs water
treatment.
If Chinch
the only problem.
Rate of application
used, 2 tbsp. (1 fl.
oz.) water covers

Plants to the
point. Try to
underside of leaves
thru dense foliage.

Stems and branches
spraying point.
penetrate dense

Only spray windows
screen sill, foun-
tains and patio
ceilings, entrance-
ways, garbage cans,
and into cracks
places where in-



Continued



DIAZINON* 25E

INSECTICIDE

Lawn and Garden Insect Control

ACTIVE INGREDIENTS:

0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate 25.0%
Xylene 67.0%

INERT INGREDIENTS 8.0%

TOTAL 100.0%

DIAZINON* — Reg. Trademark of CIBA-GEIGY Corporation

WARNING

KEEP OUT OF REACH OF CHILDREN

Combustible Mixture: DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME

See Other Cautions on Side Panel

NET CONTENTS:

E.P.A. Reg. No. 6720-242

E.P.A. Est. No. 6720

DN* 25E

IDE

ect Control

hosphorothioate	25.0%
.....	67.0%
.....	8.0%
.....	100.0%

G
OF CHILDREN
STORE NEAR HEAT OR OPEN FLAME.

ide Panel

NTS:

E.P.A. Est. No. 6720-FI-1

D BY
ill Creek
IPANY, INC.

WARNING

Keep out of reach of children. May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Do not use on household pets or humans. Do not permit children to go onto sprayed grass until the spray has completely dried. Keep out of reach of domestic animals. Combustible mixture. Do not store near heat or open flame. Do not contaminate ornamental fishponds.

FISH AND WILDLIFE CAUTION: This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

This product is highly toxic to bees exposed to direct treatment or residues. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTICE: Seller's guaranty shall be limited to the terms of the label and subject ineretio. The buyer assumes any risk to persons arising out of use or handling, and accepts the product on these conditions.

Read entire label. Use strictly in accordance with label cautions, warnings, and directions. Keep pesticide in original container. Do not put concentrate or dilute into food or drink containers.

SMCP DIAZINON INSECTICIDE provides positive control on many hard-to-kill sucking and chewing insects.

SMCP DIAZINON INSECTICIDE works fast, also remains effective for an extended period of time. DO NOT USE IN THE HOME.