

NET CONTENTS:

ACCEPTED
OCT 23 1980
EPA Reg No. 612-2741



HEPTACHLOR

Contains 3.0 lbs. actual Heptachlor p
FOR USE BY PROFESSIONAL PEST CONTROL

DIRECTION FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SUBTERRANEAN TERMITES — DIRECTIONS FOR PROFESSIONAL USE

TERMITES CONTROL IN EXISTING BUILDINGS

Slab-on-ground Construction

- (1) Installations in this type of construction are difficult to control. One method is to drill holes about 6 inches from the wall and about one foot apart through the concrete slab, adjacent to all cracks and expansion joints, and injecting the chemical into the soil beneath the slab. Avoid drifting into air ducts, plumbing and electrical conduits. Another method is to drill through the foundation walls from the outside and force the chemical just beneath the slab along the cracks and expansion joints. A 1% emulsion should be applied at the rate of at least 4 gallons per 10 linear feet of foundation or expansion joint.
- (2) Dig a trench 1 foot in depth, but not below the top of the footing, along the outside of the foundation walls. Apply a 1% emulsion at the rate of 4 gallons per 10 linear feet of trench. The chemical should be mixed with the soil as it is being replaced in the trench. Treated soil should be covered with a thin layer of untreated soil.
- (3) Treat voids in hollow-block foundations at the rate of 2 gallons of 1% emulsion per 10 linear feet of wall so that the emulsion will reach the footing. Do this by drilling or probing. Avoid drifting into plumbing, heating or electrical conduits.

Crack-space Construction

- (1) Dig a trench or rod adjacent to and around all piers and pipes and along both sides of the foundation walls. Dig the trench or rod to, but not below the top of the footing. However, poured concrete foundations may be trenched only 3/4 inches deep. Treat the soil at the rate of 4 gallons of 1% emulsion per 10 linear feet per 1 foot of depth. Cover the treated soil with a thin layer of untreated soil.
- (2) Treat voids in hollow block foundations as described in slab-on-ground construction.

Basement Construction

- (1) Treat the soil adjacent to the outside foundation wall by trenching or rodding to the top of the footing at a rate of 4 gallons of 1% emulsion per 10 linear feet per 1 foot of depth. Treat the soil as it is returned to the trench and cover it with a thin layer of untreated soil.
- (2) Treat under the basement flooring and around sewer pipes, conduits and piers. Holes can be drilled through the floor along the inside perimeter and interior walls. Drill 6 inches from the wall and about 1 foot apart. Inject 1% emulsion through the holes at the rate of at least 4 gallons per 10 linear feet of wall. Avoid drifting into plumbing or electrical conduits.
- (3) Treat voids in hollow-block foundations as described in slab-on-ground construction.

ACTIVE INGREDIENTS:

Heptachlor*
Related Compounds
Deodorized kerosene

INERT INGREDIENTS:

TOTAL

*Heptachlorotetrahydro-4,7-methanoindene. *Heptachlor is a registered

KEEP OUT OF REACH OF CHILDREN
WARNING

See Side Panels for Additional Precautions
EPA Reg. No. 6720-279

21

MANUFACTURED BY
Southern Mill & Products Company
TAMPA, FLORIDA 33601

NET CONTENTS:



HEPTACHLOR EM-3

Contains 30 lbs actual Heptachlor per gallon
FOR USE BY PROFESSIONAL PEST CONTROL OPERATORS ONLY

ACTIVE INGREDIENTS	
Hopachlor	32.1%
Related Compounds	12.5%
Unhydrolyzed Hexachlor	50.4%
INERT INGREDIENTS	
TOTAL	100.0%

**KEEP OUT OF REACH OF CHILDREN
WARNING**

See Side Panels for Additional Precautionary Statements
Reg No 6720-279 EPA Est No. 6720-FL-1

MANUFACTURED BY
Southern Mill Creek
PRODUCTS COMPANY, INC.
TAMPA, FLORIDA 33601

As a general rule, all pipes and drains were closed off to allow these operations. Use any drain flow storage tank, holding tank, storage tank, and soil collection tanks to store effluents from treatment areas with tanks. Soil collection tanks were also used for storing the effluents under pressure. Soil should be removed in a dry state from the collection tanks, and not used with direct pumping.

STORAGE AND DISPOSAL

Drinking water must never be used for storage or disposal. Over-camping is prohibited. Do not use empty containers. Radio Shack Radio Shack is available to insure that containers used in the field are properly disposed of in a landfill. Radio Shack is available from water supplies.

This is a true and correct copy of the original as approved and is due to a sale made between the State of New Mexico and the United States.

NOTICE: We and our affiliates are subject to the terms of the above and subject thereto. The power assumes any risk of loss of or damage to the product of these conditions.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

[illegible]

ENVIRONMENTAL HAZARDS

The product is not toxic and non-harmful. Birds feeding in treated areas may be killed. Keep out of any body of water. Do not ingest untreated stream water by cleaning of equipment and disposal of wastes.

STATEMENT OF PRACTICAL TREATMENT

4. **Do not** induce vomiting by touching the back of the throat with the finger. Do not induce vomiting in an unconscious person. Get medical attention immediately.

Rebreathes exhaled air and adds fresh air and oxygen. Remove victim to fresh air and apply respiration if indicated.

Wash promptly with soap and water. Breathe through.

Close eyes for at least 15 minutes with water and call a physician immediately.

OR EM-3

per gallon
OL OPERATORS ONLY

.....32.1%
.....12.5%
.....50.4%
.....5.0%
.....100.0%

red trademark of Velsicol Corp

CHILDREN

ionary Statements

EPA Est. No. 6720-FL-1

Creek
ANY, INC.

801

Avoid contamination of public and private water supply by following these precautions. Use anti back flow siphonage equipment. Refer to federal (Federal Housing Administration), state, and local specifications for safe distances of treatment areas from wells. Soil in the vicinity of wells should not be treated if it is water saturated, or by injecting the solution under pressure. Soil should be removed to an area safe from well contamination, treated, and returned to the trench which has been lined with plastic sheeting.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Not for Storage in and Around the Home. Pesticide, spray mixture or rinseate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Triple rinse container and dispose of in an approved landfill or bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures.

NOTICE: Seller's guaranty shall be limited to the terms of the label and subject thereto. The buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed. PHYSICAL OR CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open flame. Do not breathe vapor or spray mist. Keep out of reach of children. Do not get on skin. In case of contact, wash immediately with soap and water. Do not contaminate feed and foodstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

STATEMENT OF PRACTICAL TREATMENT

If swallowed -- Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled -- Remove victim to fresh air and apply respiration if indicated.

If on skin -- Wash promptly with soap and water. Rinse thoroughly.

If in eyes -- Rinse eyes for at least 15 minutes with water and call a physician immediately.