

U.S. ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (WH-567)
WASHINGTON, D.C. 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

OCT 7 1983

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT

NOTICE OF PESTICIDE: ☒ REGISTRATION
☐ REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

BEST AVAILABLE COPY

NOTE. Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

1. The following changes listed below belong to you and are to be placed on your label:

a. Add the phrase "EPA Registration No. 6720-261."

b. Add to your bee statement in your "Environmental Hazards"

the following: "Protective information on the label from your Cooperative Agricultural Extension Service."

c. In your directions for control of fire ants revise the paragraph which reads "Do not disturb the mound prior to application. If possible, make applications after a recent rainfall. For best results apply in cool weather, 55-80°F, or in early morning or late evening hours. Treat new mounds as they appear."

Do not disturb the mound prior to application. If possible, make applications after a recent rainfall. For best results apply in cool weather, 55-80°F, or in early morning or late evening hours. Treat new mounds as they appear.

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

Pressurized sprays may disturb the ants and cause migration, reducing product effectiveness.

d. Your "Disposal" directions should be revised to read as follows:

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse bottle. Rinse thoroughly before discarding in trash.

Revise your "Storage" directions according to PR Notice 83-3.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

TS-767:Ellenberger:DCR-28810;WANG-0556C;KIM:Raven:479-2013:7/18/83

[Stamp: RECEIVED JUL 19 1983]

PM 11/1

2/1/83

TRAC
BUG DUSTER

Kills these household pests:
Cockroaches, Ants, Fleas,
Brown Dog Ticks, Spiders,
Wasps, Crickets, Silverfish
and More.

ACTIVE INGREDIENT:	Percent
Bendiocarb: (2,2-dimethyl-1,3-benzodioxol-4-ol methylcarbamate*)	by Weight 1%
INERT INGREDIENTS:	99%
TOTAL	100%

* Protected by U.S. Patent No. 3,736,338

E.P.A. REGISTRATION NO. 6720- E.P.A. ESTABLISHMENT NO. 6720-FL-1

KEEP OUT OF REACH OF CHILDREN
CAUTION
SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY INFORMATION AND
FIRST AID.

MANUFACTURED BY
SOUTHERN MILL CREEK PRODUCTS CO., INC.
TAMPA, FLORIDA 33601

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 07 1983

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

6720-283

100-2 112

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HARMFUL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN. DO NOT BREATHE DUST. DO NOT ALLOW TO CONTACT SKIN, EYES OR CLOTHING. WASH HANDS AND EXPOSED SKIN BEFORE EATING, DRINKING OR SMOKING AND AFTER HANDLING. WASH ALL CONTAMINATED CLOTHING THOROUGHLY BEFORE REUSE.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - DRINK 1 OR 2 GLASSES OF WATER AND INDUCE VOMITING BY TOUCHING BACK OF THROAT WITH FINGER. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION.

IF INHALED - KEEP PATIENT STRICTLY AT REST AND TRANSFER TO HOSPITAL IMMEDIATELY TO GET MEDICAL ATTENTION.

IF ON SKIN - WASH WITH SOAP AND WARM WATER.

IF IN EYES - RINSE THOROUGHLY WITH CLEAN WATER.

NOTE TO PHYSICIAN: CONTAINS ANTICHOLINESTERASE CARBAMATE INSECTICIDE. IN CASES OF OVEREXPOSURE, ATROPINE SULFATE - 2MG. (EQUIVALENT TO 1/30 GRAIN ADULT DOSE) SHOULD BE GIVEN AND REPEATED AS NECESSARY UNTIL FULLY ATROPINIZED.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on plants.

PRECAUTIONS

Do not use on or contaminate fruit, vegetables or other food or feed crops.

Do not apply to humans, animals, clothing or bedding.

Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.

IMPORTANT: Read the entire Directions for Use and Disclaimer of Warranties before using this product.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Trac Bug Duster is for residual pest control in and on buildings and structures and their immediate surroundings. Permitted areas of use include, but are not limited to: houses, garages, trailers, campers, storage sheds and apartment buildings.

INDOOR USE

Trac Bug Duster is intended for application with a shaker or puffer container to hiding and runway areas and those places where pests are found. The amount to be applied will vary with the site, but should usually be in the range of 1/3 to 2/3 ounces of dust per square yard.

Cockroaches, ants, crickets, silverfish and firebrats: Thoroughly dust all areas where these pests crawl and hide, especially cracks and crevices around sinks, stoves, refrigerators and cabinets; behind baseboards; around doors and windows and in attics, basements and crawl spaces. For ants, apply to ant trails and around doors and windows where they may enter premises.

Carpenter ants: Dust around doors, windows and other places where these pests enter premises. When possible, locate and dust nests and surrounding areas.

Brown dog ticks and fleas in buildings: Dust infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other places where these pests may hide. Old bedding of pets should be removed after treatment of pet area and replaced with clean fresh bedding. Additionally, ensure that pets are treated with an EPA approved product registered for pet use. DO NOT TREAT ANIMALS OR THEIR BEDDING WITH THIS PRODUCT.

Spiders: Dust along and behind baseboards, window and door frames, corners, pipes, storage localities, attics, basements, crawl spaces and other areas where spiders may hide.

Wasps: It is best to treat wasp nests at night when insects are less active and have returned to the nest. Do not wear loose fitting clothing - take necessary precautions to avoid stings. For best results, carefully dust near nest and check one or two days after treatment to ensure complete kill, and retreat if necessary. If possible, remove and destroy nest to prevent hatching of new insects. For ground nests, carefully dust entrance and surrounding areas. Retreat in one or two days if wasp activity is still present. Do not use this product to treat nests overhead.

Sowbugs, pillbugs, ground beetles, earwigs, millipedes, centipedes and scorpions: Apply around doors, windows and other places where these pests may enter. Treat baseboards, storage areas, and crack and crevices, especially in dark, musty areas where these pests may hide.

OUTDOOR USE

Perimeter treatment: Use Trac Bug Duster as a residual treatment for control of ants, brown dog ticks, centipedes, cockroaches, crickets, earwigs, firebrats, fleas, ground beetles, millipedes, pillbugs, scorpions, silverfish, sowbugs, spiders and wasps. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces and other areas where pests hide.

To help prevent invasion of buildings and structures by the above pests, treat a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building or structure. Also treat the building foundation and crawl spaces where pests are active and may find entrance. Apply thoroughly and uniformly to the band area. Pay particular attention to ant hills and wasp nests in the band area. Wasp nests in trees and shrubs may be treated as noted above.

Fire ants: Stir 7 oz. of Trac Bug Duster into 2 gallons of water. Pour a small amount of material around the perimeter of the mound. Apply the remaining volume directly on the mound so as to penetrate insect galleries, using 2 gallons of mixture on mounds 8 inches or larger in diameter. Less mixture can be used on smaller mounds; however, thorough penetration of the insect galleries must be achieved. A second treatment may be necessary if complete control is not obtained.

Do not disturb the mound prior to application. If possible, make applications after a recent rainfall. Applications may not be as effective during hot, dry periods. If possible, treat all colonies in the vicinity. Also, treat colonies which have not yet constructed a mound.

STORAGE AND DISPOSAL

Keep pesticide in original container. Do not store near feed or food products. Do not reuse empty container. Wrap and dispose of empty container in trash collection.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Southern Mill Creek Products Company, Inc. is authorized to make any warranties beyond those contained herein or modify the warranties contained herein. UNDER NO CIRCUMSTANCES SHALL SMCP BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM FAILURE TO USE THIS PRODUCT IN ACCORDANCE WITH LABEL DIRECTIONS.