

FRONT PANEL

X-IT FORMULA 120

For use by Professional Pest control operators and/or servicepersons (maintenance personnel) in food processing plants, warehouses, industrial buildings, institutions, restaurants, households

ACTIVE INGREDIENTS:

Diazinon [0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate]	0.500%
Pyrethrins	0.050%
*Piperonyl butoxide, technical	0.100%
***N-Octyl Bicycloheptene Dicarboximide	0.166%
Aromatic Petroleum Distillate	0.406%
Petroleum distillate	98.658%

INERT INGREDIENTS: 0.120%
TOTAL: 100.000%

*Equivalent to 0.8% (butylcarbityl) ether and 0.2% other related compounds.

***MGK 264 Insecticide Synergist

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
- If inhaled - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin - remove contaminated clothing and wash affected areas with soap and water.
- If in eyes - Flush eyes with plenty of water. Call a physician immediately.



NOTE TO PHYSICIAN - Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-Pam is also antidotal and may be administered in conjunction with atropine.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS
EPA Reg. No. 6720-309 EPA Est. 6720-FL-1
NET CONTENTS: 1 Gallon

MANUFACTURED BY
SOUTHERN MILL CREEK PRODUCTS CO., INC
TAMPA, FLORIDA 33601




LEFT PANEL
EPA Reg. No. 6720-309

X-IT FORMULA 120

For use by Professional Pest control operators and/or servicepersons (maintenance personnel) in food processing plants, warehouses, industrial buildings, institutions, restaurants, households.

KILLS: Roaches, Ants, Spiders, Waterbugs, Silverfish, Sowbugs, Springtails, Firebrats, Crickets, Earwigs, Carpet Beetles, Brown Dog Ticks.

OUTDOORS: Flies, Mosquitoes, Wasps, Flying Moths, Ants, Clover Mites, Chiggers and Brown Dog Ticks.
Exposed stages of: Sawtooth Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drug Store Beetle and Indian Meal Moth.



RIGHT PANEL
EPA REG. No. 6720-309

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Keep out of reach of children. Avoid contamination of feed and foodstuffs. Avoid inhalation. May be absorbed through skin. Avoid skin contact. Wash thoroughly after handling. Avoid contact with eyes and clothing. Do not use on household pets or humans. Do not allow children in treated areas until surfaces are dry. Cover or remove move aquaria in areas to be treated.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. N.Y.F.D.C. of A. No. 25643.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Use as a spot application only in places specified in these directions. spray infested surfaces only until wet. Do not spray in the air. Do not use on plants.

Food Handling Establishments: Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS-- application limited to crack and crevice treatment only.

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing) preparing edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups.) Serving areas when food is exposed and facility is in operation (also would be considered a food area).

Apply Formula 120 in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide, where roaches, waterbugs and silverfish hide; in points between different elements of construction; between equipment and floors; openings leading to voids and hollow spaces in walls, equipment legs and bases; conduits, motor housing, junction or switch boxes. Prior to application de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in the on position.

Aids in the control of pantry pests (exposed stages of sawtooth grain beetle, flour beetle, rice weevil, cigarette beetle, drugstore beetle, and indian meal moth) which come in contact with treated surfaces.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

RIGHT PANEL
EPA Reg. No. 6720-309

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

Serving Areas- Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Apply Formula 120 as a spot treatment to selective surfaces such as baseboards, under elements of construction, into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply where facility is in operation or foods are exposed.)

Non-Food Areas- Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply Formula 120 as a spot treatment to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

Roaches, Ants, Waterbugs, Silverfish, Sowbugs, Springtails, Spiders, Firebrats, Crickets, Earwigs: Spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, ant trails and other localized areas of infested with insects. Spray window sills and door frames where ants enter. Repeat as necessary.


Carpet Beetles: Make localized application to areas of the floor and baseboards. Spray directly into cracks and under carpets where insects may be found. Treat crevices, cracks and infested areas of shelving in closets. Repeat as necessary.

Brown Dog Ticks: Spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of pets and localized areas of floors and floor coverings. Repeat as necessary. Bedding should be replaced in animal quarters after treatment. Do not treat animals.

Flies, Mosquitoes, Wasps and Flying Moths- OUTDOORS: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surface of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures or porches, in garages and other places when these insects alight or congregate. For wasps spray the nest after dark, when all insects have returned to the nest.

Ants, Clover Mites- OUTDOORS: For treatment of localized infestations of insects in outdoor areas where there is no vegetation, spray infested areas. For ants, wet hills and runways. Repeat as necessary.

Chiggers and Brown Dog Ticks-OUTDOORS: For treatment of localized infestations of insects, spray weeds and brushy noncrop areas. Repeat as necessary.



RIGHT PANEL
EPA Reg. No. 6720-309
Cont'd

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage-Avoid storage at high temperatures. Protect from moisture. Avoid contamination with water, acids or alkalies. Do not store near heat or open flame. Keep container closed. Store in original containers only. Separate pesticides to avoid cross-contamination of other pesticides, fertilizer, food and feed. Keep container in locked storage areas.

If spilled, absorb with dry materials such as sand and sawdust and sweep up for disposal.

Pesticide Disposal- Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal- Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, incinerate, or if allowed by State and local authorities, burn. If burned, stay out of smoke.

