

JUL 20 1989

300 | 246363
17

310 | 247885
17

Southern Mill Creek Products, Inc.
5414 North 56th Street
P.O. Box 1096
Tampa, FL 33601

Attention: Andrew Ferrigno

Gentlemen:

Subject: AFC 1-2-3 Fogging Concentrate
EPA Registration No. 6720-326
Response to Your Letter Dated June 22, 1988 Requesting
Outside Use Sites

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you make the following changes:

1. Add the following section to the label under the ingredients statement and below the CAUTION signal word:

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Call a physician or Poison Control Center immediately.

If Inhaled: Remove to fresh air.

If On Skin: Remove contaminated clothing and wash affected area with soap and water. Get medical attention if irritation persists. Wash contaminated clothing separately from other laundry.

50505:Y:Bagley:LRD-12:KENCO:6/29/89, 7/10/89, rev:GI-VO:EK:CT
CONCURRENCE

R:50548:Bagley:LRD-12:KENCO:7/3/89:7/14/89.dg.

| | | | | | | | |
|---------|--|--|--|--|--|--|--|
| SYMBOL | | | | | | | |
| SURNAME | | | | | | | |
| DATE | | | | | | | |

If In Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

Note To Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

2. Change the statement "All food processing surfaces should be covered during treatment or thoroughly cleaned before using" to read "All food processing surfaces and equipment should be covered during treatment or washed with an effective cleaning compound followed by a potable water rinse."
3. Delete the second KEEP OUT OF REACH OF CHILDREN and CAUTION statements found under the PRECAUTIONARY STATEMENTS portion of the label.
4. Qualify your site designation to exclude U.S. Department of Agriculture meat and poultry processing plants.

The addition of the outdoor site is acceptable.

Submit five (5) copies of the revised label for review.

Sincerely yours,



Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)



AFC 1-2-3 FOGGING CONCENTRATE

A Synthetic Pyrethroid Insecticide For Use In Food Processing Areas
Residual Germicide Residing Periods of 1-3 Weeks
For Use by Trained Personnel Only In Food Processing Plants,
Warehouses, Restaurants, Institutions, and Industrial Laboratories.

ACTIVE INGREDIENTS:

| | |
|---------------------------------------|--------|
| Petroleum Distillate | 94.0% |
| N-octyl bicycloheptene dicarboximide* | 3.0% |
| Technical piperonyl butoxide** | 2.0% |
| Pyrethrin | 1.0% |
| TOTAL | 100.0% |

*MCK 254, Insecticide Syntheset.

**Equivalent to 1.00% (Dibutyltinyl) (Dioctyltinyl) ether and .40% other related compounds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. Reg. No. 275-070-01

E.P.A. Reg. No. 275-070-01

NET CONTENTS: ONE GALLON

Manufactured by
SOUTHERN MILL CREEK PRODUCTS COMPANY, INC.
P.O. BOX 1058
TAMPA, FLORIDA 33601

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Harmful if swallowed. Foods should be removed during treatment. All food-processing surfaces covered during treatment or thoroughly cleaned using. When using the product in these areas when the facility is not in operation.

Do not breathe spray mist. Wear mask or respirator type recommended by the U.S. Bureau of Mines. Use protective gloves, shoes, clothing, and eye protection. Wash hands and face after handling and before eating, drinking, or smoking. Remove coat, shirt, and trousers after spraying.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as directed on this label.

PHYSICAL AND CHEMICAL HAZARD

Mix well in container before each use. Keep closed and store in a cool place. DO NOT STORE NEAR OPEN FLAME. TYPICAL D. of A. 100.0%

Lot No.:



STORAGE AND DISPOSAL:

Store in original container and in a cool, dry place and away from heat, open flames, and other sources of ignition. Avoid contact with oxidizing agents, acids or alkalis. Do not store near food or open flame. Keep container closed. Store in original containers only. Separate pesticides to avoid cross-contamination of other pesticides, fertilizer, food and feed. Keep container in label storage area.

If spilled, absorb with dry material such as sand or sawdust and sweep up for disposal.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or residue is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: a) Metal—Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill or by other approved State and Local procedures. b) Plastic—Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill or by incineration if permitted by State and Local authorities.

DISCLAIMER: Read these entire Directions and Conditions of Sale before using AFC 1-2-3 FOGGING CONCENTRATE.
DISCLAIMER: EMCP warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in the Directions for Use, subject to the inherent risks referred to above. EMCP makes no other express or implied warranty of fitness or merchantability or any other aspect of product quality. In no case shall EMCP be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

Use this product in a manner consistent with the label. This product is for use on:
Beetle: Common Flea Beetle, Silverfish, Aids, Saffers, Flax, Mucronates, Grass (Indian) New Moths, Tree Flea Beetle, Curculio, Flour Beetle, Rice Weevil, Yellow Mealworm, Curculio, Saw-Toothed Grain Beetle, All Journals Grain Moths, and Miscellaneous Flour Beetles.

Directions: Use on plants and flowers. Cover exposed food and food processing surfaces. Admixture: 1 gallon of water per gallon of concentrate. **AFC 1-2-3 FOGGING CONCENTRATE** per 1,000 square feet. Apply spray line to the surface of the plant, and in all places where these insects hide.

Preparation: Prepare a fogging solution by adding 1 gallon of water to 1 gallon of concentrate. Use in a fogging machine. **AFC 1-2-3 FOGGING CONCENTRATE** per 1,000 square feet of space. Leave room closed for 24 hours after application. Do not remain in treated area. Ventilate prior to re-entry. Repeat application if necessary.

Preparation: Prepare a fogging solution by adding 1 gallon of water to 1 gallon of concentrate. Use in a fogging machine. **AFC 1-2-3 FOGGING CONCENTRATE** per 1,000 square feet of space. Leave room closed for 24 hours after application. Do not remain in treated area. Ventilate prior to re-entry. Repeat application if necessary.

0910-20

BEST AVAILABLE COPY