

PM17

6720-338

300 / 257649
217 / 4825

JUL 26 1990

173

Mr. Peter T. Acuri
Southern Mill Creek Products Company, Inc.
5414 North 56th Street
P.O. Box 1096
Tampa, FL 33610

Dear Mr. Acuri:

Subject: General Purpose Spray Type 5
EPA Registration No. 6720-338

The labeling amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided you submit the following:

1. Submit the product-specific product chemistry and the data matrix for your product. These data are required; however, if they have been previously submitted, please provide the NRID Numbers.
2. Add a footnote to the label ingredient statement indicating that your product contains petroleum distillates.
3. Add the Physical or Chemical Hazards heading to the label and the following statements:

If Swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting. This product contains petroleum distillate. Vomiting may cause aspiration pneumonia.

If Inhaled: Remove patient to fresh air. Apply artificial respiration if indicated.

51265:I:Hollis:H-5:KENCO:06/29/90:07/28/90:ka:SW:VO:EK

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

243

If On Skin: Remove contaminated clothing and wash affected skin areas with soap and water. Get medical attention if irritation persists.

If In Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

4. The solvent used is not considered an active ingredient, so either report it under inert ingredients on the label or provide the EPA Registration Number for the source product and justify its insecticidal properties.

Sincerely yours,



Bill Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Cadelle, Sawtoothed Grain Beetles, Angoumois Grain Moths, Mediterranean Flour Moths, Rust Red Flour Beetles, Cigarette Beetles, Drugstore Beetles, and Granary Weevils.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR FOGGING EQUIPMENT AND HAND SPRAYERS TO KILL ACCESSIBLE STAGES OF INSECTS* INFESTING DRIED FRUIT PRODUCTS IN STORAGE OR BEING PROCESSED: Close room or warehouse and shut off all ventilating systems. Dispense this product as a fine mist in the air above trays or shelves of dried fruit. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Do not apply to fruit directly. If overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top trays of fruit. Use a dosage of 1 gallon of this spray per 50,000 cubic feet of room space. Repeat applications at this dosage in any given month. More than ten applications may also be made if this spray is diluted with more petroleum distillate, so that the pyrethrins and synergists in the final spray are reduced proportionately. Do not remain in treated areas. Ventilate the area after treatment is completed. Maximum dilution is 1 part of this product plus 5.6 parts

of petroleum distillate.

TO KILL THE ADULT AND ACCESSIBLE FORMS OF INSECT PESTS* OF STORED FOOD (STORED IN MULTIWALL PAPER BAGS OR IN CLOTH BAGS) IN WAREHOUSES, STORAGE ROOMS AND SIMILAR LOCATIONS: Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Use a dosage of one fluid ounce of this spray per 1,000 cubic feet of room space. Do not remain in treated areas. Ventilate the area after treatment is completed.

TO KILL THE ADULT AND INACCESSIBLE FORMS OF INSECT PESTS THAT INFEST STORED FOOD PRODUCTS: Stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

TO KILL THE FLIES, MOSQUITOES AND GNATS: Close room and discharge spray mist as described above. Use a dosage of 1/2 to 1 fluid ounce per 1,000 cubic feet of room space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Do not remain in treated areas. Ventilate the area after treatment is completed.

AS A SURFACE SPRAY TO KILL THE ACCESSIBLE STAGES OF GRANARY INSECTS: RUST RED FLOUR BEETLES, CONFUSED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, CADELLES, MEDITERRANEAN FLOUR MOTHS, ANGOUMOIS GRAIN MOTHS, CIGARETTE BEETLES, DRUGSTORE BEETLES AND GRANARY WEEVILS: Apply as a coarse, wet spray to all areas infested by these insects. Use a dosage of 1 gallon per 1,000 square feet. Pay particular attention to cracks and crevices and other areas where granary insects may be found. (For small Flying Moths and Adult Beetles, treat as for Flies, Mosquitoes and Gnats. See Above.) Do not apply this spray to surfaces that may come in contact with food. Excessive residues in food may result.

TO KILL ROACHES, SILVERFISH AND WATERBUSS IN SHELTERED SITUATIONS: Apply this spray with a sprayer that produces coarse, wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Contact

Do not contaminate water.

STORAGE: Avoid storage. Avoid contamination with heat or open flame. Keep only. Separate pesticides, fertilizer, etc. areas.

If spilled, absorb with sweep up for disposal.

PESTICIDE DISPOSAL: of excess pesticide, see law. If these wastes cannot be disposed of in accordance with instructions, contact your local health Agency, or the Hazardous Waste Regional Office for guidance.

CONTAINER DISPOSAL: recycling or reconditioning. Do not burn, incinerate, or dump. If burned, stay out of smoke.

CAUTION: Read the label before using. GENERAL DISCLAIMER: SMCP chemical description. Substituted products for the information. Press of information. other express or implied for consequential, special.

**An Insecticide for Use in Homes, Food Processing Plants, Warehouses, Restaurants, Institutions,
and Industrial Locations.**

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
*Piperonyl butoxide, technical	1.00%
*N-octyl bicycloheptene dicarboximide	1.67%
Petroleum distillate	96.83%

TOTAL 100.00%

*Equivalent to 0.80% (butylcarbitol) (5-propylpiperonyl) ether and 0.20% related compounds

*MCK 264, Insecticide Synergist

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. Reg. No. 8720-338

E.P.A. Est. No. 8720-FL-1

NET CONTENTS: ONE GALLON

Manufactured by

SOUTHERN MILL CREEK PRODUCTS COMPANY, INC.

P.O. BOX 1096

TAMPA, FLORIDA 33601

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
KEEP OUT OF REACH OF CHILDREN
CAUTION

Harmful if swallowed. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when the facility is not in operation. Food processing operations do not have to be stopped while applying a coarse wet spray with care and in accordance with the directions and cautions above. After spraying in food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In case washing is impractical, do not allow food to come in contact with treated surfaces for at least 48 hours.

ENVIRONMENTAL HAZARDS

Remove pets and cover fish bowls before spraying. This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. N.Y.F.D.C. of A No. 2563

(
Note: This spray, when applied per the directions and cautions listed conforms with Food Additive Regulations 121.1074, 121.1075 and 121.1205 and the food additive tolerances established thereunder N.Y.F.D.C. of A No. 2563

THIS PRODUCT IS AUTHORIZED
FOR USE IN FEDERALLY INSPECTED
MEAT AND POULTRY PLANTS

Lot No.:

