
OMNICIDE.

Kills: ants/roaches silverfish/bedbugs clothes moths fleas/ticks/lice brown dog ticks carpet beetles flies/gnats mosquitees stored product insects as listed in directions.



OMNICIDE

An insecticide for use in homes, food processing plants, industrial locations, and in animal care.

ACTIVE INGREDIENTS		100.00%
Pyrethrins .		 0.50%
*Piperonyl Butoxide Technical		1 00%
Petroleum Distillate	•	 98 50%

Equivalent to 0.8% (Butylcarbityl) iš Propylpiperonyl) ether and 0.2% retain. Compounds

CAUTION: Keep out of reach of children. See side panel for additional caution instructions.

Manufactured by: Superior Chemical Products, Inc. Philadelphia, Pa. 19124

NET CONTENTS 1 GALLON LIQUID



CAUTION: Harmful if swalloved. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Remove pets and birds. Cover aquariums.


This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by clearing of equipment or disposal of wastes.

Do not re-use empty container. Destroy when empty and discard in a safe place.

Keep container closed. Do not use, pour, store or spill near heat or open flame. NYFD C of A No. 1197.

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the tabel. Buyer assumes all risk of use and/or handling of this material.

EPA REG. No. 998-3 EPA EST. 996-PA-1
NET CONTENTS:
LOT NO:



Ants, roaches, silverfish: Apply as a coarse wet spray into cracks, crevices, on hidden surfaces under sinks. Eehind stoves and refrigerators, and in food storage areas. Spray all parts of the room suspected of harboring these insects. Direct contact of insect is important for adequate control. Repeat treatment as necessary. For silverfish, spray frequently baseboards, door frames, book-cases and storage areas. For ants, treat door frames, window frames, ant traits of and hills.

Bedbuos: Completely dismantle bed. Spray thoroughly with coarse wet spray each part of bed, including mattress and box springs. Spray all baseboards and cracks in wall of bedrooms Direct contact of bedbugs, and repeated applications are necessary for control.

<u>Clothes moths</u>: All articles to be treated should be cleaned. Contact all insects with coarse wet spray by thoroughly treating all seams and folds. The interior of trunks, closets, cupboards, and other storage containers should be thoroughly sprayed. Unless the articles are to be immediately stored in moth-tight containers, treatment should be done once a month. A small spot on the fabrics should be first tested for possible staining.

Stored product Insects: (Rice weevil, vellow meal worm, cadelle, confused flour beetle, say-toothed grain beetle, angoumois grain moth, Mediterranean flour moth and tourage meal moth -- accessible stages.)

In homes: Dispose of all infested products. Shelves and drawers should be cleaned, thoroughly sprayed so as to contact all pests, and covered with shelf paper after allowing shelves to dry. Any utensits that are contacted with spray should be washed before using

In industrial and commercial facilities: Infested stored food products should be furnigated or treated by other effective methods using an approved product for this purpose. For accessible stages, spray affected areas liberally with coarse wet spray, paying particular attention to areas suspeced of harboring these pests. Spray under and around pallets.

Tiens: Apply as a coarse wet spray to floor and floor coverings, cracks, crevices, sleeping quarters of animals, and infested furniture. Repeated applications to the area to insure contact of all fleas are necessary for control.

Brown dog ticks: Spray area so as to directly contact these pests with a coarse wet spray. Spray tiberally on floors, floor coverings, bases of walls. Cracks and Crevices. Pay particular attention to animal sleeping areas. Animal bedding should be thoroughly treated and allowed to dry before replacing. Repeat as necessary for control.

Carnet beetles: Spray area with a coarse wet spray so as to directly contact these pests. In case of infested upholstered furniture, treat thoroughly interior and exterior. Both the top surface and underside of <u>rugs and carnets</u> should be sprayed thoroughly. Shelves, closets and areas under furniture should be treated. Repeat as necessary for control.

Files, mosquitoes, gnats and adult engoumols orain moths. Mediterrangen flour moths and Indian meal moths: Close doors and windows. With a manual sprayer adjusted to a fine mist, spray all parts of the room, particularly toward the ceiling, so as to fill the room with mist. When using an electric mister such as the "FOGMASTER" use a dosage of ½ to 1 fluid ounce per 1,000 cubic feet of room space. Vacate premises after treatment. Keep room closed for 10-15 minutes. Sweep up and destroy fallen insects, ventilate room.

Animal care: Do not spray in eyes or face of animals. Do not use on newborn animals

Dogs: Fleas, ticks and tice — adjust sp: ayer to a fine mist. Spray so as to lightly dampen coat for long haired animals, ruffle the hair upward while applying the spray. For ticks, direct spray so it contacts these insects. Repeat as necessary.

Horses and cattle: Fires, ticks — using fine mist, spray at the rate of 1 - 2 ounces per animal once a day, if necessary Do not apply oftener than twice a day

Manufactured by

Superior Chemical Products, Inc.

Philadelphia, Pa. 19124

