PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (& DOMESTIC ANIMALS) CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful If swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with pienty of water, Get medical attention if irritation persists. Avoid contamination of foods and food utensils.

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product, use only when plant is not in operation.

Remove pets, birds, and cover fish aquariums before spraying.

-"1 PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

PROH: BITIONS: Do not contaminate water, food, or feed by creage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinsate has cannot be used or chemically processed, should be isposed of in a landfill approved for pesticides or buried in a sale place away from water supplies.

CONTAINER DISPOSAL: Reseal conteiner and offer for reconditioning, or triple rinse (orequivalent) and; offer for recycling, reconditioning, or disposal in an approved landfill, or bury in a safe place.

GENERAL: Consult Federal, State or Local disposal authorities for approved sitemative procedures.

ACCEPTED

AUG 1 8 1981

Under the Federal Inspectation
Fungiside, and Redvaticing data
as Granded, for the penality
registered under
EPARAS, No. 6720-35?

SUPERIOR OMNICIDE MUNICIPAL SPECIAL

FOR CONTROL OF

FLIÉS, MOSQUITOES, GNATS, COCKROACHES, WATERBUGS, ANTS, CRICKETS, SILVERFISH, FLEAS, BEDBUGS AND OTHER LISTED INSECTS

ACTIVE INGREDIENTS:

Pyrethrins	0.40%
* Piperonyl Butoxide Technical	0.50%
† N-Octyt Bicycloheptene Dicarboximide	0.50%
Petroleum Distillate	98.60%
TOTAL	100%

 Equivalent to 0.4% (butylcarbityl) (6-Propylpiperonyl) either and 0.1% related compounds.

† MGK 264, Insecticide Synergist.

EPA REG. No. 998-56 EPA EST. 998-PA-1

Keep Out of Reach of Children CAUTION

STATEMENT OF PRACTICAL TREATMIENT

If swallowed — Seek medical assistance immerdiately.

If inhaled.— Remove victim to fresh air.

If On Skin — Wash with soap and warm water.

If in Eyes - Flush with plenty of water.

See Side Panel for Additional Precautionary Statements.

Manufactured by: Superior Chemical Products, Inc. Philadelphia, Pa. 19124

NET CONTENTS: GALLON LIQUID)

seams and folds. The interior of trunks, closets, cupboards, and other storage containers should be thoroughly sprayed. Unless the articles are to be immediately stores in moth-tight containers, treatment should be done once a month. A small spot on the fabrics should be first tested for possible staining.

Stored product Insects: (Rice weevil, vellow meal worm, cadelle, comus d flour beetle, was toothed grain beetle, angoumois grain moth, Mediterranean four moth and Indian meal moth-accessible stages.)

in homes: Dispose of all Infested products. Shelves and drawers should be cleaned, thoroughly sprayed so as to contact all pests, and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using.

in industrial and commercial facilities; infested stored food products should be furnigated or treated by other effective methods using an approved product for this purpose. For accessible stages, apray affected areas liberally with coarse wet apray, paying particular attention to areas suspected of harboring these pests. Spray under and around pallets.

Flees: Apply as a coarse wat spray to floor and floor coverings, cracks, crevices, sleeping quarters of animals, and infested fur-niture. Repeated applications to the area to insure contact of all fleas are necessary for control.

Brown dog ticks: Spray area so as to directly contact these pests with a coarse wet spray. Spray liberally on floors, floor coverings, bases of walls. Cracks and Crevices. Pay particular attention to animal sleeping areas. Animal bedding should be thoroughly treated and sllowed to dry before replacing. Repeat as necessary for control.

Carpet beetles: Spray area with a coarse wet apray so as to directly contact these pests. In case of infested uphoistered furniture, treat thoroughly interior and exterior. Both the top surface and underside of rugs and carpets should be sprayed thoroughly. Shelves, closets and areas under furniture should be treated. Repeat as necessary for control.

Files, mosquitoes, gnats and adult angoumois grain moths, Mediterranean flour moths and Indian meet moths: Close doors and windows. With a manual sprayer adjusted to a fine mist, spray all parts of the room, particularly toward the celling, so as to fill the room with mist. When using an electric mixer such as the "FOGMASTER" use a dosage of 1/2 to 1 fluid ounce per 1,000 cubic feet of room space. Vacate premises after treatment. Keep room closed for 10-15 minutes. Sweep and destroy fallen insects; ventilate room.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material.

SUPERIOR CHEMICAL PRODUCTS INC. PHILADELPHIA, PA. 19124