

Reg # 6720-400
PM 12
p. 1 of 1

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 6720-400	DATE OF ISSUANCE 9/25/85
	TERM OF ISSUANCE Until Reregistration	
	NAME OF PESTICIDE PRODUCT MAX-TOX 151	

NOTICE OF PESTICIDE: ☒ REGISTRATION
☐ REREGISTRATION
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Southern Mill Creek Products
5414 North 56th Street
Tampa, FL 33610

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration on your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 6720-400" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

☐ ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL
Jay S. Ellenberger

DATE
9/25/85

FRONT PANEL

MAX-TOX 151

For effective control of certain specified crawling household insects,
flies, mosquitoes, and lawn chinch bugs.

Only for Sale to, Use, and Storage by Qualified Pest
Control Operators, Commercial Applicators, and Other
Service Persons.

ACTIVE INGREDIENT:

2-(1-Methylethoxy) phenol methylcarbamate 14.7%

INERT INGREDIENTS 85.3%

100.0%

EPA Reg. No. 6720-MAX

EPA EST. NO. 6720-FL-1

Contains 1.5 lbs 2-(1-Methylethoxy) phenol
methylcarbamate per gallon

Do not store below 32° F.

Keep away from direct sunlight, radiators, stoves, and other
heat.

STOP- Read the label before use.

KEEP OUT OF REACH OF CHILDREN

WARNING

(See side panel for Statements of Practical Treatment and
Additional Precautionary Statements.)

NET CONTENTS ONE GALLON

MANUFACTURED BY

SOUTHERN MILL CREEK PRODUCTS CO., INC.

TAMPA, FL. 33601

ACCEPTED
with COMMENTS
in EPA Letter Dated:

SEP 27 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide
Act, as amended, for the
registered under EPA h

6720-400

90.01.14

44.04.11

Reg 14 6720-100
PM 12
p. 3 of 7

MAX-TOX 151
RIGHT PANEL

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read these entire Directions and Conditions of Sale before using MAX-TOX 151 emulsifiable insecticide.

CONDITIONS FOR SALE: The directions on this label were determined through research to be the directions for correct use of this product. This product has been tested for a range of weather conditions similar to those weather conditions that are ordinary and customary in the geographic area where the product is used. Insufficient control of pests may result from the occurrence of extraordinary or unusual weather, or from failure to follow label directions may cause injury to the crop, to which the product is applied, other crops, animals, man, or the environment. SMCP and the seller offer, and the buyer accepts and uses this product subject to the conditions that extraordinary or unusual weather or failure to follow label directions are beyond the control of SMCP and are, therefore, the responsibility of the buyer.

DIRECTIONS FOR USE

MAX-TOX 151 gives excellent control of ants, cockroaches, clover mites, earwigs, fleas (outdoors), mosquitoes (outdoors), flies, hornets, millipedes, saw-toothed grain beetles (exposed stage), scorpions, silverfish, sowbugs, punkies and sand flies. It provides good flushing action of cockroaches, rapid knockdown and long residual control of these and the other insects. MAX-TOX 151 will also control strains of cockroaches and mosquitoes resistant to certain chlorinated hydrocarbon and organophosphate insecticides. MAX-TOX 151 mixes readily with water, and may be applied with most types of hand or power-operated sprayers. Agitate spray mixture frequently.

MAX-TOX 151 gives rapid knockdown and effective control of mosquitoes when applied by either ground mist-spraying, or with conventional aircraft spray equipment.

CAUTION: Do not use in fiberglass tanks. The spray mixture made from this formulation may loosen paint coatings in metal tanks if allowed to stand for more than a few hours. Clean tanks thoroughly before and after use.

90-01-14

84-843

Reg # 6720-400
PM 12
p. 4 of 9

MAX-TOX 151
RIGHT PANEL

INDOORS:

Pest Control In and Around Homes, Apartment Buildings, Stores and Warehouses: For residual control of ants, cockroaches, millipedes, silverfish spiders, waterbugs, and to aid in control of saw-toothed grain beetle (exposed stage), mix 8 fluid ounces ($\frac{1}{2}$ pint) of MAX-TOX 151 in 1 gal water (1.1% concentration) and apply as a residual spray to baseboards, window frames, the undersides of shelves and drawers, under sinks, and stoves and to other places where insects may hide. Also spray cracks, crevices and surfaces where insects may crawl when they come out of hiding. For ants, spray trails and places where ants enter premises. Repeat as necessary. Do not spray foodstuffs or house plants. DO NOT USE AS A SPACE SPRAY. PROVIDE ADEQUATE VENTILATION OF AREA BEING TREATED. Do not allow children to contact treated surfaces until surfaces are completely dry.

50-014

50-000

MAX-TOX
BACK PANEL

2/3 11/20/40
PM 12
p. 5019

AVISO. PRECAUCION AL USUARIO: Si Usted no puede leer o entender ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

Pest Control in Meat Packing and Food Processing Plants, Food Storage Areas, Restaurants, and Other Food Handling Establishments (places other than private residences in which exposed food is held, processed, prepared or served.)

For residual control of ants, cockroaches, millipedes, silverfish, spiders, waterbugs, and to aid in control of saw-toothed grain beetle (exposed stage), mix 8 fluid ounces ($\frac{1}{2}$ pint) of MAX-TOX 151 in 1 gallon of water* (1.1% concentration).

Non-Food Areas: Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

Food Areas: LIMITED TO CRACK AND CREVICE TREATMENT ONLY - Apply a small amount of material as a pin-thin stream directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, or hollow equipment legs, where the insects noted above hide. Do not use this product in conduits, motor housings and electrical switch boxes.

Care should be taken to avoid depositing the product onto exposed surfaces, or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

Spraying unloading docks and outside areas where insects congregate will aid in preventing re-infestations. Good sanitation and proper disposal of wastes is essential in any effective insect control program.

50-01-11

50-01-11

MAX TOX 151
BACK PANEL

OUTDOORS:

By use by Pest Control Operators and Commercial Applicators for residual control of insects around industrial buildings, homes, garbage areas, dumps; and for mosquito control in non-crop areas.

Residual Spray for ants, cockroaches, earwigs, flies, hornets, millipedes, mosquitoes, spiders, crickets, clover mites, fleas, scorpions, sowbugs, brown dog ticks, wasps and waterbugs. Mix 8 fluid ounces ($\frac{1}{2}$ pint) of MAX-TOX 151 in 1 gallon of water* (1.1 % concentration) and apply as a residual spray or with a paint brush to surface of buildings, porches, screens, window frames, patios and garages where these insects congregate. For control of wasps and hornets, apply after dark when all of the insects have returned to the nest. Repeat as necessary. Do not treat plants (lawns flowering plants, shrubs, trees, etc) with this concentration.

To control sand flies or punkies (*Culicoides* spp.), mix 8 fluid ounces ($\frac{1}{2}$ pint) MAX-TOX 151 in 1 quart of water* (4.5% concentration) and apply with a paint brush to outside surfaces of door and window screened areas where insects may enter buildings. Thorough coverage is necessary for maximum control.

Ground Mist Spray for Mosquitoes: Apply $4\frac{1}{2}$ to 6 fluid ounces (0.05 to 0.07 lb active) per acre. For mist-blower machines calibrated to deliver 100 gallons of water* to treat 170 acres. CAUTION: Do not allow to drift or use on crop or pasture lands.

Aircraft Application for Mosquitoes: Use MAX-TOX 151 at dosages $4\frac{1}{2}$ to 6 fluid ounces (0.05 to 0.07 lb active) per acre in 2 to 4 quarts of water for application in conventional aircraft spray equipment. CAUTION: Do not allow to drift or use on crop or pasture lands.

NOTE: Due to the high volatility of the solvents in MAX-TOX 151, it is necessary to add the formulation directly to the aircraft spray tank and mix well with water. Do not premix in nurse tanks. Aircraft tanks must be closed after mixing to prevent solvent evaporation, which would result in crystallization of the active ingredient. Prepared spray should not be held in tank longer than 2 to 3 hours.

Pest Control on Lawns and Turf:

Sob webworms (lawn moths): To control sob webworms on lawns and turf, mix 11 fluid ounces (approximately $1\frac{1}{2}$ cups) of MAX-TOX 151 in 10 to 15 gallons of water* and apply to 1000 square feet of area. For best results, mow the lawn and rake dead grass from damaged spots. Water the lawn thoroughly and allow grass to dry before spraying with MAX-TOX 151. If possible, do not water again for several days. Three applications at monthly intervals may be required for maximum control. In most areas, the first application should be made in May or June. Consult your local State Agricultural Experiment Station or Extension Service for more specific information regarding timing of applications.

10-11-11

11-11-11

Reg # 6720-400
PM 12
p 7 of 7

MAX-TOX 151
BACK PANEL

PRECAUTIONARY NOTE: Birds feeding on treated areas may be killed.
Keep children and pets off treated areas until dry.
*The use of this material in water at 40 ° F or below will result in
crystallization in the spray tank. Do not use in oil. Do not allow
spray mixture to stand overnight in the spray tank.

MIXING CHART: Fluid ounces of MAX-TOX 151 to add to:

Concentration Required	1 GAL. US	3 GALS US	10 GALS US
1.1%	8 ($\frac{1}{2}$ pint)	24 ($1\frac{1}{2}$ pints)	80 (5 pints)
4.5%	32 (2 pints)	96 (6 pints)	320 (20 pints)

50074

84843

MAX-TOX
LEFT PANEL

25# 6720-400
PM 12
P 8067

RESTRICTIONS: Since this is a water-suspension material, do not apply to rugs, carpets, draperies, wallpaper, or similar materials that may be stained or water-marked such as tiles, and floor coverings. The solvents of this formulation may stain certain plastic, rubber and asphalt materials such as tiles or floor coverings. Do not treat such materials without first testing a small inconspicuous area. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not apply to animals or humans. Do not use on food crops. Do not use on plants other than those recommended. Do not use in animal barns or poultry houses for fly control.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS.**

WARNING: May be fatal if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or on clothing. In case of prolonged exposure, wear natural rubber gloves, protective clothing, and goggles. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Do not contaminate food.

STATEMENTS OF PRACTICAL TREATMENT

If swallowed, vomiting should be induced. Administer water freely and induce vomiting by giving one dose ($\frac{1}{2}$ oz or 15 ml) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down the throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Professional medical assistance should be secured immediately.

If on skin, wash skin immediately with soap and water. If eyes are contaminated, wash with plenty of water for at least 15 minutes. Get medical attention. If inhaled, remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea. If poisoning occurs, get prompt medical aid.

To Physician:

ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance.

ENVIRONMENTAL HAZARDS.

This product is toxic to birds, shrimp, crabs, and other wildlife. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not apply where runoff is likely to occur. Do not apply when the weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

00.014

00.014

Reg # 6723-4100
PMA 12
p 9.17

MAX-TOX
LEFT PANEL

STORAGE AND DISPOSAL.

Pesticide Disposal: Do not contaminate water, food or feed by storage and disposal.

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: a)Metal - Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill or by other approved State and Local procedures. b)Plastic - Triple rinse (or equivalent) and offer for recycling or reconditioning or disposal in a sanitary landfill or by incineration if permitted by State and Local Authorities

Store in a cool, dry place and in such a manner as to prevent cross-contamination with other pesticides, fertilizers, food and feed. Do not store below 32 ° F. Keep away from direct sunlight, radiators, stoves and other heat. Store in original container and out of reach of children, preferably in a locked storage container.

Handle and open container in a manner as to prevent spillage. If container is leaking invert to prevent leakage. If the container is leaking or material spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticides above. In spill or leak incidents, keep unauthorized people away.

In case of emergency contact CHEMTREC at 800-424-9300.

TO PHYSICIAN- Atropine sulfate is antidotal.

50-814

44-441