

JUL - 2 1990

Mr. H.R. McLane
H.R. McLane, Inc.
7210 Red Road, Suite 212A
Miami, FL 33143

Dear Mr. McLane:

Subject: Updated Labeling and Inert Ingredient Information
MAXTOX 151
EPA Registration No. 6720-400
Your Submissions Dated July 17 and December 20, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, and a stamped copy is enclosed for your records. However, at the next printing of your label, please delete the phrase: ". . . for at least 15 minutes" from the Statement of Practical Treatment for "If In Eyes."

We have reviewed the material (Technical Data Sheet and Material Safety Data Sheets) you have submitted to support Micro-Step H-303 as an inert ingredient for a new basic formulation. This material does not provide us with adequate information to clearly identify this compound. The Technical Data Sheet refers only to a "blend of nonionic surfactants."

58927:I:WP50:Johnson:C.Disk:KENCO:06/27/90:DD:sw:vo:ek:dg

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

The manufacturer, Stepan Chemical, has not provided us with any additional information. Please have them submit directly to us the names of the specific components (i.e., CAS Numbers) of Micro-Step H-303. They should address this information to my attention and reference your EPA Registration Number in the submittal.

Sincerely yours,

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin or clothing. When handling concentrate or in case of prolonged exposure, or when applying product with a paint brush, wear chemical resistant gloves, protective clothing and goggles. Wash hands, arms and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing before reuse.

SYMPTOMS OF POISONING: A sense of tightness in the chest. Sweating. Contracted pupils. Stomach pains and Diarrhea. If poisoning occurs, get prompt medical aid. **NOTE TO PHYSICIAN - ANTIDOTE:** Administer Atropine Sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance.

ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment wash waters. Provide adequate ventilation of area being treated. Apply this product only as specified on this label.

CHEMICAL AND PHYSICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in original labeled container in a cool, dry, locked place out of reach of children. Do not store below 32 degrees F. **PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency, or the hazardous waste representative at the nearest EPA regional office for guidance. **CONTAINER DISPOSAL:** Metal - Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures. Plastic - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

HOW TO USE MAXTOX 151

MAXTOX 151 gives excellent control of Ants, Cockroaches, Clover Mites, Sawflies, Fleas, Flies, Hornets, Millipedes, Saw Toothed Grain Beetles, (exposed stages), Scorpions, Silverfish, Sowbugs, Punksies and Sand Flies. It provides good flushing action of Cockroaches, rapid knockdown and long residual control of these and the other insects. MAXTOX 151 will also control strains of cockroaches resistant to certain chlorinated hydrocarbon and organophosphate insecticide. MAXTOX 151 mixes readily with water, and may be applied with most types of hand or power operated sprayers. Agitate spray mixture frequently.

CAUTION: Do not use in fiberglass tanks. Spray mixture made from this formulation may loosen paint coatings in metal tanks if allowed to stand for more than a few hours. Clean tanks thoroughly immediately after using.

INDOOR PEST CONTROL

Pest Control in and Around Homes, Apartment Buildings, Stores and Warehouses; For residual control of Ants, Cockroaches, Clover Mites, Millipedes, Scorpions, Silverfish, and Sowbugs, and as an aid in the control of Saw Toothed Grain Beetles (exposed stages) mix 11 fluid ounces of this product in 1 gal. of water (1.1% concentrate) and apply as a residual spray to baseboards, window frames, the undersides of shelves and drawers, under sinks and stoves and to other places where insect may hide. Also spray cracks, crevices and non-food surfaces where insects may crawl when they come out of hiding. For ants, spray trails and places where they may enter premises. Repeat as necessary. Do not spray foodstuffs or house plants. **DO NOT USE AS A SPACE SPRAY. PROVIDE ADEQUATE VENTILATION OF AREA BEING TREATED.** Do not allow children to contact treated surfaces until surfaces are completely dry.

PEST CONTROL IN MEAT PACKING AND FOOD PROCESSING PLANTS, FOOD STORAGE AREAS, RESTAURANTS, AND OTHER FOOD HANDLING ESTABLISHMENTS

(Places other than private residences in which exposed food is held, processed, prepared or served) For residual control of Ants, Cockroaches, Millipedes, Silverfish, Spiders, Waterbugs, and to aid in control of Saw Toothed Grain beetles (exposed stages), mix 11 fluid ounces in 1 gallon of water (1.1% concentrate).



MAXTOX 151

For Effective Control of Certain Specific Crawling Household Insects, Flies, Ants, Cockroaches, Millipedes, Silverfish, Spiders, Waterbugs, and as an aid in the control of Sawtoothed Grain Beetles.

Only For Sale To, Use and Storage by Qualified Pest Control Operators and Commercial Applicators

ACTIVE INGREDIENT:

2-(1-Methylethoxy)phenol methylcarbamate 13.75%

INERT INGREDIENTS: — — — — — 86.25%

TOTAL 100.00%

Contains 1.15 lbs. 2-(1-Methylethoxy)phenol methylcarbamate per gallon

KEEP OUT OF REACH OF CHILDREN WARNING

"PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado ampliamente."

READ ENTIRE DIRECTIONS, PRECAUTIONARY STATEMENTS AND RESTRICTIONS BEFORE USING.

STATEMENTS OF PRACTICAL TREATMENT

IF SWALLOWED: Vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration preferably mouth to mouth. Get medical attention.

IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

IF ON SKIN: Remove contaminated clothing immediately and wash affected area with soap and water. Get medical attention if irritation persists.

SEE NOTE TO PHYSICIAN AND ADDITIONAL PRECAUTIONARY STATEMENTS ON SIDE PANEL.

EPA REG. NO. 6720-400

EPA EST. NO. 6720-FL-1

NET CONTENTS 1 GALLON

SOUTHERN MILL CREEK PRODUCTS, INC.

4514 NORTH 56 TH STREET

TAMPA, FLORIDA 33601

ACC E

JUL - 8
Under the Federal
Fungicide, and Ro
as amended, for
registered under
EPA Reg. No.