US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

EPA REGISTRATION NO.

18,1989

6720-<u>417</u> TERM OF ISSUANCE

Until

NAME OF PESTICIDE PRODUC

SMCF 40 0-0 WITH DURSBAN

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

 Γ

Southern Mill Creek Products Company, Inc. 5414 North Soth Street Tampa, FL 53610

BEST AVAILABLE COPY

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrent a right to exclusive use of the name or to its use if it has been covered

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

- Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 6720-417."
 - b. Please include the following statement after "disposal of wastes" under the Environmental Hazards heading:

Do not contaminate water when disposing of equipment washwaters.

- A 1-year storage stability study for this product must be submitted withing 15 months from the date of this Registration Notice.
- 4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

PA Form 8578-4 (Rev. 5-74)

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr. Product Manager (12) Insecticide-Rodenticide Branch Registration Division (TS-767C)

Enclosures

40-0-0 Fertilizer with Dursban*

For the control of soil insects such as ants, armyworms, cut worms, sod webworms, chinchbugs, earwigs, sowbugs and crickets.

CONTAINS NEW LOW ODOR DURSBAN*

ACTIVE INGREDIENT:

Chlorpyrifos (O. O-diethyl-O-(3.5,6 trichtoro-2pyridyl) phosphoruthioate INERT INGREDIENTS:

TOTAL

0.97% 99 03% 100.00% ACCEPTED

with COMMENTS in EPA Letter Union

GUARANTEED ANALYSIS

₆₄₇ + 8 1**98**9

40 00%

5 30%

TOTAL NITROGEN (N) 30.10% Urea Nitrogen 9 90% Coated Slow Release Urea Nitrogen SULFUR (S) (Free)

IGRED 9

Under the Federal Insecticida Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

6720-417

KEEP OUT OF

Read All Directions Before Using

PRECAUTIONARY STATEMENTS

CAUTION: May be harmful if swallowed Avoid eye contact.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

STORAGE AND DISPOSAL Sleide Storage

mech of children and animals. Store in original filed in cool, dry place to avoid excess heat contains in case of spill. Avoid contact, isolate nan In unprotected persons Confine spills.

Posticide Partis Ward and or feed by storage or disposal Pesticide wastes are toxic improper disposal of excess pesticide. spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions. contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

Container Disposal

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning, if burned, stay out of smoke

eyes with plenty of water and get medical attention if irritation persists. Keep away from food, foodstuffs and domestic water supplies. Keep children and pets off of treated area until watered into soil and soil is dry

Wash thoroughly after handling. Wash contam-

inated clothing before reuse. Flush contaminated

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Call a physician

If on skin: Wash thoroughly with soap and water

If in eyes: Flush eyes with plenty of water if irritation persists, call a physician

NOTE TO PHYSICIAN: Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Fish and crustaceans may be killed if their waters are contaminated with this product. Do not contaminate water by cleaning of equipment or disposal of

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

HOW TO USE

To control chinch bugs, sod webworms, ants, armyworms, crickets, cut worms, earwigs, and sowbugs, uniformly apply 2.4 pounds of this product to cover 1,000 square feet of non-crop turfgrass area. Treat when insects first appear, re-treat as needed. To help obtain uniform distribution, apply one-half the required amount of product in one direction, then apply balance at a right angle. Immediately after application, thoroughly water the treated turf to wash the insecticide into the zone of insect infestation

APPROXIMATE POTARY SPREADER SETTINGS # Product/ # N/ Effective 3rd Spreader Width 1000 sq. ft. 1000 sq. ft. Hole Setting 0.96 t O 101 F%

*IMPORTANT: These settings are only approximate. Age and condition of spreader can cause wide variation. Be sure to calibrate your spreader with each application

WARRINTY

SIND warrants that this insecticibe conforms to the chemical description on its label. When used in accordance with label directions undernormal conditions, this insection, we see a purposes. Since timing, method of apolication, wealiner, plant, and soil conditions, mixture with other chemicals, and other acts affecting the use of this product are beyond our control, no walranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not russonably folseeable. The user assumes all risks of any such tiad.

E.P.A. Reg. No.