

NOV 30 1992

Southern Mill Creek Products
c/o H.R. McLane
7210 Red Road, Suite 206
Miami, FL 33143-5321

Gentleman:

Subject: Revised Labeling
Pratt BORDO-MIX
EPA Registration No. 6720-440
Your Submissions Dated November 16, 1992

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

a. In the environmental hazards section update the statements to read:

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

b. Close the parenthesis after "covering the body)".

2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

2073

-2-

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



for Cynthia Giles-Parker
Product Manager (22)
Fungicide Herbicide Branch
Registration Division (H7505C)

Enclosure

PRATT



Bordeaux Mixture

PREVENTION AND CONTROL OF FUNGUS DISEASES FLOWERS, SHRUBS, EVERGREENS, SMALL FRUITS, FRUITS AND SHADE TREES

ACTIVE INGREDIENT:

Basic Copper Sulfate (expressed as Metallic copper) : : : 12.76%

INERT INGREDIENTS: 87.25%

Total	100.00%
--------------	----------------

EPA REG. NO. 6720-440

EPA, EST. NO. 0720-FL-1

KEEP OUT OF REACH OF CHILDREN

CAUTION - CAUCION

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la

Etiqueta haya sido explicado amablemente

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back throat with finger, or if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person. **IF INHALED:** Remove victim to fresh air. **IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

FOR EYES: Flush eyes with plenty of water. Call a physician.

NET CONTENTS 4 POUNDS

SOUTHERN MILL CREEK PRODUCTS CO., INC.

5414 North 86th Street
TAMPA, FL 33610

PM 21 6720-44

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION - Harmful if swallowed, inhaled or absorbed through the skin. Do not let clothing. May cause skin sensitization in certain individuals. Food sterils such purposes after use in measuring this product.

ENVIRONMENTAL HAZ

USE PRECAUTIONS: BORDO-MX is not compatible with dinitro compounds, damp weather. It may cause burning or spotting. Young tender leaves of peach

DIRECTIONS FOR USE: It is a violation of Federal law to use this

STORAGE AND DIS

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store from children and domestic animals. Do not reuse empty container. **PESTICIDE** may be disposed of on site or at an approved waste disposal facility. **CONTAINER** equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if a stay out of smoke.

RE-ENTRY AND ADDITIONAL APPLICATIONS

Do not apply this product in such a manner as to directly or through drift expose unvacated by unprotected persons. Do not enter treated areas without protective suitable head covering, long sleeved shirt and long legged trousers or a coverall ty shoes and socks. Because certain states may require more restrictive re-entry in your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in areas where there may be hazardous materials. Warnings shall be given by written labels placed in conspicuous locations and by verbal instructions from the area or fields that must be understood and written appearing on this label under "Hazards to Humans and Domestic Animals," and if given, warnings shall be given in a language customarily understood by workers. Written warnings cannot be understood by workers. Written warnings shall include the following information: 1) Name of the product; 2) Date of Application; 3) The Statement, "Do not enter without approval"; 4) Signature of the person applying the pesticide; 5) The information given under Hazards to Humans and Domestic Animals and Signs of accidental exposure.

Bordeaux Mixture is an old reliable fungicide that effectively controls various fungi. The Standard solution that meets recommendations is made of 8 lbs. of copper sulfate and 4 gallons of water. This mixture is known as 8-8-100 formula. It is equal to a 4-4-50 B when thoroughly mixed in the prescribed amount of water.

STANDARD FORMULA

Mix 1 lb. BORDO-MIX in 25 quarts (6 1/4 gallons) of water, OR 6

PLANT	DISEASE	TREATMENT
Lil. Chionodoxum, Iris, Delphinium, Lilies, Dahlias, Tulips, Gladiolus, Hollyhock, Phlox.	Leaf Spot, Blight Botrytis Blight	Apply as growth starts in Spring Repeat at 10 day intervals
Pansy Geranium Penstemon Laurel, Lilac.	Anthracnose, Leaf Spot Downy Mildew Bacterial Leaf Spot Canker Leaf Blight	Spray after periods of wet weather Spray every 2 weeks during wet weather Apply when new leaves appear Spray twice in Spring, in June Spray when new leaves appear Spray new growth in Spring
Elm, Linden, Maple, Oak, Sycamore	Leaf Spot Anthracnose	Spray new growth in Spring
Pines	Needle Blight	Spray new growth in Spring
Yew	Twig Blight	Repeat twice one week apart
Willow	Twig Blight Black Canker	Repeat twice 2 weeks apart Prune heavily to remove cankers
Grapes	Blight, Black Rot	Apply in Spring and/or in August
Apples	Blotch, Bitter Rot Black Rot, Late Scab	Apply in Spring and/or in August
Peaches	Peach Leaf Curl	Apply when tree is dormant

HALF STRENGTH FORMULA 4-4-100

Mix 1/2 lb. of BORDO-MIX in 25 quarts (6 1/4 gallons) of water. C

PLANT	DISEASE	
Geranium, Ivy, Peony, Celery, Strawberry, Tomato	Blight Leaf Spot	Apply in spring and after
Arbutus, Cypress, Juniper, Dogwood.	Leaf Blotch Corymbose Blight Tule Blight, Leaf Spot	Apply in early Spring, R
Rhododendron, Azalea	Dieback	Spray as new leaves ap Prune and destroy affec

**Do not apply during cool, damp weather. It may cause "burning" or "spit
blum, apples and rose are susceptible to spray injury.**
LIMITED WARRANTY: Buyer assumes all risks of use, storage or handling
the directions given herewith. (dpr cr'd 07/1/88 acc'd vers.)