

Reg # 6720-555

PM-19

193

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460  <b>NOTICE OF PESTICIDE:</b> <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 6720-555  TERM OF ISSUANCE <i>Until Reregistration</i>  NAME OF PESTICIDE PRODUCT Ultra-Fast Homeowner Pest Control Concentrate	DATE OF ISSUANCE <i>June 25, 1991</i>
NAME AND ADDRESS OF REGISTRANT (Include ZIP code)  <div style="border: 1px solid black; padding: 10px; margin: 10px;">           Southern Hill Creek Products Company, Inc.            5414 North 56th Street            Tampa, FL 33617         </div>		
<b>NOTE:</b> Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.		
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.		
A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.		
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.		
This product is conditionally registered in accordance with FIFRA section 3(c)(7)(C), provided that you:		
1. Submit/site all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 3(c)(7)(C) when the Agency requires all registrants of similar products to submit such data.		
2. Make the labeling changes listed below before you release the product for shipment:		
a. Add the phrase "EPA Registration No. 6720-555."  b. On the front panel of your label add the following statement: "To Be Applied Only by or Under the Supervision of Pest Control Operators and Other Trained Personnel Responsible for Insect Control Programs."		
<b>BEST AVAILABLE COPY</b>  <b>S</b>		
<input checked="" type="checkbox"/> ATTACHMENT IS APPLICABLE		
SIGNATURE OF APPROVING OFFICIAL <i>Dennis H. Edwards</i>		DATE <i>6/25/91</i>

3. Submit a storage stability study in which the formulated product is analyzed for the active ingredient at time zero and during 1 year of storage at warehouse conditions of time and temperature in the product's commercial package. Please note that you may not reference the data on the product concentrate that you are using to formulate your product.

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.  
Product Manager (19)  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

Enclosures

BEST AVAILABLE COPY

## INDOOR PEST CONTROL

**General Information:** Use ULTI-MATE to control the pests indicated in the areas listed below by applications as a 0.25% or 0.5% chlorpyrifos spray. Use the 0.25% spray to control light infestations and the 0.5% spray to quickly reduce heavy infestations or as directed. To prepare the spray, dilute with water as shown in INDOOR DILUTION RATES paragraph. Repeat treatment as necessary.

Do not introduce the spray into the air or allow the spray to contact food or food contacting surfaces. Areas treated may include dark corners of rooms, and closets; along and behind baseboards, beneath and behind stoves, refrigeration units and similar food preparation areas and equipment; floor drains and around plumbing and other utility installations. For ants apply to ant trails and wherever these pests may find entrance. ULTI-MATE may be applied after 2 days from the last treatment but emergency use should be limited to once per month.

APPLICATIONS OF THIS PRODUCT OTHER THAN AS A SPOT AND/OR CRACK AND CREVICE TREATMENT ARE NOT PERMITTED

### APPLICATION WITHIN RESIDENTIAL BUILDINGS

Including Homes and Apartment Buildings and within Nonfood Areas of Industrial, Institutional and Commercial Buildings including Hospitals, Stores, Manufacturing Plants and Warehouses: For Spot Treatment Only: Remove children and pets from area to be treated. Apply as a coarse spray or with a paint brush to localized area where Ants, Cockroaches, Clover mites, Confused Flour Beetles, Crickets, Earwigs, Firebrats, Indian Meal Moth, Mediterranean Flour Moth, Rice & Granary Weevils, Millipedes, Red Flour beetles, Saw Toothed Grain Beetle, Silverfish and Spiders are found or normally occur including dark corners of rooms and closets; cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations. For ants apply to ant trails, also around doors and windows and wherever else these pests may find entrance. For Clover mites use 0.5% spray only. Note: A period of 4 to 7 days is normally required for maximum effect on cockroaches.

For the Control of Carpet Beetles, thoroughly apply a 0.5% spray as a spot treatment along baseboards and edges of carpeting, under carpeting, rugs, furniture, in closets and on shelving, and wherever else these insects are seen or suspected.

### INDOOR DILUTION RATES

Use the 0.25% spray to control light infestations and the 0.5% spray to quickly reduce heavy infestations or as directed.

To make a 0.25% spray solution mix 6 1/2 oz. in 1 gallon of water.

To make a 0.5% spray solution mix 12 1/2 oz. in 1 gallon of water.

For larger amounts multiply the fluid ounces (amount) in 1 gallon by number of gallons required for the "job". Apply as a coarse, low pressure (20 psi or less) spray to localized areas where the above pests have been seen, suspected of hiding, or entering. Apply only enough spray to thoroughly cover the surfaces treated using special care to avoid unnecessary runoff.

**Brown Dog Ticks:** Thoroughly apply 0.5% spray as a spot treatment to infested areas such as pet beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment. Do not treat pets with this product.

#### IMPORTANT

**Indoor Pest Control:** Do not use spray in conduits, motor housing, junction or switch boxes. Do not use in poultry houses and other animal buildings. Do not use in serving areas while food is exposed. Thoroughly wash dishes and food handling utensils with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls ( tanks) before spraying.

## OUTDOOR PEST CONTROL

### PESTS OF LAWNS AND OTHER ORNAMENTAL AND RECREATIONAL TURF GRASS AREAS

Use ULTI-MATE to control the following pests by application at the recommended dosage and in accordance with the directions given below. Dilute in enough water to obtain complete and uniform coverage of pest infested areas and apply as a coarse, low pressure spray using suitable application equipment. Thoroughly water immediately after treatment to wash the insecticide into the turf, except as noted. For best results, the lawn should be moist at the time of treatment. Spray when pests first appear. Repeat as needed.

#### SURFACE INSECTS

Use 7 1/3 fl. oz. in 1 to 3 gals. of water per 1,000 sq. ft. to control Ants, Armyworms, Brown Dog Ticks, Centipedes, Chiggers, Chinchbugs, Clover Mites, Crickets, Cutworms, Earwigs, Fire Ants (mounds), Fleas, Gnats, Grasshoppers, Greenbugs, June beetles, Leafhoppers, Lucerne Moths, Millipedes, Mosquitoes (larvae), Sod webworms, Sodbugs, Springtails and Ticks. Spray when pests first appear, retreat as needed. For Sod webworms, delay watering or mowing the treated area for 12 to 24 hours after treatment.

#### SOIL INSECTS

Immediately after spraying, irrigate the treated area with 1/2 to 1 inch of water to wash the insecticide into the underlying soil where insects feed.

**For White Grubs:** (Black turpentine stemborer, European chafer, Southern masked chafer & Japanese beetle larvae) use 15 to 20 1/4 fl. oz. in 1 to 3 gals. of water per 1,000 sq. ft. Spray when grubs are young and actively feeding near the soil surface, usually during late July and August or as recommended by local Ag Extension personnel. **For Bluegrass Billbugs:** use 7 1/3 to 20 1/4 fl. oz. /1,000 sq. ft. Spray early in season when adults first appear. Repeat as needed. **For Turfgrass Hyperbolic Weevils:** use 14 1/2 fl. oz. /1,000 sq. ft. Spray suspected problem areas in mid April and again in mid May or as recommended by your local Ag. Extension Service Specialist for your area. **For European Crane Fly Larvae:** use 8 3/4 fl. oz. /1,000 Sq Ft.

# ULTI-MATE

## Homeowner PEST CONTROL CONCENTRATE

INDOOR / OUTDOOR CONTROL OF NUMEROUS PESTS, AS LISTED, OF HOUSEHOLDS, TURF AND ORNAMENTAL PLANTS FOR AREA CONTROL OF TICKS AND CHIGGERS AND AS A MOUND TREATMENT TO KILL IMPORTED FIRE ANTS

#### ACTIVE INGREDIENT:

Chlorpyrifos (0,0-diethyl-O-(3,5,6-trichloro-2-pyridyl) phosphorothioate) - - - - - 5.40%

INERT INGREDIENTS: \* - - - - - 94.60%

Total 100.00%

\*Contains Xylene-Range Aromatic Solvent. Contains 0.45 lb. Chlorpyrifos per gallon

### KEEP OUT OF REACH OF CHILDREN WARNING

#### STATEMENTS OF PRACTICAL TREATMENT

**IF SWALLOWED:** Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. DO NOT induce vomiting or give anything by mouth to an unconscious or convulsing person. Get medical attention. **IF INHALED:** Remove victim to fresh air. Get medical attention. **IF IN EYES:** Flush eyes with plenty of water. Get medical attention if irritation persists. **IF ON SKIN:** In case of contact, remove contaminated clothing and wash affected area with soap and water. **NOTE TO PHYSICIAN:** Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection is the preferable antidote.

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**WARNING:** May be fatal if swallowed. May be absorbed through the skin. May be injurious to eyes and skin. Do not get in eyes, on skin or clothing. Avoid breathing of vapors and spray mist. Wash thoroughly after handling. If clothing becomes contaminated with spray, remove and wash before reuse. Keep away from food, feedstuffs and water supplies.

##### ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds and wildlife, and extremely toxic to fish and aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply or allow to drift to blooming crops or weeds if bees are visiting the treatment area.

##### PHYSICAL AND CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

#### STORAGE AND DISPOSAL

**Storage:** Store in original container in a cool, dry, locked place out of reach of children. **Disposal:** Do not reuse empty container. Wrap in several layers of newspaper and discard in trash

E.P.A. Reg. No. 6720-161

E.P.A. Est. No. 6720-FL-1

NET CONTENTS 1 GALLON

SOUTHERN MILL CREEK PRODUCT CO., INC.

5414 North 56th Street - Tampa, FL 33610

BEST AVAILABLE

To help prevent infestation of soil 6 to 10 feet where pests are active as a coarse spray to

#### ARE

Use ULTI-MATE to control pests in a manner similar to picnic and camping and are creating a nuisance. Using a pressure spray volume to obtain spray has dried. Do not use on lawns, streams, ponds or other contaminated water.

Use ULTI-MATE to control the pests listed below in a manner similar to picnic and camping and are creating a nuisance. Using a pressure spray volume to obtain spray has dried. Do not use on lawns, streams, ponds or other contaminated water.

For Aphids, Mites, Orange

For Cutworm

For Ash Borer

For larger spray amounts, use "job". Mosquitoes of varying periods of

Max 9 3/4 fl. oz. in 1 to 3 gals. of water per 1,000 sq. ft. Apply over the surface of the lawn or turf. Do not use in cool weather. Do not use on lawns, streams, ponds or other contaminated water.

**NOTICE:** SMCP makes no other claim for the specific purpose of this product. (03)