BEST DOCHIMENT AVAILABLE

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

AN AGRICULTURAL INSECTICIDE

ACTIVE INGREDIENT: Parathion (O,O-diethyl O-p-nitrophenyl thiopnosphate) INERT INGREDIENTS:

984. 1004

OBSERVE THE FOLLOWING USE PRECAUTIONS

Observe use limitations given on the label for specific crops This product is highly toxic to bees exposed to direct treatment or residues on crops Protective information may be obtained from your Cooperative Agricultural Extension

Toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label.

Birds feeding on treated areas may be killed

Apply in early morning or evening when there i, little or no wind

The Federal Food and Drug Administration has set official tolerances for certain pesticide residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates, and do not apply closer to harvest than specified.

Consult State Agricultural Extension Service authorities for additional information as the timing, number, and rate of applications needed will vary with local conditions

RECOMMENDATIONS

BEANS: Aphids, Army worms, Corn Earworm, Cucumber Beetle, Leaf Miner, Mexican Bean Beetle, Spider Mites, White Fly Apply 25 lbs. per acre. Do not apply within 15 days of harvest.

BROCCOLI, BRUSSELS SPROUTS, CABBAGE - Aphids, Army worms, Cabbage Looper, Diamond-Back Moth Lavae, Serpentine Leaf Miner, Thrips — Apply 25 lbs, per acre. Do not apply within 7 days of harvest on Broccoli and Brussels Sprouts On Cabbage within 10 days of harvest.

On Cabbage within 10 days of harvest.

COTTON — Aphids, Fleahopper, Spider Mites, Thirps — Apply 20 ibs per acre

Do not apply within 5 days of hand-picking, or 15 days if cotton trash is to be fed to
dairy animals or animals being finished for slaughter.

CUCURBITS (Cucumbers, Melons, Squash) — Aphids, Armyworms, Cabbage Looper, Cucumber Beetles, Flea Beetle, Leafhoppers, Leafminer, Melon Worm; Pickleworm;

Spider Mite, Thrips, White Fly — Apply 25 lbs per acre — Apply only when planes
are dry. Do not apply on cucumbers and squash before vining or within 15 days of
harvest; on melons within 7 days of harvest.

FOR ACE, CROPS, (Alfalfa, Beetley, Classic, Oct., Victor, White) — Aphids, Army

ECRAPS, (Alfalfa, Beetley, Classic, Oct., Victor, White)

FORAGE CROPS (Alfalfa, Barley, Clover, Oats, Vetch, Wheat

worms, Blister Beetles, Grasshoppers Apply 20 ibs per acre. Do not apply when crops are in bloom. Do not apply within 15 days of harvest or forage use.

LETTUCE —— Applids, Armyworms, Cabbage Looper, Vegetable Weevils, Serpentine Leaf Miner — Apply 20 ibs per acre. Do not apply within 21 days of harvest ONIONS. Thrips — Apply 20 ibs per acre. Do not apply on seed crops after the flowers are pen because of hazard of pollinators. Do not apply within 15 days of harvest.

PEPPERS - Aphids, Flea Beetles, Pepper Magget, Serpentine Leaf Miner | Apply

20 lbs per acre. Do not apply within 15 days of harvest Aphids - Apply 20 lbs per acre. Do not apply within 14 days of SPINACH harvest.

TOMATO -- Aphids, Armyworms, Flea Beetle, Leathopper, Serpentine Leaf Miner, Spider Mites | Apply 22 lbs per acre | Do not apply within 10 days of Larvest

DIRECTIONS FOR USE

Application should be made only by experienced personnel using approved safety equipment. Apply when air is calm, using ground equipment or aircraft. Make thorough coverage of plants with a uniform deposit of dust. Apply at the first sign of infestation and repeat at regular intervals when receded to maintain control, but observe use limits given for specific crops



Insections



- 190189NING SYMPTOMS Headache, blurred vision, weakness, nausea, cramps, diarrhea and discomfort in chest
- ANTIDOTE Atropine is the specific antidote. Obtain emergency supply of atropine 1 100 grain tablets from your physician. Keep on hand.
- ALL A PHYSICIAN IMMEDIA (DIA if persons handling or working with Parathion develop poisoning symptoms

KEEP OUT OF REACH OF CHILDREN AND ANIMALS

- FIRST AID TREATMENT ---

IF SWALLOWED.—Give tablespoonful of salt in a glass of warm water, Repeat until vomit fluid is clear. Have victim be down and keep quiet.

INHALATION: Remove potient from contaminated atmosphere

SKIN-In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water

EYES-In case of cont. ct. thish immediately with water for at least 15 rainutes.

13.4 cm. A (1) 2.4 OF PHYSE LAN (Treatment)— Give atropine preferably by injection, grams 1/20 to 1/15/2 to 4 mg/ at once and every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine, Clear thest by postural dramage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours.

DANGER

POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN.
RAPIDLY ABSORBED THROUGH SKIN!
DO NOT GET IN EYES, ON SKIN OR ON CLOTHING!

Wear natural rubber gloves, protective clothing and goggles. Wear a mask or respirator of γ type passed by the U.S. Department of Agriculture

for Parathion protection. Keep all improtected persons out of operating area, or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticide and volatile residues have dissipated.

Do not containmate feed and foodstuff-Wosh hands, arms, and face thoroughly with soap and water before eating or smoking.

Wash all contaminated clething with soop, no hot water before reuse NOFICE. Seller waterants that the product conforms to its chemical description and reasonably in for the purpose stated on the label when used in accordance with investors under normal conditions of use, but neither this warranty nor any areas variants of increanneability or fittings for a particular purpose, expressed or areas of extends to the use of this product contrary to label instructions, or under during a conditions or under conditions not reasonably forseeable to seller, and buyer assume the rick of one such use

READ LABEL BEFORE USING - DESTROY EMFTY CONTAINER - BURY OR BURN - STAY OUT OF SMOKE OR FUMES

A PRODUCT OF TIDE PRODUCTS, INC. EDINBURG, TEXAS

BEST DUCUMENT AVAILABLE

EPA Registration No. 6735-29 A PA Est. No. 6735-UX-10.