

2.5 METHYL PARATHION

AN AGRICULTURAL INSECTICIDE

ACTIVE INGREDIENTS:

O,O dimethyl O-p-nitrophenyl thiophosphate

INERT INGREDIENTS:

Methyl Parathion

2.5%

97.5%

100.0%

CONSERVE THE FOLLOWING USE PRECAUTIONS

Do not use this product on feed or forage to be fed to dairy animals or to livestock being finished for slaughter.

Do not apply or allow to drift to areas occupied by unprotected humans, beneficial animals, or onto adjoining food and forage crops about to be harvested.

Highly toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Do not contaminate any body of water or apply to areas or crops other than those for which directions are given on the label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service.

Established tolerance levels on food and forage crops will not exceed established tolerances; use only at recommended rates and do not apply closer to harvest than specified.

Do not feed or allow to be fed to livestock or other animals within 14 days of application.

DIRECTIONS FOR USE

Application should be made only by experienced personnel using approved safety equipment. Apply when air is calm, using ground equipment or aircraft. Make thorough coverage of plants with a uniform deposit of dust. Treat at the first sign of infestation and repeat at regular intervals when needed to maintain control.

APPROPRIATE CROPS

CORNER CROPS: Beans, Brassica sprouts, Cabbage, Cauliflower, Aphids, Army worms, Flea beet, Colorado potato beetle, Mites. Apply at the rate of 25 to 40 lbs. per acre. Do not apply within 14 days of harvest.

COTTON: Aphids, Bollworm, Cotton leaf miner, Cotton leaf perforator, Fleahopper, Red Spider Mite, etc. Apply 10 to 20 lbs. per acre. Do not apply within 5 days of harvest. Wash and remove fields within 24 hours after application should wear protective clothing.

FORAGE CROPS: Alfalfa, Brome, Vetch, Wheat, Aphids, Green Bug. Apply 10 to 20 lbs. per acre. Do not apply within 14 days of harvest. Do not apply on a field until 14 days after application.

CEREALS: Alfalfa, Brome, Vetch, Wheat, Aphids, Green Bug. Apply 10 to 20 lbs. per acre. Do not apply within 14 days of harvest. Do not apply on a field until 14 days after application.


FRUIT TREES: Apple, Pear, Peach, Plum, etc. Aphids, Mites. Apply at the rate of 10 to 20 lbs. per acre. Do not apply within 14 days of harvest.

POTATOES: Aphids, Colorado potato beetle, Fleahopper, Mites. Apply at the rate of 10 to 20 lbs. per acre. Do not apply within 14 days of harvest.

VEGETABLES: Asparagus, Beans, Broccoli, Cabbage, Cauliflower, etc. Apply at the rate of 10 to 20 lbs. per acre. Do not apply within 14 days of harvest.



DANGER



- POISONING SYMPTOMS: Nausea, blurred vision, weakness, nausea, cramps, diarrhea and discomfort in chest.
- ANTIDOTE: Atropine is the specific antidote. Obtain emergency supply of atropine 1-100 grain tablets from your physician. Keep on hand.
- PHYSICIAN IMMEDIATELY: If persons handling or working with Methyl Parathion develop poisoning symptoms.
- Keep Out of Reach of Children.

IF SWALLOWED: Give 1 teaspoonful of warm water. Repeat until vomit fluid is clear. Have victim lie down and keep quiet.

INHALATION: Remove victim to fresh air. Loosen clothing.

SKIN: In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.

EYES: In case of contact, flush immediately with water for at least 15 minutes.

- INFORMATION:** In case of contact, give atropine preferably by injection. Administer 1 mg. to 10 mg. of atropine every 15 to 30 minutes until the eyes are dry and the pupils are dilated. Also give morphine. Clear the stomach by gastric lavage. Administer 10 to 20 cc. of 1% sodium bicarbonate solution if necessary to correct acidosis.

DANGER

POISONOUS IF SWALLOWED OR INHALED. IRRITATES EYES, SKIN AND MUCOUS MEMBRANES. DO NOT GET IT ON YOUR CLOTHING.


When using this product, wear protective clothing, including gloves and shoes. Wash thoroughly after use. Do not eat, drink or smoke while using this product.

Do not use this product on crops or areas where it may be harmful to humans, animals or beneficial insects.

Do not use this product on crops or areas where it may be harmful to humans, animals or beneficial insects.

Do not use this product on crops or areas where it may be harmful to humans, animals or beneficial insects.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, not reasonably foreseeable, or to the use of this product for any purpose not intended by the seller.



TIDE PRODU