

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(& DOMESTIC ANIMALS)**

CAUTION

KEPT OUT OF REACH OF CHILDREN

To prevent skin irritation, wash exposed parts thoroughly with soap and warm water. Harmful if swallowed.

ENVIRONMENTAL HAZARDS


Fish and other aquatic life may be killed by this product. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, or store near heat or open flame.

NOTICE: Do not use this product on plants, animals, or humans. Do not use on lawns, lawns, or other areas where it may be harmful. Do not use on plants, animals, or humans. Do not use on lawns, lawns, or other areas where it may be harmful. Do not use on plants, animals, or humans. Do not use on lawns, lawns, or other areas where it may be harmful.

© 1986 TIDE PRODUCTS, INC.



TIDE
Symbol of Quality

CITRI-OIL

**AN EMULSIFIABLE PETROLEUM OIL FOR USE AS A
SUMMER OR DORMANT OIL SPRAY**

ACTIVE INGREDIENTS:
*Petroleum Oil
INERT INGREDIENTS:

Unsulphanated Residue — 92% minimum

NET CONTENTS GALLONS

E.P.A. Registration No. 6735-86
E.P.A. Est. No. 6735-TX-1

**A PRODUCT OF
TIDE PRODUCTS, INC.
EDINBURG, TEXAS
ONLY the BEST . . . is fit to be TIDE**

DIRECTONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Pour recommended amount of this material into nearly filled spray tank containing water. Keep agitator running during filling, mixing, and spraying operations. Do not allow mixture to stand. To prevent separation of oil and water mixture, spray mixture must be agitated while using. To be effective, complete coverage is essential, necessitating thorough application to inside and outside of tree.

STORAGE AND DISPOSAL

PESTICIDE DISPOSAL.

Pesticide spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL

SPRING.

99°
1°

100°

1. METAL (all sizes)

Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

2. PLASTIC

Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by incineration if permitted by State or local authorities.

3. GLASS

Triple rinse (or equivalent) and dispose of in a sanitary landfill or by other approved State and local procedures.

RECOMMENDATIONS

SPRING OR SUMMER SPRAY

CITRUS: For control of armored scales such as Florida red scale, California red scale, chaff scale and purple scale, white flies (intermediate forms), Texas citrus mite and citrus red mite — apply 5 - 8 gallons of Tide Citri-Oil per acre. Do not apply within 30 days before or after application of sulfur. Do not apply to trees that are under moisture stress. Do not apply during periods of excessive high temperatures (above 90° F) or periods of low relative humidity (20%).

DORMANT SPRAY

PEACHES & PLUMS: For control of San Jose scale and white peach scale apply 3-4 gallons of Tide Citri-Oil per 100 gallons of water. Apply during dormancy when temperature is between 50° - 70° F. In case of very severe scale infestation, two applications may be needed. Make the first application soon after dormancy begins. Wait at least six weeks and check for live scale; if present, make a second application. Best results will be obtained if temperature is above 60° and the sun is shining at the time of application, but buds are not yet burst to any extent.

PECANS: For control of obscure scale, apply 3-3.5 gallons of Tide Citri-Oil per 100 gallons of water. Application should be made during tree dormancy and when temperature is between 50° - 70° F.