

**READ LABEL BEFORE USING**

**DANGER**

**POISONOUS IF SWALLOWED,  
INHALED OR ABSORBED  
THROUGH SKIN! RAPIDLY  
ABSORBED THROUGH SKIN! DO  
NOT GET IN EYES, ON SKIN OR  
ON CLOTHING**

**Wear natural rubber gloves, protective clothing and goggles.**

**Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Methyl Parathion protection.**

**Airplane pilots should wear full face canister-type mask.**

**Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be reentered until drifting insecticide and volatile residues have dissipated.**

**Do not contaminate feed and foodstuffs.**

**Wash hands, arms, and face thoroughly with soap and water before eating or smoking.**

**Wash all contaminated clothing with soap and hot water before re-use.**

**DANGER-POISON**

**POISONING SYMPTOMS** — Headache, blurred vision, weakness, nausea, cramps, diarrhea and discomfort in chest.

**ANTIDOTE** — ATROPINE is the specific antidote. Obtain emergency supply of Atropine 1/100 grain tablets from your physician. **Keep on Hand.**

**SEE A PHYSICIAN IMMEDIATELY** if persons handling or working with Methyl Parathion develop poisoning symptoms.

**FIRST AID TREATMENT**

**IF SWALLOWED** — Give tablespoonful of salt in a glass of warm water. Repeat until vomit fluid is clear. Have victim lie down and keep quiet.

U. S. D. A. Registration No. 6735-132

**INHALATION** — Remove patient from contaminated atmosphere.

**SKIN** — In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.

**EYES** — In case of contact, flush immediately with water for at least 15 minutes.

**• INFORMATION FOR PHYSICIAN**

(Treatment) — Give atropine preferably by injection, grains 1/30 to 1/15 (2 to 4 mg.), at once and every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours. **PARATHION** is a Cholinesterase inhibitor and treatment of poisoning should include the use of **ATROPINE**. Toxaphene produces central nervous system excitation which responds to the barbituric derivatives.

**OBSERVE THE FOLLOWING  
USE PRECAUTIONS**

Do not apply to cucurbits (cantaloupe, cucumber, squash, melons) as injury to the plant may result.


Do not apply during bloom when honey bees or other pollinators are active. Avoid drift to adjoining food and forage crops about to be harvested, or to crops in bloom, or areas occupied by unprotected humans or beneficial animals.

Do not apply to feed or forage crops to be fed to dairy animals or to animals being finished for slaughter.

The Federal Food and Drug Administration has set official tolerances for certain pesticide residues. In order that residues on food and forage crops will not exceed established tolerances, use only at recommended rates, and do not apply closer to harvest than specified.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Co-operative Agricultural Extension Service.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Birds feeding on treated areas may be killed. Apply this product only as specified on this label. Do not apply when weather conditions favor drift from areas treated.



**TIDE**

*Symbol of Quality*

**MP-TOX**

**EMULSIFIABLE LIQUID-AGRICULTURAL INSECTICIDE**

Contains 3 lbs. Methyl Parathion and 6 lbs. Toxaphene per Gallon

**ACTIVE INGREDIENTS:**

*O, O-dimethyl O-p-nitrophenyl thiophosphate	26.24%
**Toxaphene	52.48%
Xylene	15.18%
<b>INERT INGREDIENTS:</b>	6.10%

*Methyl Parathion	100.0%
**Technical chlorinated camphene (chlorine content 67% to 69%).	

**DANGER-POISON**

**Keep Out of Reach of Children**



Poisonous by skin contact, inhalation, or swallowing! Call a physician at once in all cases of suspected poisoning. Atropine is antidotal. Consult physician for emergency supply. See antidote statement and other required warning statements on left panel.



**SEE ANTIDOTE STATEMENT AND OTHER REQUIRED WARNING STATEMENT ON LEFT PANEL**

**PROTECT FROM TEMPERATURES BELOW 32 °F.  
DO NOT USE OR STORE NEAR OPEN FLAME**

Do not contaminate Empty Container or Destroy — Perforate or Crush  
Do Not Reuse

**A PRODUCT OF  
TIDE PRODUCTS, INC.  
EDINBURG, TEXAS**

GAL. NET

**ONLY the BEST . . . is fit to be TIDE**

**READ LABEL BEFORE USING**

**FOR USE ONLY IN POWER SPRAYERS BY OPERATORS EXPERIENCED OR ADEQUATELY TRAINED IN THE APPLICATION OF PARATHION INSECTICIDES.**

**DIRECTIONS FOR USE**

Application should be made only by trained personnel using approved protective equipment. Do not apply with hand equipment. Pour specified amount of this product into nearly filled spray tank. Add balance of water to fill tank. Keep agitator running during filling and spraying operations. Do not allow mixture to stand. If mixture does not mix readily, but tends to separate as an oily layer, do not use as injury to plants may result. Do not combine with wettable powders unless previous use of the mixture has proven physically compatible and safe. Always thoroughly emulsify this product with at least half of total water before adding wettable powder.

**SUGGESTED WATER RATES FOR AIRCRAFT AND GROUND APPLICATION.** (The actual rate required to provide thorough, uniform coverage varies with plant growth at time of application. Except as specified for certain uses, the following rates are therefore intended to cover a broad range of conditions.)

Crop	Gal. Water/Acre	
	Aircraft	Ground
Vegetable and Field Crops	1-20	5-100

**RECOMMENDATIONS**

(The dosage rates given below are to be incorporated with sufficient water to provide adequate coverage).

**COLE CROPS (Broccoli, Brussel Sprouts, Cabbage, Cauliflower):** Aphids, Cabbage Looper, Imported Cabbage Worms, Caterpillars, Army Worms, Cutworms, Diamond Black Moth, Flea Beetles, Leafhoppers, Mites. Apply at the rate of 1½ to 2 qts. per acre at 7-10 day intervals. Do not apply after edible parts begin to form.

**COTTON:** For Cutworms, apply 1½ qt. per acre. For Army Worms, Fleahopper,

Rapid Plant Bug, Southern Stink Bug, Tarnished Plant Bug, Lygus, Aphid, Boll Weevil, Red Spider Mites, Thrips. Apply at the rate of 1 to 1½ qts. per acre. Bollworm and Tobacco Budworm apply at the rate of 1¾-2 qts. per acre at 5 day intervals. Do not feed forage to dairy animals being finished for slaughter. Do not graze animals being finished for slaughter in fields treated late in the season. Workers entering field within 24 hours of application should wear protective clothing. Do not apply within 5 days of hand picking. Do not graze dairy animals or animals being finished for slaughter in fields treated late in the season.

**PEPPERS:** Aphid, Army Worms, Flea Beetles, Leafhopper, Spider Mites. Apply at the rate of 1 to 1½ qts. per acre. Do not apply within 15 days of harvest.

**TOMATOES:** Aphids, Army Worms, Climbing Cutworms (certain species), Tomato Fruitworm, Cabbage Loopers, Tomato Hornworm, Blister Beetles, Colorado Potato Beetle, Flea Beetle, Psyllids, Thrips, Leafhoppers, Spider Mites, Russet Mites, Serpentine Leafminer. Apply at the rate of 1-1½ qts. per acre. Do not apply within 15 days of harvest.

**RICE:** Climbing cutworms, Armyworms, grasshoppers, Rice Stinkbug — Apply 1 qt. per acre. Do not feed treated forage to dairy animals or animals being finished for slaughter. Crayfish, shrimp and crabs will be killed at application rates recommended on this label. Do not use where these are important resources. Do not apply within 15 days of harvest.

**NOTICE: SELLER WARRANTS THAT THE PRODUCT CONFORMS TO ITS CHEMICAL DESCRIPTION AND IS REASONABLY FIT FOR THE PURPOSE STATED ON THE LABEL WHEN USED IN ACCORDANCE WITH DIRECTIONS UNDER NORMAL CONDITIONS OF USE. BUT NEITHER THIS WARRANTY NOR ANY OTHER WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXPRESS OR IMPLIED, EXTENDS TO THE USE OF THIS PRODUCT CONTRARY TO LABEL INSTRUCTIONS, OR UNDER ABNORMAL CONDITIONS, OR UNDER CONDITIONS NOT REASONABLY FORSEEABLE TO SELLER AND BUYER ASSUMES THE RISK OF ANY SUCH USE.**

CHS 500 IM 5011 HLL H 69

**ACCEPTED**

10-10-69

UNDER FEDERAL INQUIRY

FOR INFORMATION

PLEASE REFER TO

FD-302 (REV. 6-15-64)

6735-132