

READ LABEL BEFORE USING

### DANGER

POISONOUS IF SWALLOWED  
INHALED OR ABSORBED  
THROUGH SKIN! RAPIDLY  
ABSORBED THROUGH SKIN! DO  
NOT GET IN EYES, ON SKIN OR  
ON CLOTHING

Wear natural rubber gloves, protective clothing and goggles.  
Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Methyl Parathion protection.  
Airplane pilots should wear full face canister-type mask.  
Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be reentered until drifting insecticide and volatile residues have dissipated.  
Do not contaminate feed and foodstuffs.  
Wash hands, arms, and face thoroughly with soap and water before eating or smoking.  
Wash all contaminated clothing with soap and hot water before re-use.

### DANGER-POISON

- **POISONING SYMPTOMS:** Headache, blurred vision, weakness, nausea, cramps, diarrhea and discomfort in chest.
- **ANTIDOTE:** ATROPINE is the specific antidote. Obtain emergency supply of Atropine 1,100 grain tablets from your physician. Keep on hand.
- **CALL A PHYSICIAN IMMEDIATELY** if person handling or working with Methyl Parathion develop poisoning symptoms.

U. S. D. A. Registration No. 6735-133

### FIRST AID TREATMENT


**IF SWALLOWED** — Give tablespoonful of salt in glass of warm water. Repeat until vomit fluid is clear. Have victim lie down and keep quiet.  
**INHALATION** — Remove patient from contaminated atmosphere.  
**SKIN** — In case of contact, remove contaminated clothing and immediately wash skin thoroughly with soap and water.  
**EYES** — In case of contact, flush immediately with water for at least 15 minutes.

● **INFORMATION FOR PHYSICIAN** — (Treatment) — Give atropine preferably by injection, grain 1/30 to 1/15 (2 to 4 mg.), at once and every hour or oftener as needed to achieve and maintain full atropinization. Never give morphine. Clear chest by postural drainage. Artificial respiration or oxygen administration may be necessary. Observe patient continuously for 48 hours.

**PARATHION** is a Cholinesterase inhibitor and treatment of poisoning should include the use of **ATROPINE**. Toxaphene produces central nervous system excitation which responds to the barbituric acid derivatives.

### OBSERVE THE FOLLOWING USE PRECAUTIONS

Do not apply to cucurbits (cantaloupe, cucumber, squash, melons) as injury to the plant may result.  
This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your cooperative Agricultural Extension Service. Avoid drift to adjoining food and forage crops about to be harvested or areas occupied by unprotected humans or beneficial animals.  
Do not apply on feed or forage crops to be fed to dairy animals or to animals being finished



TIDE  
Symbol of Quality

# DUAL-KILL

AN EMULSIFIABLE LIQUID AGRICULTURAL INSECTICIDE  
Contains 2 lb. Methyl Parathion and 4 lbs. Toxaphene per Gallon  
**ACTIVE INGREDIENTS:**

*O, O-dimethyl O-p-nitrophenyl thiophosphate	19.97%
**Toxaphene	39.93%
Xylene	35.00%
<b>INERT INGREDIENTS:</b>	5.10%
*Methyl Parathion	100.00%
**Technical chlorinated camphene (chlorine content 67% to 69%)	

**DANGER-POISON**

Keep Out of Reach of Children

Poisonous by skin contact, inhalation, or swallowing! Call a physician at once in all cases of suspected poisoning. Atropine is antidotal. Consult physician for emergency supply. See antidote statement and other required warning statement on left panel.



**PROTECT FROM TEMPERATURES BELOW 32°F.**  
**DO NOT USE OR STORE NEAR OPEN FLAME**  
Decontaminate Empty Container or Destroy - Perforate or Crush  
Do Not Reuse

A PRODUCT OF  
**TIDE PRODUCTS, INC.**  
**EDINBURG, TEXAS**  
**ONLY the BEST . . . is fit to be TIDE**

for slau  
To prot  
nate po  
The Fed  
set offic  
dues. In  
crops v  
use only  
ply clos  
  
This pro  
out of la  
treated  
uct only  
ply wh  
areas tr  
  
FOR US  
OPERA  
QUATE  
OF PAR  
  
Application  
approved  
equipment  
nearly fill  
Keep anti  
tion. Do  
not mix r  
do not use  
bine with  
Tide has  
thoroughly  
water bef  
  
SUGGEST  
GROUND  
provide t  
growth at  
that uses  
cover a br  
  
Crop  
Vegetable

