


TIDE TOXAPHENE 20 DUST



AN AGRICULTURAL INSECTICIDE

ACTIVE INGREDIENT:
Toxaphene

20.0%

80.0%

INERT INGREDIENTS:

100.0%

Technical Chlorinated Camphene (Chlorine content 0.7 to 0.9%)

CAUTION

Keep Out of Reach of Children

- HARMFUL IF SWALLOWED
- AVOID CONTACT WITH EYES, SKIN AND CLOTHING
- AVOID BREATHING DUST
- WASH WITH SOAP AND WATER AFTER USING
- AVOID CONTAMINATION OF FOOD AND FEED

OBSERVE THE FOLLOWING USE PRECAUTIONS

Not for use or storage in or around home

Observe use limitations listed on the label for specific crops. In order that pesticidal residues on food and forage crops will not exceed tolerances established by the Federal Food and Drug Administration, use only at recommended rates and intervals, and do not apply closer to harvest than specified. Do not apply or allow to drift to areas occupied by unprotected humans or non-target animals or onto adjoining land, food or pasture crops. The grower is responsible for any damage to his crops as well as for damage caused by drift from his property to that of others.

Highly toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not contaminate any body of water nor apply to any area not specified on the label. Do not use where there is a frequent problem.

This product is toxic to bees and should not be applied when bees are active on the crop.

Do not use this product on food or forage crops to be fed to dairy animals or on crops used for silage or hay.

Do not use Toxaphene on ornamental plants unless specifically labeled for such use.

Consult State Agricultural Experiment Station or State Agricultural Extension Service for information on the tolerance and rate of application for specific crops and conditions.

DIRECTIONS FOR USE

Apply the specified amount of this product with dusting or spraying equipment to the foliage, which will be eaten by the crop, equipment or animal. Apply at the rate of application and repeat at the intervals when needed to maintain control. Observe use limitations listed for specific crops.

RECOMMENDATIONS

N. FL.

BEANS: Armyworms, Bean Leafhopper and Leaf Roller, Climbing Cutworms (apply only in seedling stage), Corn Earworm, Cowpea Curculio, Lygus, Salt-marsh Caterpillar, Thrips. Apply 15 lb. per acre. Toxaphene may cause burning and stunting of pole beans. **Do not apply on green or snap beans within 7 days of harvest. Do not feed treated vines to dairy animals or animals being finished for slaughter.**

BROCCOLI, BRUSSELS SPROUTS, CABBAGE, CAULIFLOWER: Armyworms, Climbing Cutworms, Imported Cabbage Worm. Apply 10 lb. per acre. **Do not apply after edible parts start to form or within 30 days of harvest. On cabbage, do not apply after heads begin to form.**

COTTON: Cotton Fleahopper, Overwintered Boll Weevil, Thrips. Apply 8 to 10 lb. per acre. Make 2 to 4 applications at 7- to 10-day intervals. Use maximum dosage if boll weevils are present. Fall Armyworm, Flea Beetles, Grasshoppers, Lygus and other Mirids. Use 10 to 15 lb. per acre. Apply at intervals at 7- to 10-day intervals. Boll Weevil, Climbing Cutworms, Garden Webworm. Use 10 to 20 lb. per acre. Apply at 4- to 5-day intervals until control is obtained.

Do not graze dairy animals or animals being finished for slaughter in fields treated late in the season.

LETTUCE (FIELD): Armyworms, Banded Cucumber Beetle, Climbing Cutworms, Field Cricket, Flea Beetle, Grasshoppers. Apply 20 lb. per acre. **Do not apply to head lettuce after heads begin to form, or to leaf lettuce after the seedling stage.**

ONIONS: Flea Beetle. Apply 10 lb. per acre. **Do not apply to green or spring onions.**

TOMATO: Armyworms, Blister Beetles, Colorado Cutworms, Colorado Potato Beetle, Flea Beetle, Flea Beetle, Fruitworm, Tomato Pinworm. Apply 20 lb. per acre. **Do not apply within 3 days of harvest.**

NOTICE: Seller warrants that the product conforms to its chemical description and is suitable for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty or merchantability or fitness for any particular purpose, express or implied, extends to the use of this product contrary to label instructions or to abnormal conditions not reasonably foreseeable to seller, and buyer assumes the risk of use.

50 LBS. NET

GDS 3371 1M 10-69 10-19

BURY OR BURN EMPTY CONTAINER KEEP OUT OF SMOKE AND FUMES

A PRODUCT OF
TIDE PRODUCTS, INC.
DUNN, TEXAS 78539