GENERAL INFORMATION

Nematide is a soil fumigant used for the control of nematodes that cause damage to citrus. It is effective in controlling the citrus nematode, the burrowing nematode and the meadow Nematode.

Nematide can be applied by metering into the irrigation water under a flood irrigation system, or by injecting into the soil with a special applicator.

RECOMMENDED APPLICATION RATES

Flood irrigation Application — Use at rate of 4 gallons Nematide per acre once every 3 years. Add Nematide to irrigation water at turbulence near water outlet by means of a gravity flow metering unit. This method recommended on leveled groves and groves under chemical weed control. Do not treat within 30 days of harvest. Do not apply more than once every three years.

Chisel Injection application — Apply 4 gallons Nematde per acre, once every 3 years. Inject at depth of 8" with chisels spaced 12" apart. Seal soil surface immediately after application. Make application along rows treating only two sides of tree. Soil temperature should range between 50° to 80° F. Extremely wet or dry soils should not be treated. This method recommended in sloping groves and where chemical weed control is not practiced. Do not treat within 30 days of harvest.

CONDITIONS OF SALE: Seller warrants that this product consists of the ingredients specified and is reasonably fit for use as directed on the label. Under no conditions either expressed or implied does the seller guarantee results with the sale of this merchandise notwithstanding any oral representation. Buyer assumes all risk of use, handling, or storage of the goods purchased. E.P.A. Registration No. 6735-219 🎔

E.P.A. Est. No. 6735-TX-1

____GAL. NET

GPS-2-75-(445) B-35

NEMATIDE SOIL FUMIGANT. FOR CITRUS

Contains 10.0 lbs. Technical DBCP Soil fumigant per gallon

ACTIVE INGREDIENTS: 1,2-Dibromo-3-Chloropropane Other Halogenated C₃ Compounds INERT INGREDIENTS:

WARNING

KEEP OUT OF REACH OF CHILDREN

SEE OTHER PRECAUTIONS ON RIGHT SIDE PANEL

A PRODUCT OF TIDE PRODUCTS, INC. EDINBURG, TEXAS 78539

A second 2/21/15 6735-219 . ۲... ۲...



weight	by			
67.5%	. 	 	 	 -
3.5 %			 	 -
29.0 ∉				
100.0%	_			

WARNING

KEEP OUT OF REACH OF CHILDREN HARMFUL LIQUID AND VAPOR - COMBUSTIBLE MIXTURE - MAY BE ABSORBED THROUGH SKIN --CAUSES SKIN IRRITATION AND BLISTERS ON PROLONGED CONTACT.

DO NOT BREATHE VAPOR - KEEP CONTAINER CLOSED - DO NOT TAKE INTERNALLY - WASH THOROUGHLY AFTER USING - DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.

HARMFUL OR FATAL IF SWALLOWED OR IN-HALED. MAY BURN SKIN, CAUSES IRRITATION OF EYES, NOSE AND THROAT.

In case of contact, immediately remove contaminated shoes and clothing and wash skin with soap and water; flush eyes with plenty of water for at least 15 minutes and get medical attention. Do not wear shoes or clothing until absolutely free of all chemical odor.

If illness results from inhalation, remove to fresh air and call a doctor.

If swallowed, call a doctor. Induce vomiting by giving an emetic such as 2 tablespoons of table salt in a glass of warm water.

This product is toxic to wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Note: Any irrigation water treated with this product should be held on the treated area until it is absorbed by the soil. It should not be turned into the tail water or fed back into the irrigation system. Irrigation system must be equipped with safety valves or other devices to prevent backsiphoning of pesticide into water source.

CONTAINER DISPOSAL

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.