

PROFESSIONAL

MALATHION

FLY BAIT

WITH D. D. V. P.

Attracts and Kills RESISTANT House Flies

ACTIVE INGREDIENTS: Malathion (0, 0-Dimethyl Dithiophosphate of Diethyl Mercap-
tosuccinate) 1.00%, DDVP (0.93%), 2, 2-dichlorovinyl dimethyl phosphate and 0.07%,
related compounds) 1.00%
INERT INGREDIENTS: 98%

DIRECTIONS

Apply Fly Bait daily while flies are abundant. Sprinkle thinly in strips on floor and other places where flies gather, but not where it will contaminate feed or food. Usually, about 1 oz. (2 tbsp.) is needed for each 500 sq. ft. depending on the number of flies. If they are extremely numerous, several times this quantity may be necessary. Fly Bait is especially recommended for use in barns, stables, pens, feed rooms, poultry houses, kennels, manure piles, garbage cans, and other outside areas. In dairy barns, treat the feed room floor and the barn floor, but do not feed the floor sweepings to livestock. Repeat as needed. In poultry houses where poultry is in cages, use Fly Bait on walkways in and around the building, including feed rooms and egg houses. Where poultry is on ground or litter, apply only outside building or in yards where poultry cannot feed on Fly Bait. Keep the applied bait out of areas accessible to pets or animals.

CAUTION: KEEP OUT OF REACH OF CHILDREN

ENVIRONMENTAL CAUTIONS:

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not re-use empty container. Destroy by perforating or crushing and burying in a location isolated from water.

Apply this product only as specified on this label.

HUMAN SAFETY CAUTIONS:

Do not use in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed.

Harmful if swallowed, inhaled, or absorbed through skin. The equivalent of Fly Bait is a cholinesterase inhibitor.

Avoid skin contact. Wash thoroughly with soap and water after using. Avoid contamination of food, feed or utensils used for food and feed. Do not use inside homes or where milk and other foods are stored or processed. Keep container away from children and animals.

Atropine is antidote. Consult physician immediately in case of suspected poisoning.

Net Contents

Pounds

EPA Reg. No. 6754-15

EPA Est. No. 6754 GA 1

EXCLUSIVE FOR

ORKIN

EXTERMINATORS

DETTELBACH

Pesticide

CORPORATION

4111 PEACHTREE ROAD, N.E.

ATLANTA, GEORGIA 30319