

# PROFESSIONAL ORKIN'S SOIL FUMIGANT

FOR USE BY PEST CONTROL OPERATORS ONLY  
DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.



## POISON



**ACTIVE INGREDIENTS:**

Ethylene Dibromide

15%

**INERT INGREDIENTS:**

Petroleum Solvent

85%

**TOTAL INGREDIENTS**

100%

**DANGER:** Harmful liquid and vapor. Causes skin irritation and blisters. Avoid breathing vapors. Use with adequate ventilation. Do not take internally.

**KEEP OUT OF REACH OF CHILDREN**

**ANTIDOTE AND FIRST AID:** Immediately remove all contaminated clothing and shoes. Flush the skin and eyes with water for 15 minutes. Use soap on skin. For eyes, get medical attention. Do not re-use shoes or clothing until absolutely free from all odor. **IF SWALLOWED:** Call a doctor. Induce vomiting by giving two tablespoonsful of salt in a glass of water.

#### PRECAUTIONS

Occupants of building must vacate for a minimum of 8 hours or until the building is cleared of gas. The regular Halide leak detector used in Methyl Bromide fumigations should be used for slab fumigations.

Tests for gas should also be conducted during fumigation to check for hidden floor cracks and to measure the lateral spread of the gas.

Before releasing the building to the occupants, test must be conducted and the results must be negative. If gas fumes should remain, normal aeration methods and procedures must be used to eliminate the fumigant.

Plants, pets, fish must be removed from building before fumigation proceeds.

A regular gas mask with a black canister for organic vapors should be used where it is necessary to work in Ethylene Dibromide gas fumes. Ordinarily, an operator will not be exposed to fumes if containers are properly closed and holes are quickly sealed. A gas mask should be on the job and available for use.

Care should be taken to avoid spillage on floor surface. Wipe up any spillage immediately.

All state and local ordinances regarding use of fumigants must be observed.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

#### DIRECTIONS

To use as a slab fumigation termite treatment, the area underneath the slab should be treated at a dosage of one-half gallon to one gallon of Soil Fumigant to 250 square feet. Under average soil conditions, the Soil Fumigant will spread radially approximately 10 feet. When planning treatment, hole spacing should not exceed 5 to 8 feet. Each half-gallon or gallon, according to soil conditions, should be introduced through each drilled hole. The use of a Halide leak detector during treatment will help determine dosage and spacing.

All drill holes should be plugged with putty or caulking compound. The fumigant is applied through each hole individually with all other holes remaining sealed at the time. Immediately after application, the hole should be permanently sealed.

**ACTIVE INGREDIENTS:**

Ethylene Dibromide

15%

**INERT INGREDIENTS:**

Petroleum Solvent

85%

**TOTAL INGREDIENTS**

100%

**DANGER:** Harmful liquid and vapor. Causes skin irritation and blisters. Avoid breathing vapors. Use with adequate ventilation. Do not take internally.

**KEEP OUT OF REACH OF CHILDREN**

**ANTIDOTE AND FIRST AID:** Immediately remove all contaminated clothing and shoes. Flush the skin and eyes with water for 15 minutes. Use soap on skin. For eyes, get medical attention. Do not re-use shoes or clothing until absolutely free from all odor. **IF SWALLOWED:** Call a doctor. Induce vomiting by giving two tablepoonsful of salt in a glass of water.

**PRECAUTIONS**

Occupants of building must vacate for a minimum of 8 hours or until the building is cleared of gas. The regular Halide leak detector used in Methyl Bromide fumigations should be used for slab fumigations.

Tests for gas should also be conducted during fumigation to check for hidden floor cracks and to measure the lateral spread of the gas.

Before releasing the building to the occupants, test must be conducted and the results must be negative. If gas fumes should remain, normal aeration methods and procedures must be used to eliminate the fumigant.

Plants, pets, fish must be removed from building before fumigation proceeds.

A regular gas mask with a black canister for organic vapors should be used where it is necessary to work in Ethylene Dibromide gas fumes. Ordinarily, an operator will not be exposed to fumes if containers are properly closed and holes are quickly sealed. A gas mask should be on the job and available for use.

Care should be taken to avoid spillage on floor surface. Wipe up any spillage immediately.

All state and local ordinances regarding use of fumigants must be observed.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

**DIRECTIONS**

To use as a slab fumigation termite treatment, the area underneath the slab should be treated at a dosage of one-half gallon to one gallon of Soil Fumigant to 250 square feet. Under average soil conditions, the Soil Fumigant will spread radially approximately 10 feet. When planning treatment, hole spacing should not exceed 5 to 8 feet. Each half-gallon or gallon, according to soil conditions, should be introduced through each drilled hole. The use of a Halide leak detector during treatment will help determine dosage and spacing.

All drill holes should be plugged with putty or caulking compound. The fumigant is applied through each hole individually with all other holes remaining sealed at the time. Immediately after application, the hole should be permanently sealed.

**EXCLUSIVE FOR**



**EXTERMINATORS**

EPA Reg. No. 6754-31      Contents: (      ) Pounds Net.

**DETTELBACH**

*Pesticide*

**CORPORATION**

**4103 PEACHTREE ROAD, N.E. - ATLANTA, GEORGIA 30319**