

MIXING AND USING DIRECTIONS

ORKINBAN PLUS Concentrate mixes readily with water or oil. Dilute the required amount in water or in a base oil, such as deodorized kerosene.

FOR INSECTICIDE SPRAY—containing 0.5% chlorpyrifos and 0.25% Vapona**. Mix 4 oz. ORKINBAN PLUS Concentrate per gallon of water or insecticide base oil.

FOR SPRAY—containing 0.25% chlorpyrifos and 0.125% Vapona** insecticide. Mix 2 oz. ORKINBAN PLUS Concentrate per gallon of water or insecticide base oil.

Use the higher concentration to quickly reduce heavy cockroach infestations and the lower concentration on light infestations.

ORKINBAN PLUS Concentrate controls both non-resistant and resistant cockroaches in and around residential and commercial buildings, including homes, apartment buildings, stores, warehouses and similar structures.

Use as a spot treatment by applying as a coarse spray or with a paint brush, to areas where cockroaches normally are found. These areas include dark corners of rooms and closets, at the base of walls, in cracks in the wall, behind baseboards, behind and beneath sinks, refrigerators, stoves and cabinets and around drain pipes. Apply in a manner to avoid spray or mist contacting food, feedstuff and water supplies. Dishes and food handling utensils should be thoroughly washed in soap and water if they have become contaminated by the application of this product. Repeat treatment as needed.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS Limited to Crack and Crevice Treatment

Only—Apply a small amount of material by means of a low pressure spray and spray a pin thin stream of product directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids or hollow equipment legs where cockroaches may hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

Orkinban Plus is not recommended for use in conduits, motor housings or switch and junction boxes because of shock hazard.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

NOTE: Do not use in edible products area of food processing plants, restaurants or other areas where food is commercially prepared or processed, except when using the Crack and Crevice method of treatment. Do not use in serving areas while food is exposed.

This product is toxic to fish, wildlife and birds. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Crush or perforate and bury them in locations isolated from water.

PROFESSIONAL ORKINBAN PLUS CONCENTRATE

For use by Professional Pest Control operators only to control resistant and non-resistant cockroaches.

A product containing Dursban* and Vapona** insecticides.

DANGER  **POISON**

KEEP OUT OF REACH OF CHILDREN

Read entire statement and other precautions on side panels.

ACTIVE INGREDIENTS:

Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridyl)phosphorothioate]	16.00%
2,2-Dichlorovinyl dimethyl phosphate	7.45%
Related Compounds	.55%
Aromatic Petroleum Derivative Solvents	65.96%
INERT INGREDIENTS	10.04%

TOTAL 100.00%

*Dursban® — Trademark of The Dow Chemical Company—
U. S. Patent No. 3,244,586

**Equivalent to 8.0% Vapona® Insecticide.

EXCLUSIVE FOR  **EXTERMINATORS**

EPA Est. No. 6754—GA—1

BETTELBACH

Pesticide

CORPORATION

EPA Reg. No. 6754-48

4111 PEACHTREE ROAD, N.E. - ATLANTA, GEORGIA 30319

DANGER

**KEEP OUT OF REACH OF CHILDREN
POISONOUS IF SWALLOWED, INHALED
OR ABSORBED THROUGH SKIN.**

May Be Injurious to Eyes and Skin.

Do not wear contaminated clothing. Do not breathe vapor or spray mist. Handle concentrate in ventilated area. Keep away from food, feedstuffs and water supplies. Do not get on skin or in eyes. Wear natural rubber gloves, waterproof, protective clothing and goggles when handling the concentrate to prepare emulsions. Wear mask or respirator of a type found by the U. S. Bureau of Mines to give adequate protection against this material. Keep all unprotected persons out of operational area. In case of contact, wash immediately with soap and water. Wash hands, arms and face thoroughly with soap and water after handling and before eating or smoking. Do not allow children to contact treated areas until spray has dried.

Flush contaminated eyes and skin with plenty of water and for eyes, get medical attention.

ANTIDOTE: Internal: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water.) Never give anything by mouth to an unconscious person.

External: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eyes, wash immediately with running water for at least 10 minutes.

NOTE TO PHYSICIAN

ORKINBAN PLUS Concentrate is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote. 2-PAM is also antidotal and may be administered in conjunction with atropine. Call a physician in all cases of suspected poisoning. Morphine is contraindicated. Clear chest by postural drainage. Observe patient closely for 48 hours.

Repeated exposure to cholinesterase inhibitors may without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor.

Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

Start artificial respiration immediately if breathing has stopped.

WARNING SYMPTOMS:

Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin point pupils, salivation, sweating, nausea, vomiting, diarrhea, abdominal cramps.

Only if warning symptoms appear administer two 1/100 grain atropine tablets immediately.

**COMBUSTIBLE. Keep container closed.
DO NOT USE, POUR, SPILL OR STORE
NEAR HEAT OR OPEN FLAME.**

NET CONTENTS

GALLONS