

PROFESSIONAL ORKINBAN PLUS CONCENTRATE

A product containing Dursban* and Vapona** insecticides

ONLY FOR SALE TO, USE AND STORAGE BY PCOs

ACTIVE INGREDIENTS	
Chlorpyrifos (O,O-diethyl O-(3,5,6-trichloro-2-pyridyl)phosphorothioate)	16.00%
2,2-Dichlorovinyl dimethyl phosphate	7.45%
Related Compounds	55%
Aromatic Petroleum Derivative Solvents	65.96%
INERT INGREDIENTS	10.04%
TOTAL	100.00%

*Dursban R - Trademark of The Dow Chemical Company -
U.S. Patent No. 3,244,586
**Equivalent to 80% Vapona R Insecticide

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Keep Out Of Reach Of Children
Poisonous If Swallowed, Inhaled Or
Absorbed Through Skin
May Be Injurious To Eyes And Skin

Do not wear contaminated clothing. Do not breathe vapor or spray mist. Handle concentrate in ventilated area. Keep away from food, feedstuffs and water supplies. Do not get on skin or in eyes. Wear natural rubber gloves, waterproof protective clothing and goggles when handling the concentrate to prepare emulsions. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. Keep all unprotected persons out of operational area. Do not allow children to contact treated areas until spray has dried.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, wildlife and birds. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Keep container closed. Do not use if you spill or store near heat or open flame.

NOTE TO PHYSICIAN

ORKINBAN PLUS Concentrate is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote. 2-PAM is also antidotal and may be administered in conjunction with atropine. Call a physician in all cases of suspected poisoning.

Morphine is contraindicated. Clear chest by postural drainage. Observe patient closely for 48 hours.

Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor.

Allow no further exposure until time for cholinesterase reparation has been allowed as determined by blood test.

Start artificial respiration immediately if breathing has stopped.

WARNING SYMPTOMS:

Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, abdominal cramps.

STORAGE AND DISPOSAL

Storage: Combustible. Keep container closed. Do not store near heat or open flame. Do not contaminate water. Do not store by storage or disposal.

Pesticide disposal: Do not spray or store in areas that should be used according to label instructions. Do not dispose of according to Federal, State or local laws. Observe the Federal Conservation and Recovery Act.

Container disposal: Triple rinse before reuse. Do not reuse for any other purpose. Do not burn. Do not use as a receptacle for other chemicals. Do not use as a receptacle for other chemicals. Do not use as a receptacle for other chemicals. Do not use as a receptacle for other chemicals.

ACCEPTED

KEEP OUT OF REACH OF CHILDREN

DANGER  POISON

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Call a physician immediately.

See antidote statement and other precautions on side panels.

EPA Reg. No. 67-4-45

EPA Est. No. 674-GA-1

Dettelbach Pesticide Corporation

4111 PEACHTREE ROAD, N.E. - ATLANTA, GEORGIA 30319

NET CONTENTS

GALLONS

(1)

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ORKINBAN PLUS Concentrate may be mixed with water to dilute. Dilute the required amount in water or in a base of kerosene as indicated on the label.

FOR INSECTICIDE SPRAY—Mixing 0.25% concentration of ORKINBAN PLUS Concentrate. Mix 4 oz. ORKINBAN PLUS Concentrate per gallon of water or kerosene for use as a spray.

FOR SPRAY—Containing 0.25% concentration of ORKINBAN PLUS Concentrate. Mix 2 oz. ORKINBAN PLUS Concentrate per gallon of water or kerosene for use as a spray.

Use the higher concentration to quickly reduce heavy infestations and the lower concentration on light infestations.

ORKINBAN PLUS Concentrate controls: In homes, hotels, and restaurants: cockroaches, ants, crickets, fleas, ticks, silverfish, and bedbugs. In and around residential and commercial buildings including hotels, apartment buildings, stores, warehouses and similar structures.

Use as a spot treatment by applying as a dust or spray or with a paint brush to areas where the above mentioned pests normally are found. These areas include dark corners of rooms and closets, at the base of walls, in cracks in the wall, behind base boards, behind and beneath sinks, refrigerators, stoves, and cabinets and around drain pipes. Apply in a manner to avoid spray or mist contacting food, feedstuffs and water supplies. Dishes and food handling utensils should be thoroughly washed in soap and water if they have become contaminated by the application of this product. Repeat treatment as needed. For ants apply to ant trails also around doors and windows and wherever else these pests may find entrance.

For control of Brown Dog Tick, thoroughly apply concentrate spray as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment.

DO NOT TREAT PETS WITH THIS PRODUCT

Fleas and Mosquitoes—Use only out of doors as advised in reducing annoyance from these insects. Thoroughly apply concentrate spray to outside surfaces of window and door frames as well as other areas where these pests may find entrance into structures. Also spray dark corners and localized resting areas (such as under eaves) where fleas and mosquitoes may aggregate. Repeat treatment when effectiveness diminishes.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS limited to Crack and Crevice Treatment Only. Apply a small amount of material by means of a low pressure spray and spray a pin thin stream of product directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor walls, etc. in low equipment legs where cockroaches, crickets, fleas, ticks, silverfish and bedbugs may hide. Care should be taken to avoid depositing the product on exposed surfaces or introducing the material into the air. Avoid contamination of food and food processing surfaces.

Orkinban Plus is not recommended for use in electrical outlets, switches, junction and junction boxes because of fire hazard.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

NOTE—Do not use this product in areas of food processing establishments or other areas where food is exposed to the spray or mist of the product. Do not use this product in areas where food is exposed.

NOTICE

Because Dettol disinfectant is a powerful germicide, it is not recommended for use in areas where food is exposed to the spray or mist of the product. Do not use Dettol disinfectant in areas where food is exposed to the spray or mist of the product. Do not use Dettol disinfectant in areas where food is exposed to the spray or mist of the product. Do not use Dettol disinfectant in areas where food is exposed to the spray or mist of the product.

2