

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL:**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**STORAGE:** If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear proper protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled area with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking containers into another salvage drum. Do not store, use, pour or spill near heat or open flame.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER**

Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin. Wear natural rubber gloves, water-proof protective clothing and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting vegetation or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

ACCEPTED  
JUL 3 1963  
Under U.S. Federal Pesticide Act and Regulations, as amended, for the registered product EPA Reg. No. 63

**NOTICE:**

Because Dettelbach Pesticide Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Dettelbach Pesticide Corporation makes no representation or warranty, either expressed or implied, for results due to misuse, improper handling or storage of this material. Nor does Dettelbach Pesticide Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

10-044-6

# PROFESSIONAL DDVP No. 2 INSECTICIDE EMULSIFIABLE CONCENTRATE

(CONTAINING 2.0 LBS. DDVP INSECTICIDE PER GALLON)

**ONLY FOR SALE TO, USE AND STORAGE  
BY SERVICE PERSONS**


ACTIVE INGREDIENTS	By Weight
2, 2-Dichlorovinyl Dimethyl Phosphate .....	22.0%
Related Compounds .....	1.7%
Heavy Aromatic Resins .....	71.3%
INERT INGREDIENTS .....	5.0%
	100.0%

**RECEIVED**  
3 1985  
Federal Insecticide,  
and Rodenticide Act  
for the pesticide  
6754-50

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**

**POISON**



**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED** — Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE** vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give person one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person. **IF INHALED** — Remove person to fresh air. Apply respiration if indicated. **IF ON SKIN** — Wash immediately with soap and water. **IF IN EYES** — Flush eyes for at least 15 minutes with water. Call a physician immediately. **NOTE TO PHYSICIAN** — **DANGER SYMPTOMS:** Symptoms include weakness, headache, lightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete Atropinization has occurred. Morphine is contraindicated. 2-PAM is also antidotal and may be administered in conjunction with Atropine. Clear chest by postural drainage. Repeated exposure to cholinesterase inhibitors may without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

**BEST AVAILABLE COPY**

NET CONTENTS 1 GALLON

EPA Reg. No. 6754-50

EPA Est. No. 6754-GA-1

**Dettelbach Pesticide Corporation**

**FOR INDOOR USE ONLY****GENERAL DIRECTIONS**

DOYP #2 Insecticide Emulsifiable Concentrate (2 pounds per gallon) is a specially prepared concentrate for use in conventional application equipment.

**USE AND DIRECTIONS FOR APPLICATION**

**USE:** Household, Restaurants, Theaters, Food Processing Plants, Industrial Plants, Warehouses.

**INSECT:** Flies, Mosquitoes, Wasps, Gnats, Small Flying Moths, Cockroaches, Ants, Spiders, Silverfish, ~~Flea, Brown-Bag-Ticks~~

**DOSEAGE ACTUAL INSECTICIDE:** 4 Pints to 25 Gals of Water (0.5% Actual DOYP).

**APPLICATION:** Apply as a coarse wet Spray according to Standard PCO Practices.

**DIRECTIONS FOR APPLICATION:** TO BE APPLIED BY PEST CONTROL OPERATORS ONLY. Apply with low pressure sprayer to localized areas insects may infest. Treat infested areas around ~~baseboards, cracks, walls, door and window frames, and localized areas of floors.~~

**FOOD HANDLING ESTABLISHMENTS**—(Places other than private residences in which food is held, processed, prepared and/or served.) For control of roaches, ants, spiders, silverfish, crickets and clovermites.

**NON-FOOD AREAS**

Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply as a coarse wet spray by means of a low pressure sprayer ~~to baseboard areas,~~ around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where pests hide or through which they may enter.

**FOOD AREAS**

Includes receiving, serving, storage (dry, cold, frozen, raw), packaging (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage, enclosed processing systems (mills, dairies, edible oils, syrups.) Limited to Crack and Crevice Treatment Only!

Apply a pin thin stream of spray by means of a low pressure sprayer in small amounts to crack and crevices where cockroaches, ants and spiders hide or through which they may enter the building. Includes expansion joints, spaces between equipment and floors, and openings leading to voids and hollow spaces in walls, equipment legs and bases. Care should be taken to avoid depositing the product into exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Do not use DOYP No. 2 INSECTICIDE EMULSIFIABLE CONCENTRATE in conduits, motor housings or switch and junction boxes because of shock hazard.

**APPLICATIONS OF DOYP NO. 2 INSECTICIDE EMULSIFIABLE CONCENTRATE IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.**

**BEST AVAILABLE COPY**