# PROFESSIONAL

SUBTERRANEAN TERMITE CONTROL

### ORKIL®

FOR PROFESSIONAL EXTERMINATOR USE ONLY

## CHLOROHEPTON®

**CONCENTRATE NO. 2** 

(Must be diluted before using)

ACTIVE INGREDIENTS:
Technical Chlordane\*
Heptachlor\*\*
Related Compounds
Petroleum Hydrocarbons

23.65% 8.51% 3.31% 54.63%

INERT INGREDIENTS:

10.00%

\*Equivalent to 14-2% Octachloro - 4,7 Methano - Tetrahydroindane and 9.5% Related Compounds. \*Heptachloro - Tetrahydro-4,7-Methanoindene.

#### DIRECTIONS FOR USE

Mix 1 part of Chlorohepton Concentrate to 49 parts water. Apply 1 gallon per 10 square feet of soil surface under slab, attached porches, entrance platforms, utility entrances and similar situations. If trenching along the inside or outside of the foundation, around piers or service entrances, apply 1 gallon per 2 linear feet to shallow trenches (15 inches deep or less) and 1 gallon per linear foot if trench is deep (over 15 inches deep). Trenches are to be dug all the way around the foundation of the buildings to be protected. The trenches should be dug 30 inches deep, unless the top of the footing is shallower than 30 inches, in which case they should be dug to the top of the footing. An annual inspection for reinfestation should be made.

### WARNING: HAZARDOUS IF SWALLOWED. INHALED OR ABSORBED

THROUGH SKIN Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing. I case of accidental spillage on persons or clothing, immediately remove clothing and flush skin or eyes with plenty of water; for eyes get medical attention. Keep away from heat and open flame.

Do not get on skin.

During commercial, or prolonged exposure in spray-mixing and loading operations, wear clean, synthetic rubber gloves and a mask or respirator of a type passed by the U. S. Department of Agriculture. Use this product only for recommended purposes and at recommended dosages.

Toxic to fish and wildlife. Do not contaminate lakes, streams, or ponds with this material by direct application, cleaning of equipment or disposal of waste.

### KEEP OUT OF REACH OF CHILDREN

ANTIDOTE

INTERNAL: If any of the insecticide is swallowed, give a tablespoon of salt in a glass of warm water. Repeat until vomit fluid is clear. Keep victim prone and quiet. EXTERNAL: If skin is contacted, wash immediately with soap and water. Call a physician immediately.

NOTE TO PHYSICIAN: In case of accidental poisoning, barbituates as for anticonvulsant therapy. Observe patient carefully since repeated treatment may be needed.

NET CONTENTS GALLONS

DETTELBACH

Pesticide

CORPORATION

ACCEPTED

MAY 1 0 1967

UNDER THE FEDE. AL INSTITUTE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 45 14 14 15 EU STECT TO ATTACHED COMMENTS.

U.S.D.A. REG. NO. 4894-37

ATLANTA, GEORGIA

INDUSTRIAL AND BACTERIOLOGICAL LAB CONTROL

 $N^{\circ}$  10817

4103 PEACHTREE ROAD. N.E. ATLANTA, GEORGIA 30317



1388 CRAMPTON STREET DALLAS, TEXAS 76207

Inclosure 4