

PROFESSIONAL

Orkin Mice Bait

FOR ORKIN EXTERMINATORS USE ONLY

The bait is a ready-to-use bait mixture prepared especially for the control of house mice.

DIRECTIONS

1. Place table-spoon amount (1/2 to 1 oz) of the bait in locations 1 to 12 feet apart where mice feed, water and/or travel.
2. Treated baits should be placed in locations not accessible to children, pets, wildlife and domestic animals in tamper-proof bait boxes.
3. Locations along walls, corners and other concealed areas where mice can feed unobserved are desirable.
4. An uninterrupted supply of bait should be maintained for at least 15 days.
5. Contaminated or spoiled baits should be replaced promptly.

CONTENTS

ACTIVE INGREDIENT	
2 Pivalyl L-3-phosphorothioate	3.02%
INERT INGREDIENTS	96.975%
1 Pival	

CAUTION KEEP OUT OF REACH OF CHILDREN

Keep away from children, pets, wildlife and domestic animals. If swallowed by humans and most animals or pet, the material may be deadly. The toxicity of the bait should be observed.

NOTE TO PHYSICIANS

In case of hemorrhage, convulsions and other symptoms, treatment should be initiated with 100 mg of thiazoprine intravenously, followed by 100 mg of thiazoprine orally every 6 hours. If hydroxyurea is administered, it should be given in 100 mg increments with water. The following symptoms may be observed: headache, dizziness, nausea, vomiting, diarrhea, and loss of appetite. Apply the product to the bait stations in the following manner: Empty bait station. Empty bait station. Empty bait station.

CONTENTS **50** POUNDS

EPA REG. NO. 100-100-01

EPA REG. NO. 100-100-01

EXCLUSIVE FOR



EXTERMINATORS

DETTELBACH

Pesticide

CORPORATION

4111 PEACHTREE ROAD, N.E. - ATLANTA, GEORGIA 30319

