DESCRIPTION

Weeden 65 is a specialized within grass and higher killer formulation formulated for fast cellent the around highways raile of light ways tractiones, and so the non-roc area

DIRECTIONS

Airt the recommended amount of Weedex 65 to about one half the volume of water or oil to be used in spraying. Mix well, then add the remaining water or or and mix until spray mix ture is uniform. Continue mixing while spray ing. Do not let water get into brush killer oil sprays used in stump or basal treatment.

Weedax 65 is a hixture of 2,4 D and 2.4.5 T which can be mixed with water or dissolved in oil. Weedex 65 is resigned for weeds and woody growth which are controlled better by a mix ture of 2.4 D and 2.4.5 T than either agent sep-erately Browles blauterries, some number his osciety and power by ground serves and horse nerties are typical of the vegetation which can the controlled along fence one right of the harmonic in pasts and on rate ands and beneath production

· · · · · · · · · · · · · · · · · · ·	· · - • ·	** * * * * * * * * * * * * * * * * * * *
34 127 44 1	- waste a re-man	
e di metroque	B 1.5	₩ **
1.6		AP4 1
	•	
		** * *
		· ••
•		. *
		·
		•

EPA Reg No 6762 21

KET CONTENTS

.23/92WEEDEX 65

LOW Volatile Ester Ween Gress & Brush Killer

DILUTED WITH OIL OR WATER **EXCELLENT FOR RURAL FENCE ROWS**

CONTAINS

1 LB. 2,4-D AND 1 LB. 2,4,5-T

ACID EQUIVALENT PER GALLON

ACTIVE INGREDIENTS

*Isopolty Ester of 2,4 Dichloropher payacetic Acidi-**Isourty) Ester of 2.4 % Frichiorophenoxyacetic Acid INERT INGREDIENTS

00.75

1. 25

16.50 ~

TEquivalent to 11.4% of 2.4. Dictioraphenoxyaletic Acid TEquivalent to 11.4% of 1.4% of thomphenoxyaletic Acid

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME CAUTION: KEEP OUT OF REACH OF CHILDREN See side panel for additional precautions.

Secen's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handing and as cut the product or these conditions



AN EXCLUSIVE PRODUCTION

STERN CHEMICAL CORPORATION HOME OFFICE AND LABORATORY: 318/326-4333 2725 DeSIARD STREET, MONROE, LOUISIANA 71201 BATON ROUGE - SHREVEPORT

CAUTION

CAUTION DO NOT USE AROUND HOME. RECREATION AREAS, OR SIMILAR AREAS CAUTION HARMFUL IF SWALLOWED A VOID CONTACT WITH SKIN EYES, OR CLOTHING

Avoid application to vegetables, finivering plants, strubbery trees, or other desirable type of plants. Do not apply to newly seeded pastures. Because of possible legary to bent grass ind St. Augustine gress pastures. Also bewere a possible injury to crover

Do not contaminate waters used for irriga tion or comestic purposes.

GRAZING LIVITATIONS

a. Do not graze dairy arin als on treated areas within 6 weeks after application

b. Do not graze meat animals on treated stor a dain 2 weeks of slaughter This picture is tond to fish. Keep out of

takes streams or pools. So not contaminate vater by cleaning of equipment, or disposal of warres

Do set reuse empty contails. Wash tho roughly with water and detergant. Discard in a safe pia e

Do not rausa empty strum. Return to drum reconditioner or destroy by perforating or crushing and burying in a 12th place.

CAUTION Do not dispose of poison my, by burning after it has been killed. Smoke from the burning vine is very poisonous on contact with the skin.

Before using, consult agricultural authorities n your State. Do not store near fertilizers. seeds, insecticides or fungicides. Avoid spray drift to susceptible plants as this product may injure cotton bears, peas, ornamentals, etc. (Coarse sprays are less likely to drift). Tho roughly clean spray equipment with a suitable chemical cleaner before using for other pur poses. Vapors from this product may injure sus captible plants in the immediate vicinity

DESCRIPTION

Weedex 65 is a specialized weed, grass and brush killer formulation formulated for fast and excellent use around highways, railroad right-of-ways, fire lanes, and similar non-crop areas.

DIRECTIONS

Add the recommended amount of Weedex 65 to about one-half the volume of water or oil to be used in spraying. Mix well, then add the paraining water or oil and mix until spray mixture is uniform. Continue mixing while spraying. Do not let water get into brush killer oil sprays used in stump or basal treatment.

Weedex 65 is a mixture of 2,4-D and 2,4,5-T which can be mixed with water or dissolved in oil. Weedex 65 is designed for weeds and woody growth which are controlled better by a mixture of 2,4-D and 2,4,5-T than either agent separately. Brambles, blackbeinies, some hawthorns, osage orange, poison ivy, ground cherries and horse nettles are typical of the vegetation which can be controlled along fence rows, right-of-way, highways, in pastures and on rangelands and beneath power lines.

	መዲያ ነው ነው ቤተዋል ቸያ የ ይገልኤር ውስኤ ነር ልፍነው ልጹ እ	
H.iP	CAN JOSEPH AND PETROLE HE WAS DRIVEN THE WAYS TO THE	

			<u> </u>
·	MEETER.	A (. *	APP
	* * *		r ye
Tennik	a.e. 25 t	1 1 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Mark to the first of the control of
	3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -	The second secon	tana and an an an and an an and an an an and an

EPA Reg. No. 6762-21

NET CONTENTS

.23/92WEE

FAST ACTING I GAI LON MAKE DILUTED WITH OIL OR WATER

1 LB. 2,4

ACID EQU

ACTIVE INGREDIENTS:

*Isooctyl Ester of 2,4-Dichloroph **Isooctyl Ester of 2,4,5-Trichloro INERT INGREDIENTS

*Equivalent to 11.45% of **Equivalent to 11.45% of

DO NOT USE, POUR, SPILL OR S
CAUTION: KEEP OUT

See side panel for

Seller's guarantee shall be limited to t buyer assumes any risk to persons or accepts the product on these condition



ing. Do not let water get into brush killer oil sprays used in stump or basal treatment.

Weedex 65 is a mixture of 2,4-D and 2,4,5-T which can be mixed with water or dissolved in oil. Weedex 65 is designed for weeds and woody growth which are controlled better by a mixture of 2,4-D and 2,4,5-T than either agent separately. Brambles, blackberries, some hawthorns, osage orange, poison ivy, ground cherries and horse nettles are typical of the vegetation which can be controlled along fence rows, right-of-way, highways, in pastures and on rangelands and beneath power lines.

WOODY PLANTS AND BRUSH IN PASTURE AND RANGELANDS AND NON-CROP LAND SUCH AS FENCE ROWS, RIGHT OF-WAYS

NON-CHOP LAND SUCH AS FENCE HOWS, HIGHT UF-WAYS				
TYPE OF SPRAYING	AMOUNT OF WEEDEX TO USE	WHEN TO	HOW TO APPLY	
FOLIAGE TREATMENT	1 Galton in 65 Gall ton of water or oil	After full leaf stage when growing vigorously	Thoroughly wer foliage stems and back using power or hand sprayer	
FRILL TREATMENT FOR LARGE TREES!	I to 3 pints in 3 gallons oil or water	At any time during dorinant or growing season	Make a cup or frill single hack girdle of overlapping ax cuts? and treat cut area to the point of run off.	
STUMP TREATMENT	t to 2 gallons in 25 gallons if to 2 pint to 3 gallons; of oil	Apply as soon as possible after curting. Effective : during dormant or growing season.	Wet entire stomp in Eluding all exposed thank thoroughly to the ground	

EPA Reg. No. 6762-21

N'ET CONTENTS

DILUTED WITH 0

*Isooctyl Ester o

**Isooctyl Ester o

INERT INGREDIENT:

*Equivale

**Equivale

DO NOT USE, POUR CAUTION: I

See

Seller's guarantee shall buyer assumes any ris accepts the product or

