

DESCRIPTION

S.C. WEED KILLER is a non-selective herbicide that kills most forms of undesirable weed growth, including Morning Glory, Bindweed, Canada Thistle, Sow Thistle, Johnson Grass, Bermuda Grass, Quack Grass, Poison Ivy, White Top, Horse Tail, and Tules.

GENERAL WEED CONTROL

For use in enclosed industrial yards and similar enclosed places where soil can be poisoned and plant growth is not wanted. Dosage rates in excess of 50 pounds arsenic trioxide equivalent per acre are limited to areas to be covered by pavement after treatment.

TIMING: For best results apply when weeds are less than 6 inches high.

APPLICATION: Mix recommended amounts with water and apply with sprayer or sprinkling can.

PERENNIAL WEED AND GRASS CONTROL:

For use in sprayer, mix 2 parts with 5 parts water. For sprinkling can application, mix 1 part with 10 parts water. Thoroughly wet foliage, stems and exposed root crowns with spray mixture. DO NOT EXCEED 2.5 pints of product per 1000 square feet.

ANNUAL WEED AND GRASS CONTROL:

For use in sprayer, mix 1 part with 5 parts water. For sprinkling can application, mix 1 part with 20 parts water. Thoroughly wet foliage, stem and exposed root crowns with spray mixture. DO NOT EXCEED 2.5 pints of product per 1000 square feet.

PLANT GROWTH PREVENTION: (Pre-Pave-

ment Treatment) Apply 4 to 6 quarts mixed with 5 or more gallons of water per 100 square feet. Use higher rate for heavy soils or where ground is not bare of vegetation. Treated soil should not be cultivated or disturbed after treatment. This rate of application is only for areas to be covered with pavement after use.

EPA REG. NO. 6762-29

NET CONTENTS: _____

S. C. WEED KILLER

TYPE "B"

TREE KILLER & CONTACT WEED KILLER FAST ACTING — NON-SELECTIVE

CONTAINS

2 Pounds of Arsenic Trioxide (As₂O₃) per Gallon

ACTIVE INGREDIENTS

Sodium Arsenite* 20%

INERT INGREDIENTS 80%



*Contains 11.54% total arsenic, all metallic, all water soluble.



POISON
DANGER



DANGER: KEEP OUT OF REACH OF CHILDREN
See side panel for additional warning and antidote statements
DO NOT USE OR STORE IN OR AROUND THE HOME



TREE AND STUMP KILLING: Mix 2 parts with 3 parts water.

FOR TREE KILLING, cut deep gashes into bark and wood of tree, around tree trunk, two or three inches apart. Fill each gash with this mixture. For best results, make treatment during spring or early summer. For stump treatment, soak freshly cut surface with this mixture to prevent sprouting.

Do not reuse empty container. Destroy by perforating or crushing. Bury or discard in a safe place.


DANGER — MAY BE FATAL IF SWALLOWED. Do not get in eyes, on skin or clothing. Avoid skin contact. Do not get in eyes, on skin or clothing. Do not breathe spray mist. Wear respirator. In case of contact, wash thoroughly after using. Keep children and animals off treated areas until washed into soil. Keep away from feed and food products and out of reach of children and domestic animals. Do not use or store in or around the home. Do not allow domestic animals to graze treated areas. Do not use treated vegetation as food or bedding for livestock. Do not allow spray or spray drift to contact desirable plants.

FIRST AID: If swallowed, give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Then give 2 table- spoons of Epsom Salts or Milk of Magnesia in water, and plenty of milk or water. Have patient lie down and keep quiet.

CALL A PHYSICIAN IMMEDIATELY.

This product is toxic to wildlife. Birds and other wildlife in treated areas may be killed. Do not apply where runoff is likely to occur, and do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water used for domestic or irrigation purposes. Apply this product only as specified on this label.

AN EXCLUSIVE PRODUCT OF:



STERN CHEMICAL CORPORATION
HOME OFFICE AND LABORATORY: 318 / 325-4333
2725 DeSIARD STREET, MONROE, LOUISIANA 71201
NEW ORLEANS • BATON ROUGE • SHREVEPORT