

DIRECTIONS FOR USE

Malathion 57% is recommended for use in parks, recreational areas, swamps, marshes and other areas where flying insects are a problem. For municipalities, Malathion 57% is recommended as an aid in the control of adult mosquitoes, flies, gnats and certain other flying insects. For use in municipal fog machines, dilute 1 gallon of Malathion 57% with 25 gallons of fuel oil by weight to make a 2½% actual Malathion fog spray.

With Dynafog machines, the rate of application should be 40 gallons per hour with the machine moving at 5 miles per hour.

CONTAINER CAUTION

Do not reuse empty drum or container. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

NET CONTENTS: _____

EPA REG. NO. 6762-34

MALATHION 57%

OIL SOLUBLE FOGGING CONCENTRATE TO BE USED IN MUNICIPAL FOGGING AND SPRAYING OPERATIONS TO CONTROL MOSQUITOES, FLIES, GNATS AND OTHER FLYING INSECTS.
FOR USE IN THERMAL FOGGERS ONLY.

ACTIVE INGREDIENTS:		
MALATHION*	57.00%	
XYLENE	40.00%	
INERT INGREDIENTS	3.00%	

*O, O-Dimethyl dithiophosphate of diethyl mercaptosuccinate

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.
See Side Panel For Other Cautions.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.



AN EXCLUSIVE PRODUCT OF

STERN CHEMICAL CORPORATION

HOME OFFICE AND LABORATORY: 318 / 325-4333

2725 DeSIARD STREET, MONROE, LOUISIANA 71201

NEW ORLEANS • BATON ROUGE • SHREVEPORT

CAUTION

Harmful if swallowed, or absorbed through skin. Avoid breathing mist. Avoid contact with skin, eyes and clothing. Avoid contamination of feed or foodstuffs. Wash thoroughly after using. Keep out of reach of children and domestic animals. Malathion may cause cholinesterase inhibition. If poisoning occurs, get prompt medical aid. Atropine is antidotal. Do not store near heat or open flame. 2-PAM is also antidotal and may be administered in conjunction with atropine.

FISH, WILDLIFE, AND ENVIRONMENTAL CAUTIONS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

BEE CAUTION

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DIRECTIONS FOR USE

Malathion 57% is recommended for use in parks, recreational areas, swamps, marshes and other areas where flying insects are a problem. For municipalities, Malathion 57% is recommended as an aid in the control of adult mosquitoes, flies, gnats and certain other flying insects. For use in municipal fog machines, dilute 1 gallon of Malathion 57% with 25 gallons of fuel oil by weight to make a 2½% actual Malathion fog spray.

With Dynafog machines, the rate of application should be 40 gallons per hour with the machine moving at 5 miles per hour.

CONTAINER CAUTION

Do not reuse empty drum or container. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

NET CONTENTS: _____

EPA REG. NO. 6762-34

MALATHION 57%

OIL SOLUBLE FOGGING CONCENTRATE TO BE USED IN MUNICIPAL FOGGING AND SPRAYING OPERATIONS TO CONTROL MOSQUITOES, FLIES, GNATS AND OTHER FLYING INSECTS.

FOR USE IN THERMAL FOGGERS ONLY.


OIL SOLUABLE

ACTIVE INGREDIENTS:	
MALATHION*	57.00%
XYLENE	40.00%
INERT INGREDIENTS	3.00%

*O, O Dimethyl dithiophosphate of diethyl mercaptosuccinate

CAUTION: KEEP OUT OF THE REACH OF CHILDREN.
See Side Panel For Other Cautions.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.



CAUTION

Harmful if swallowed, or absorbed through skin. Avoid breathing mist. Avoid contact with skin, eyes and clothing. Avoid contamination of feed or foodstuffs. Wash thoroughly after using. Keep out of reach of children and domestic animals. Malathion may cause cholinesterase inhibition. If poisoning occurs, get prompt medical aid. Atropine is antidotal. Do not store near heat or open flame. 2-PAM is also antidotal and may be administered in conjunction with atropine.

FISH, WILDLIFE, AND ENVIRONMENTAL CAUTIONS

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

BEE CAUTION

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

AN EXCLUSIVE PRODUCT OF

STERN CHEMICAL CORPORATION

HOME OFFICE AND LABORATORY: 713/326-4331

2725 DeSIARD STREET, MONROE, LOUISIANA 71202

NEW ORLEANS • BATON ROUGE • HENRYVILLE